

Foreman - Feature #18786

Summary of all DNS-Entries + adding DNS-Entries without creating a Host

03/03/2017 05:02 AM - Patrick Thyen

Status: New	
Priority: Normal	
Assignee:	
Category: DNS	
Target version:	
Difficulty:	Fixed in Releases:
Triaged:	Found in Releases:
Bugzilla link:	Red Hat JIRA:
Pull request:	
Description It would be nice, if you can create multiple DNS-Records. e.g. If I create the Host test.vm, Foreman creates the A Record test.vm. But when I need more than this record, Foreman is not able to do this. An option to set more A-Record DNS-Entries would help me out, here. When creating a new Host you can set the name, which equals the DNS A-Record. Below that you could add a new option called "Subdomain" as a Dropdown-Menu. There you should only write the Subdomain you also need. e.g. New Host Name: test.vm Subdomain: more creates the DNS A-Records test.vm and more.test.vm or New Host Name: test.vm Subdomain: * creates the DNS A-Records test.vm and *.test.vm	

History

#1 - 03/03/2017 05:05 AM - Patrick Thyen

e.g.

New Host

Name: test.vm

Subdomain: more

creates the DNS A-Records test.vm and more.test.vm

or

New Host

Name: test.vm

Subdomain: *

creates the DNS A-Records test.vm and *.test.vm

Name: test

Domain: vm