

Smart Proxy - Bug #1914

Proxy should throw an error when loading a nonexistant puppet.conf

10/24/2012 07:48 AM - Greg Sutcliffe

Status:	Closed	
Priority:	Normal	
Assignee:	Greg Sutcliffe	
Category:	Puppet	
Target version:		
Difficulty:		Fixed in Releases:
Triaged:		Found in Releases:
Bugzilla link:		Red Hat JIRA:
Pull request:		
Description		
<p>This just came up as a user upgraded from 0.4.2 to 1.0.1 - no :puppet_conf: setting in proxy/settings.yml. So the proxy tried to load ~foreman-proxy/.puppet/puppet.conf which doesn't exist. Instead of failing, it simply produced the default environments ("production"). This made it rather difficult to troubleshoot.</p> <p>The proxy should exit with an error if :puppet: true and the puppet.conf cannot be found. It should also print the file it does load (when successful) to the logs.</p>		

Associated revisions

Revision 6c458743 - 10/24/2012 09:36 AM - Greg Sutcliffe

Fixes #1914: Raise if we cannot read the puppet conf file, report the path otherwise

History

#1 - 10/25/2012 05:12 AM - Anonymous

- Status changed from New to Closed
- % Done changed from 0 to 100

Applied in changeset [6c458743f893c6c52cfa9b746075c08e6ffef9a](#).