

Foreman - Bug #19565

Missing host parameters in foreman_hooks json

05/16/2017 07:56 AM - Adam Winberg

Status: Rejected	
Priority: Normal	
Assignee:	
Category: API	
Target version:	
Difficulty:	Fixed in Releases:
Triaged:	Found in Releases:
Bugzilla link:	Red Hat JIRA:
Pull request:	
Description	
<p>Started playing with foreman_hooks and noticed that the json data passed to my hook script is missing host parameters when I create a new host. I started digging through commits and found that if i revert this commit:</p> <p>https://github.com/theforeman/foreman/commit/94265cf7ab7e383fc864182efd443be0adfac1de#diff-5ef0189b17a78606adef8f22e909697e</p> <p>in the app/views/api/v2/hosts/show.json.rabl file it works again.</p> <p>So, this code (which nowadays is moved to main.json.rabl):</p> <pre>node do host { :parameters => partial("api/v2/parameters/base", :object => host.host_parameters.authorized) } end</pre> <p>does not work for me but this do:</p> <pre>child :host_parameters => :parameters do extends "api/v2/parameters/base" end</pre> <p>I'm running this as administrator in my Foreman installation, am I missing something or is this a bug?</p>	

History

#1 - 05/16/2017 08:03 AM - Dominic Cleal

- Status changed from New to Rejected

The foreman_hooks issue tracker is at https://github.com/theforeman/foreman_hooks/issues. I've moved this issue to https://github.com/theforeman/foreman_hooks/issues/43.