

Foreman - Bug #2065

Puppetrun doesn't work in Puppet version > 3.x

12/20/2012 11:04 AM - Peter van Arkel

| | |
|---|---------------------------------|
| Status: Resolved | |
| Priority: Normal | |
| Assignee: Dominic Cleal | |
| Category: Puppet integration | |
| Target version: 1.1 | |
| Difficulty: | Fixed in Releases: |
| Triaged: | Found in Releases: |
| Bugzilla link: | Red Hat JIRA: |
| Pull request: | |
| Description | |
| In the foreman interface, you're still able to use the puppetrun-method. However, this is deprecated in Puppet v3 and up and is superceded by 'puppet kick'. | |
| ==== | |
| 20121220/#theforeman@freenode | |
| 16:56:34 < Dominic> peterva: could you file a bug please? I think it'll need a few small updates to use puppet kick instead of puppetrun, update sudoers rules etc. | |
| Related issues: | |
| Related to Foreman - Feature #2116: Use MCollective to trigger Puppet runs | Closed 01/08/2013 |

Associated revisions

Revision cfff236a - 01/02/2013 03:08 PM - Dominic Cleal

fixes #2065 - use version dependent puppetrun/kick path

Specify wildcard in sudoers rules to enable "puppet kick <host>", else sudo doesn't permit additional arguments.

Revision aeb9463f - 01/14/2013 07:06 AM - Dominic Cleal

refs #2065 - provide version dependent puppetrun/kick path

History

#1 - 12/20/2012 11:16 AM - Dominic Cleal

- Category set to Puppet integration

- Target version set to 1.1

I think we'll need to detect puppet kick versus puppetrun in a similar way to puppetmasterd/puppet master and puppetca. sudoers rules in the installer will also need updating.

#2 - 12/26/2012 09:33 AM - Drew Blessing

I believe puppet kick is deprecated as of 3.0 as well. Per Eric Sorenson at PuppetLabs the preferred method going forward is MCollective for central stuff like this. <http://puppetlabs.com/blog/say-hello-to-puppet-3/>

#3 - 01/02/2013 07:22 AM - Dominic Cleal

- Status changed from New to Assigned

- Assignee set to Dominic Cleal

Drew Blessing wrote:

I believe puppet kick is deprecated as of 3.0 as well. Per Eric Sorenson at PuppetLabs the preferred method going forward is MCollective for central stuff like this. <http://puppetlabs.com/blog/say-hello-to-puppet-3/>

Agreed, MCollective is the way forward. This change is only to re-enable the current kick functionality, but we should be looking to integrate with the mco puppetd plugin in the future.

#4 - 01/02/2013 11:05 AM - Dominic Cleal

- Status changed from Assigned to Ready For Testing

https://github.com/theforeman/puppet-foreman_proxy/pull/38

<https://github.com/theforeman/puppet-puppet/pull/28>

The proxy already has the required logic thanks to [#1066](#).

#5 - 01/14/2013 07:09 AM - Dominic Cleal

- Status changed from Ready For Testing to Resolved

Both merged.