

## Installer - Feature #20871

### RFE - create a default subnet as a part of the installation process

09/07/2017 07:30 AM - roman plevka

<b>Status:</b> Duplicate	
<b>Priority:</b> Normal	
<b>Assignee:</b>	
<b>Category:</b>	
<b>Target version:</b>	
<b>Difficulty:</b>	<b>Fixed in Releases:</b>
<b>Triaged:</b> No	<b>Found in Releases:</b>
<b>Bugzilla link:</b> 1489398	<b>Red Hat JIRA:</b>
<b>Pull request:</b>	
<b>Description</b> Cloned from <a href="https://bugzilla.redhat.com/show_bug.cgi?id=1489398">https://bugzilla.redhat.com/show_bug.cgi?id=1489398</a> Description of problem: As a user, I want installer to automatically pre-create a 'Default Subnet' with the NW parameters I specified (they're currently used to setup DHCP).  - the similar behavior applies to Domains.  Version-Release number of selected component (if applicable):  Actual results: Subnet list is empty after Foreman installation despite the fact, that I specified the subnet parameters in the installer.  Expected results: a 'Default Subnet' is created with the pre-created Domain assigned and Network parameters from the installer step.	
<b>Related issues:</b>	
Is duplicate of Installer - Feature #4994: create a subnet in foreman once a ...	<b>New</b> <b>04/01/2014</b>

## History

### #1 - 09/07/2017 09:21 AM - Daniel Lobato Garcia

- Project changed from Foreman to Installer

How did you specify these subnets? There is no --foreman-subnets parameter, so I assume you mean --foreman-proxy-dhcp-subnets or similar - which sets up the subnets in the proxy but not Foreman itself.

### #2 - 09/21/2017 06:58 AM - Ewoud Kohl van Wijngaarden

The idea on IRC was indeed to create the subnet in Foreman based on the DHCP server.

### #3 - 07/22/2019 03:51 PM - Ewoud Kohl van Wijngaarden

- Is duplicate of Feature #4994: create a subnet in foreman once a dhcp server is configured added

### #4 - 07/22/2019 03:52 PM - Ewoud Kohl van Wijngaarden

- Status changed from New to Duplicate