# Smart Proxy - Bug #2099

# \$confdir not interpolated in puppet modulepath during class import

01/03/2013 10:45 AM - Dominic Cleal

Status:	Closed	
Priority:	Normal	
Assignee:	Dominic Cleal	
Category:	Puppet	
Target version:	1.1	
Difficulty:		Fixed in Releases:
Triaged:		Found in Releases:
Bugzilla link:		Red Hat JIRA:
Pull request:		
Description		
Reported in <u>#2085</u> :		
When \$confdir variable is used in puppet.conf, no environment is available at all - rake puppet:import:puppet_classes RAILS_ENV=production returns empry array. Sample string in puppet.conf from Puppet Docs: modulepath = \$confdir/environments/\$environment/modules:\$confdir/modules		
http://docs.puppetlabs.com/guides/environment.html		

#### Associated revisions

### Revision ce3bbf11 - 01/08/2013 04:02 AM - Dominic Cleal

fixes #2099 - interpolate \$confdir if \$environment not used

## Revision 4e24d8c8 - 01/08/2013 04:02 AM - Raffael Schmid

fixes #2099 - fix handling of multiple module paths

Replace every occurrence of \$confdir, not only the first one

#### History

## #1 - 01/07/2013 10:55 AM - Dominic Cleal

- Status changed from New to Ready For Testing
- Target version set to 1.1

#### https://github.com/theforeman/smart-proxy/pull/55

### #2 - 01/08/2013 06:11 AM - Dominic Cleal

- Status changed from Ready For Testing to Closed
- % Done changed from 0 to 100

Applied in changeset ce3bbf116ce0f03425bf062e26f1663310f54bf2.