

Foreman - Feature #2214

Specifying host IP address should not be mandatory for unmanaged DNS/DHCP subnets

02/17/2013 04:49 PM - Jon Fautley

<b>Status:</b>	Duplicate	<b>Fixed in Releases:</b> <b>Found in Releases:</b> <b>Red Hat JIRA:</b>
<b>Priority:</b>	Normal	
<b>Assignee:</b>		
<b>Category:</b>	Host creation	
<b>Target version:</b>		
<b>Difficulty:</b>		
<b>Triaged:</b>		
<b>Bugzilla link:</b>		
<b>Pull request:</b>		
<b>Description</b>		
<p>We have a setup whereby we deploy (RHEL) virtual machines (using libvirt+foreman) onto networks where we are only able to control the TFTP server via the smart-proxy.</p> <p>When creating a new host, it is mandatory to specify an IP address for the primary interface of the new host - this should be made optional, and updated once the build is in progress.</p> <p>Foreman already knows the MAC address of the system being built, so requests for the provision (kickstart) template are successful, and Foreman is then aware of the assigned IP for the host. Once Foreman is aware of the IP of the host, it should update the record in order for the 'build complete' status to be updated correctly.</p>		
<b>Related issues:</b>		
Related to Foreman - Feature #2576: Optionally update Host.ip as part of /una...		<b>Closed</b> <b>05/28/2013</b>
Is duplicate of Foreman - Feature #3182: Remove requirement for entering an l...		<b>Closed</b> <b>10/02/2013</b>

History

#1 - 10/27/2013 12:01 PM - Dominic Cleal

- Is duplicate of Feature #3182: Remove requirement for entering an IP address when creating a new host added

#2 - 10/27/2013 12:02 PM - Dominic Cleal

- Related to Feature #2576: Optionally update Host.ip as part of /unattended/built added

#3 - 10/27/2013 12:02 PM - Dominic Cleal

- Description updated
- Status changed from New to Duplicate

Being implemented via [#3182](#).