

Foreman - Bug #2218

Smart Class Parameter: Override for specific host does not work, if using type JSON

02/18/2013 03:59 AM - Florian Sachs

Status: Resolved	
Priority: Normal	
Assignee:	
Category:	
Target version:	
Difficulty:	Fixed in Releases:
Triaged:	Found in Releases:
Bugzilla link:	Red Hat JIRA:
Pull request:	
Description	
System Setup Foreman Host: RedHat 6.3 Database: Postgresql 9.2 Puppet: puppet-3.1.0 PuppetDB on same host, same Postgresql Cluster, but different Database Foreman installed via yum-Repository: foreman-1.1stable-1.el6.noarch	
Our Linux Server Environment uses Puppet with Foreman acting as ENC. Whenever possible, the parameters used, should be set in Foreman as Smart Class Parameters. We often use JSON Data, to provide structured data to our puppet classes.	
When using type JSON, I found following behaviour:	
<ul style="list-style-type: none">• I can paste my JSON data to the field "default value" and it gets saved.• When reopening the class, the JSON Data is displayed with whitespave removed (which is actually ok)• I cannot use add a new matcher values <-- VERY BAD	
When using type STRING, the i found following behaviour:	
<ul style="list-style-type: none">• I can paste my JSON data to the field "default value" and it gets saved.• When reopening the class, the JSON Data is displayed as I pasted it (the Linefeeds etc are displayed correctly)• I can add new matcher values• When reopening the class, the JSON Data of the matcher values is displayed as I pasted it (the Linefeeds etc are displayed correctly)• When trying to switch from type STRING to JSON, and save the class, nothing happens	
As everything works, when I use the STRING type, I will do so, but I think, the behaviour should be consistent.	

History

#1 - 05/18/2017 10:07 AM - Anonymous

- Description updated

- Status changed from New to Resolved

should be OK by now