

## Foreman - Bug #2219

### User <-> Hostgroup ACLs to follow the hostgroup hierarchy

02/19/2013 04:08 AM - Daniel Lobato Garcia

<b>Status:</b> Closed	
<b>Priority:</b> Normal	
<b>Assignee:</b>	
<b>Category:</b>	
<b>Target version:</b> 1.2.0	
<b>Difficulty:</b>	<b>Fixed in Releases:</b>
<b>Triaged:</b>	<b>Found in Releases:</b>
<b>Bugzilla link:</b>	<b>Red Hat JIRA:</b>
<b>Pull request:</b>	
<b>Description</b>	
Two hostgroups:  h1 h1/h2 If h1 is the only item in the list of hostgroups 'managed' by u1 (filters tab, user properties) then hosts in h2 will be hidden from u1 (same for several levels of nesting) Imagine a top-level hostgroup with loots of subhostgroups, when someone arrives someone will have to add permissions for every single subhostgroup in the hierarchy. Boring and time consuming.	

#### Associated revisions

**Revision 16ce9a7a - 03/04/2013 09:33 AM - Daniel Lobato Garcia**

fixes #2219 - Hostgroup ownership is hierarchical

#### History

**#1 - 03/04/2013 07:26 AM - Ohad Levy**

- Target version set to 1.2.0

**#2 - 03/04/2013 11:26 AM - Daniel Lobato Garcia**

- Status changed from New to Closed

- % Done changed from 0 to 100

Applied in changeset [16ce9a7a6580999f7fe729b9652981ce2397b161](#).