

Foreman - Bug #22857

Consolidate provisioning templates for RHEL and clones to one

03/12/2018 03:40 PM - Stephen Benjamin

Status:	Closed	
Priority:	Normal	
Assignee:	Stephen Benjamin	
Category:	Templates	
Target version:	1.18.0	
Difficulty:		Fixed in Releases:
Triaged:		Found in Releases:
Bugzilla link:		Red Hat JIRA:
Pull request:	https://github.com/theforeman/community-templates/pull/462 , https://github.com/theforeman/foreman/pull/5312	
Description		
Currently, we have two templates: kickstart_default and kickstart_rhel_default. There doesn't seem to be a good reason to have a separate RHEL one when the first works perfectly fine on RHEL.		

Associated revisions

Revision 031d0473 - 03/16/2018 07:22 PM - Stephen Benjamin

fixes #22857 - Remove RHEL default template

Revision 6dd1e517 - 03/19/2018 02:58 PM - Stephen Benjamin

refs #22857 - remove separate kickstart for RHEL

History

#1 - 03/12/2018 03:40 PM - The Foreman Bot

- Status changed from New to Ready For Testing
- Pull request <https://github.com/theforeman/community-templates/pull/462> added

#2 - 03/12/2018 03:47 PM - The Foreman Bot

- Pull request <https://github.com/theforeman/foreman/pull/5312> added

#3 - 03/20/2018 10:02 AM - Stephen Benjamin

- Status changed from Ready For Testing to Closed
- % Done changed from 0 to 100

Applied in changeset [community-templates!031d0473d1aeb79926ac19b7c4a2b32597a2fe4a](#).

#4 - 03/21/2018 08:46 PM - Anonymous

- translation missing: en.field_release set to 330