

## Foreman - Feature #23039

### Remove deleted AuthSource Users from Foreman

03/28/2018 08:11 AM - Timo Goebel

<b>Status:</b> Closed	
<b>Priority:</b> Normal	
<b>Assignee:</b>	
<b>Category:</b> Users, Roles and Permissions	
<b>Target version:</b> 1.18.0	
<b>Difficulty:</b>	<b>Fixed in Releases:</b>
<b>Triaged:</b>	<b>Found in Releases:</b>
<b>Bugzilla link:</b>	<b>Red Hat JIRA:</b>
<b>Pull request:</b> <a href="https://github.com/foreman/foreman/pull/5392">https://github.com/foreman/foreman/pull/5392</a>	
<b>Description</b>	
In order to comply with German (European?) data privacy laws, users that got removed from active directory (or another LDAP auth source) have to also be removed from Foreman's database.	
We should provide a rake task to achieve this. Users can then set a cron job periodically do the housekeeping.	

#### Associated revisions

##### Revision b42045f1 - 04/04/2018 11:51 AM - Julian Todt

Fixes #23039 - Remove deleted LDAP users

Adds a rake task `ldap:remove_deleted_users` which checks all users that authenticate via LDAP whether their users are valid and deletes invalid ones.

#### History

##### #1 - 04/03/2018 11:29 AM - The Foreman Bot

- Status changed from New to Ready For Testing
- Pull request <https://github.com/foreman/foreman/pull/5392> added

##### #2 - 04/04/2018 11:52 AM - Tomer Brisker

- translation missing: `en.field_release` set to 330

##### #3 - 04/04/2018 12:02 PM - Julian Todt

- Status changed from Ready For Testing to Closed
- % Done changed from 0 to 100

Applied in changeset [b42045f1159a7e22529cc249419d684ef40a6445](#).

##### #4 - 07/15/2020 01:28 PM - Tomer Brisker

- Category changed from 218 to Users, Roles and Permissions