

Foreman - Bug #2337

Attempting to edit a host when you have multiple clusters does not work right

03/18/2013 03:29 PM - Anonymous

Status: Duplicate	
Priority: Normal	
Assignee:	
Category: Compute resources - oVirt	
Target version:	
Difficulty:	Fixed in Releases:
Triaged:	Found in Releases:
Bugzilla link:	Red Hat JIRA:
Pull request:	
Description	
When you have multiple clusters Foreman does not appear to query the proper cluster for networks when editing a host interface.	

History

#1 - 03/18/2013 03:34 PM - Ohad Levy

is that ovirt? can you provide mode details? can this be [#2224](#)?

#2 - 03/18/2013 03:40 PM - Anonymous

Yes, this is with ovirt. It's not 2224 - the templates work now with Amos' fix, it's just that if you edit a host it's not necessarily pulling the information from the cluster the host is in. We had a second cluster created for ManageIQ and I went to remove a hosts interface and add a new one - to my surprise no interfaces populated (there were not created yet in the cluster for testing manageiq). Once I deleted that cluster it worked as expected (save for the error I seem to get for all edits: <http://projects.theforeman.org/issues/2316>)

#3 - 05/18/2017 10:10 AM - Anonymous

- Category set to Compute resources - oVirt

#4 - 05/08/2018 12:15 PM - Shira Maximov

- Status changed from New to Duplicate

Duplication of this issue:

<http://projects.theforeman.org/issues/23537>