

Foreman - Bug #23410

Saving oVirt host results in lost association

04/26/2018 02:58 PM - Arend Lapere

Status: Duplicate	
Priority: Normal	
Assignee:	
Category: Compute resources - oVirt	
Target version:	
Difficulty:	Fixed in Releases:
Triaged: No	Found in Releases: Nightly
Bugzilla link:	Red Hat JIRA:
Pull request:	
Description	
<p>Each time I save a host, for instance, to add an ansible role, I notice the association between the hosting oVirt compute resource gets lost.</p> <p>This behaviour is always and easily reproducible by just creating a host on an oVirt compute resource, saving it, editing that host and saving it again.</p> <p>Luckily there's an "associate VMs" button in oVirt compute resource which does just that; nevertheless, it's annoying at the least to always have to press this button after each save.</p> <p>The expected behaviour, ofcourse, is that saving does not result in loosing the association</p>	
Related issues:	
Related to Foreman - Bug #23373: ovirt vm get dissociate when updating a host Closed	

History

#1 - 07/10/2018 02:30 PM - Shira Maximov

- Status changed from New to Duplicate
- Triaged set to No

#2 - 07/10/2018 02:30 PM - Shira Maximov

- Related to Bug #23373: ovirt vm get dissociate when updating a host added