

## Foreman - Bug #23466

### Unable to provision host with hammer after upgrade to 1.16.1

04/30/2018 09:40 PM - Doug Forster

|  |                   |                                  |
|--|-------------------|----------------------------------|
| <b>Status:</b>   | New               |                                  |
| <b>Priority:</b>   | Normal            |                                  |
| <b>Assignee:</b>   |                   |                                  |
| <b>Category:</b>   | Compute resources |                                  |
| <b>Target version:</b>   |                   |                                  |
| <b>Difficulty:</b>   |                   | <b>Fixed in Releases:</b>        |
| <b>Triaged:</b>  | Yes               | <b>Found in Releases:</b> 1.16.1 |
| <b>Bugzilla link:</b>  |                   | <b>Red Hat JIRA:</b>             |
| <b>Pull request:</b>   |                   |                                  |
| <b>Description</b>   |                   |                                  |
| After upgrading to 1.16.1 I have been unable to provision new hosts even though there is no clear error as too why.  |                   |                                  |
| <pre>2018-04-30 12:50:47 fac68c29 [app] [I] Parameters: {"host"=&gt;{"name"=&gt;" host-1.example.com", "location_id"=&gt;3, "organization_id"=&gt;1, "environment_id"=&gt;1, "architecture_id"=&gt;1, "domain_id"=&gt;1, "operatingsystem_id"=&gt;7, "medium_id"=&gt;21, "ptable_id"=&gt;229, "compute_resource_id"=&gt;1, "hostgroup_id"=&gt;207, "build"=&gt;true, "enabled"=&gt;true, "managed"=&gt;true, "compute_profile_id"=&gt;31, "compute_attributes"=&gt;{"start"=&gt;"1", "volumes_attributes"=&gt;{"0"=&gt;{"size_gb"=&gt;"50G", "datastore"=&gt;"Storage_1", "thin"=&gt;"true"}}}, "puppet_proxy_id"=&gt;3, "puppet_ca_proxy_id"=&gt;3, "overwrite"=&gt;true, "host_parameters_attributes"=&gt;[{"name"=&gt;"subscription_manager_certpkg_url", "value"=&gt;"[FILTERED]"}, {"name"=&gt;"activation_key", "value"=&gt;"[FILTERED]"}], "interfaces_attributes"=&gt;[{"ip"=&gt;"192.168.10.11", "subnet_id"=&gt;"43", "compute_attributes"=&gt;{"network"=&gt;"QA-APP-192.168.10.0-24"}}]}, "apiv"=&gt;"v2"} 2018-04-30 12:50:47 fac68c29 [app] [I] Current user: foreman_admin (administrator) 2018-04-30 12:50:47 fac68c29 [app] [I] Current user: foreman_admin (administrator) 2018-04-30 12:50:47 fac68c29 [app] [I] Current user: builder (regular user) 2018-04-30 12:50:47 fac68c29 [app] [I] Authorized user builder(VM Builder) 2018-04-30 12:50:47 fac68c29 [app] [I] Current user: builder (regular user) 2018-04-30 12:50:48 fac68c29 [app] [I] Adding Compute instance for host-1.example.com 2018-04-30 12:50:50 fac68c29 [app] [I] Loaded compute resource data for networks in 1.762805399 seconds 2018-04-30 12:50:51 fac68c29 [app] [I] Create DHCP reservation host-1.example.com for host-1.example.com-00:50:56:9d:cb:45/192.168.10.11 2018-04-30 12:50:51 fac68c29 [app] [I] Add DNS A record for host-1.example.com/192.168.10.11 2018-04-30 12:50:51 fac68c29 [app] [I] Add DNS PTR record for 192.168.10.11/ host-1.example.com 2018-04-30 12:50:53 fac68c29 [templates] [I] Rendering template 'Kickstart default PXEGrub2' 2018-04-30 12:50:53 fac68c29 [app] [W] DEPRECATION WARNING: you are using deprecated @host.params in a template, it will be removed in 1.17. Use host_param instead. 2018-04-30 12:50:53 fac68c29 [app] [I] Deploying TFTP PXEGrub2 configuration for host-1.example.com 2018-04-30 12:50:53 fac68c29 [templates] [I] Rendering template 'Kickstart default PXELinux' 2018-04-30 12:50:54 fac68c29 [app] [W] DEPRECATION WARNING: you are using deprecated @host.params in a template, it will be removed in 1.17. Use host_param instead. 2018-04-30 12:50:54 fac68c29 [app] [I] Deploying TFTP PXELinux configuration for host-1.example.com 2018-04-30 12:50:54 fac68c29 [templates] [I] Rendering template 'Kickstart default PXEGrub' 2018-04-30 12:50:54 fac68c29 [app] [W] DEPRECATION WARNING: you are using deprecated @host.params in a template, it will be removed in 1.17. Use host_param instead. 2018-04-30 12:50:54 fac68c29 [app] [I] Deploying TFTP PXEGrub configuration for host-1.example.com 2018-04-30 12:50:54 fac68c29 [app] [I] Fetching required TFTP boot files for host-1.example.com 2018-04-30 12:50:54 fac68c29 [app] [I] Add realm entry for new host host-1.example.com 2018-04-30 12:50:55 fac68c29 [app] [I] Powering up Compute instance for host-1.example.com 2018-04-30 12:50:56 fac68c29 [app] [I] Processed 12 tasks from queue 'Host::Managed Main', completed 12/12 2018-04-30 12:50:56 fac68c29 [app] [W] Rolling back due to exception during save   ActiveRecord::Rollback: ActiveRecord::Rollback   /opt/rh/sclo-ror42/root/usr/share/gems/gems/activerecord-4.2.5.1/lib/active_record/autosave_ass</pre> |                   |                                  |

```
ociation.rb:379:in `block in save_collection_association'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activerecord-4.2.5.1/lib/active_record/autosave_ass
ociation.rb:364:in `each'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activerecord-4.2.5.1/lib/active_record/autosave_ass
ociation.rb:364:in `save_collection_association'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activerecord-4.2.5.1/lib/active_record/autosave_ass
ociation.rb:184:in `block in add_autosave_association_callbacks'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activerecord-4.2.5.1/lib/active_record/autosave_ass
ociation.rb:157:in `instance_eval'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activerecord-4.2.5.1/lib/active_record/autosave_ass
ociation.rb:157:in `block in define_non_cyclic_method'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:432:in `block in make_lambda'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:228:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:228:in `block in halting_and_conditional'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:506:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:506:in `block in call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:506:in `each'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:506:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:92:in `__run_callbacks__'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:778:in `_run_create_callbacks'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activerecord-4.2.5.1/lib/active_record/callbacks.rb
:306:in `_create_record'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activerecord-4.2.5.1/lib/active_record/timestamp.rb
:57:in `_create_record'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activerecord-4.2.5.1/lib/active_record/persistence.
rb:504:in `create_or_update'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activerecord-4.2.5.1/lib/active_record/callbacks.rb
:302:in `block in create_or_update'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:117:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:117:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:555:in `block (2 levels) in compile'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:505:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:505:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:498:in `block (2 levels) in around'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:313:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:313:in `block (2 levels) in halting'
| /usr/share/foreman/app/models/concerns/orchestration.rb:47:in `around_save_orchestration'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:432:in `block in make_lambda'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:312:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:312:in `block in halting'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:497:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:497:in `block in around'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:505:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
```

```

rb:505:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activerecord-4.2.5.1/lib/active_support/callbacks.
rb:92:in `__run_callbacks__'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activerecord-4.2.5.1/lib/active_support/callbacks.
rb:778:in `_run_save_callbacks'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activerecord-4.2.5.1/lib/active_record/callbacks.rb
:302:in `create_or_update'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activerecord-4.2.5.1/lib/active_record/persistence.
rb:120:in `save'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activerecord-4.2.5.1/lib/active_record/validations.
rb:37:in `save'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activerecord-4.2.5.1/lib/active_record/attribute_me
thods/dirty.rb:21:in `save'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activerecord-4.2.5.1/lib/active_record/transactions
.rb:286:in `block (2 levels) in save'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activerecord-4.2.5.1/lib/active_record/transactions
.rb:351:in `block in with_transaction_returning_status'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activerecord-4.2.5.1/lib/active_record/connection_a
dapters/abstract/database_statements.rb:213:in `block in transaction'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activerecord-4.2.5.1/lib/active_record/connection_a
dapters/abstract/transaction.rb:184:in `within_new_transaction'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activerecord-4.2.5.1/lib/active_record/connection_a
dapters/abstract/database_statements.rb:213:in `transaction'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activerecord-4.2.5.1/lib/active_record/transactions
.rb:220:in `transaction'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activerecord-4.2.5.1/lib/active_record/transactions
.rb:348:in `with_transaction_returning_status'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activerecord-4.2.5.1/lib/active_record/transactions
.rb:286:in `block in save'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activerecord-4.2.5.1/lib/active_record/transactions
.rb:301:in `rollback_active_record_state!'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activerecord-4.2.5.1/lib/active_record/transactions
.rb:285:in `save'
| /usr/share/foreman/app/models/concerns/foreman/sti.rb:29:in `save_with_type'
| /usr/share/foreman/app/controllers/api/v2/hosts_controller.rb:138:in `create'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_controller/metal/impl
icit_render.rb:4:in `send_action'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/abstract_controller/base.rb:
198:in `process_action'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_controller/metal/rend
ering.rb:10:in `process_action'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/abstract_controller/callback
s.rb:20:in `block in process_action'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activerecord-4.2.5.1/lib/active_support/callbacks.
rb:117:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activerecord-4.2.5.1/lib/active_support/callbacks.
rb:117:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activerecord-4.2.5.1/lib/active_support/callbacks.
rb:555:in `block (2 levels) in compile'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activerecord-4.2.5.1/lib/active_support/callbacks.
rb:505:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activerecord-4.2.5.1/lib/active_support/callbacks.
rb:505:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activerecord-4.2.5.1/lib/active_support/callbacks.
rb:498:in `block (2 levels) in around'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activerecord-4.2.5.1/lib/active_support/callbacks.
rb:313:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activerecord-4.2.5.1/lib/active_support/callbacks.
rb:313:in `block (2 levels) in halting'
| /usr/share/foreman/app/controllers/api/v2/base_controller.rb:152:in `disable_json_root'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activerecord-4.2.5.1/lib/active_support/callbacks.
rb:432:in `block in make_lambda'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activerecord-4.2.5.1/lib/active_support/callbacks.
rb:312:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activerecord-4.2.5.1/lib/active_support/callbacks.
rb:312:in `block in halting'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activerecord-4.2.5.1/lib/active_support/callbacks.

```

[illegible]

```
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.  
rb:505:in `call'  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.  
rb:505:in `call'  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.  
rb:498:in `block (2 levels) in around'  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.  
rb:313:in `call'  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.  
rb:313:in `block (2 levels) in halting'  
| /opt/theforeman/tfm/root/usr/share/gems/gems/audited-4.4.1/lib/audited/sweeper.rb:14:in `around'  
,  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.r  
b:455:in `public_send'  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.  
rb:455:in `block in make_lambda'  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.  
rb:312:in `call'  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.  
rb:312:in `block in halting'  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.  
rb:497:in `call'  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.  
rb:497:in `block in around'  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.  
rb:505:in `call'  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.  
rb:505:in `call'  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.  
rb:92:in `__run_callbacks__'  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.  
rb:778:in `_run_process_action_callbacks'  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.  
rb:81:in `run_callbacks'  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/abstract_controller/callback  
s.rb:19:in `process_action'  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_controller/metal/resc  
ue.rb:29:in `process_action'  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_controller/metal/inst  
rumentation.rb:32:in `block in process_action'  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/notificati  
ons.rb:164:in `block in instrument'  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/notificati  
ons/instrumenter.rb:20:in `instrument'  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/notificati  
ons.rb:164:in `instrument'  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_controller/metal/inst  
rumentation.rb:30:in `process_action'  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_controller/metal/para  
ms_wrapper.rb:250:in `process_action'  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activerecord-4.2.5.1/lib/active_record/railties/con  
troller_runtime.rb:18:in `process_action'  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/abstract_controller/base.rb:  
137:in `process'  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionview-4.2.5.1/lib/action_view/rendering.rb:30:  
in `process'  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_controller/metal.rb:1  
96:in `dispatch'  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_controller/metal/rack  
_delegation.rb:13:in `dispatch'  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_controller/metal.rb:2  
37:in `block in action'  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_dispatch/routing/rout  
e_set.rb:74:in `call'  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_dispatch/routing/rout  
e_set.rb:74:in `dispatch'  
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_dispatch/routing/rout
```

```

e_set.rb:43:in `serve'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_dispatch/routing/mapp
er.rb:49:in `serve'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_dispatch/journey/rout
er.rb:43:in `block in serve'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_dispatch/journey/rout
er.rb:30:in `each'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_dispatch/journey/rout
er.rb:30:in `serve'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_dispatch/routing/rout
e_set.rb:815:in `call'
| /opt/theforeman/tfm/root/usr/share/gems/gems/apipie-rails-0.5.6/lib/apipie/static_dispatcher.rb
:65:in `call'
| /opt/theforeman/tfm/root/usr/share/gems/gems/apipie-rails-0.5.6/lib/apipie/extractor/recorder.r
b:136:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_dispatch/middleware/s
tatic.rb:116:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_dispatch/middleware/s
tatic.rb:116:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_dispatch/middleware/s
tatic.rb:116:in `call'
| /opt/theforeman/tfm/root/usr/share/gems/gems/apipie-rails-0.5.6/lib/apipie/middleware/checksum_
in_headers.rb:27:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/rack-1.6.2/lib/rack/etag.rb:24:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/rack-1.6.2/lib/rack/conditionalget.rb:38:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/rack-1.6.2/lib/rack/head.rb:13:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_dispatch/middleware/p
arams_parser.rb:27:in `call'
| /usr/share/foreman/lib/middleware/catch_json_parse_errors.rb:8:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_dispatch/middleware/f
lash.rb:260:in `call'
| /usr/share/foreman/lib/middleware/session_safe_logging.rb:17:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/rack-1.6.2/lib/rack/session/abstract/id.rb:225:in `
context'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/rack-1.6.2/lib/rack/session/abstract/id.rb:220:in `
call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_dispatch/middleware/c
ookies.rb:560:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activerecord-4.2.5.1/lib/active_record/query_cache.
rb:36:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activerecord-4.2.5.1/lib/active_record/connection_a
dapters/abstract/connection_pool.rb:653:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_dispatch/middleware/c
allbacks.rb:29:in `block in call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activerecord-4.2.5.1/lib/active_record/callbacks.
rb:88:in `__run_callbacks__'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activerecord-4.2.5.1/lib/active_record/callbacks.
rb:778:in `_run_call_callbacks'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activerecord-4.2.5.1/lib/active_record/callbacks.
rb:81:in `run_callbacks'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_dispatch/middleware/c
allbacks.rb:27:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_dispatch/middleware/r
emote_ip.rb:78:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_dispatch/middleware/d
ebug_exceptions.rb:17:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_dispatch/middleware/s
how_exceptions.rb:30:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/railties-4.2.5.1/lib/rails/rack/logger.rb:38:in `ca
ll_app'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/railties-4.2.5.1/lib/rails/rack/logger.rb:22:in `ca
ll'
| /opt/theforeman/tfm/root/usr/share/gems/gems/sprockets-rails-3.2.0/lib/sprockets/rails/quiet_as
sets.rb:13:in `call'
| /usr/share/foreman/lib/middleware/tagged_logging.rb:18:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_dispatch/middleware/re
quest_id.rb:21:in `call'

```

```

| /opt/rh/sclo-ror42/root/usr/share/gems/gems/rack-1.6.2/lib/rack/methodoverride.rb:22:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/rack-1.6.2/lib/rack/runtime.rb:18:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activestorage-4.2.5.1/lib/active_storage/cache/strategy/local_cache_middleware.rb:28:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_dispatch/middleware/s
tatic.rb:116:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/rack-1.6.2/lib/rack/sendfile.rb:113:in `call'
| /opt/theforeman/tfm/root/usr/share/gems/gems/secure_headers-3.4.1/lib/secure_headers/middleware
.rb:12:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/railties-4.2.5.1/lib/rails/engine.rb:518:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/railties-4.2.5.1/lib/rails/application.rb:165:in `c
all'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/railties-4.2.5.1/lib/rails/railtie.rb:194:in `publi
c_send'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/railties-4.2.5.1/lib/rails/railtie.rb:194:in `metho
d_missing'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/rack-1.6.2/lib/rack/urlmap.rb:66:in `block in call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/rack-1.6.2/lib/rack/urlmap.rb:50:in `each'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/rack-1.6.2/lib/rack/urlmap.rb:50:in `call'
| /usr/share/ruby/vendor_ruby/phusion_passenger/rack/thread_handler_extension.rb:97:in `process_r
equest'
| /usr/share/ruby/vendor_ruby/phusion_passenger/request_handler/thread_handler.rb:160:in `accept_
and_process_next_request'
| /usr/share/ruby/vendor_ruby/phusion_passenger/request_handler/thread_handler.rb:113:in `main_lo
op'
| /usr/share/ruby/vendor_ruby/phusion_passenger/request_handler.rb:416:in `block (3 levels) in st
art_threads'
| /usr/share/ruby/vendor_ruby/phusion_passenger/utils.rb:113:in `block in create_thread_and_abort
_on_exception'
| /opt/theforeman/tfm/root/usr/share/gems/gems/logging-1.8.2/lib/logging/diagnostic_context.rb:32
3:in `call'
| /opt/theforeman/tfm/root/usr/share/gems/gems/logging-1.8.2/lib/logging/diagnostic_context.rb:32
3:in `block in create_with_logging_context'
...
2018-04-30 12:51:02 fac68c29 [app] [W] Action failed
| RuntimeError: resource have no errors
| /usr/share/foreman/app/controllers/api/base_controller.rb:132:in `process_resource_error'
| /usr/share/foreman/app/controllers/api/base_controller.rb:152:in `process_response'
| /usr/share/foreman/app/controllers/api/v2/hosts_controller.rb:138:in `create'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_controller/metal/impl
icit_render.rb:4:in `send_action'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/abstract_controller/base.rb:
198:in `process_action'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/action_controller/metal/rend
ering.rb:10:in `process_action'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/actionpack-4.2.5.1/lib/abstract_controller/callback
s.rb:20:in `block in process_action'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activestorage-4.2.5.1/lib/active_storage/callbacks.
rb:117:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activestorage-4.2.5.1/lib/active_storage/callbacks.
rb:117:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activestorage-4.2.5.1/lib/active_storage/callbacks.
rb:555:in `block (2 levels) in compile'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activestorage-4.2.5.1/lib/active_storage/callbacks.
rb:505:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activestorage-4.2.5.1/lib/active_storage/callbacks.
rb:505:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activestorage-4.2.5.1/lib/active_storage/callbacks.
rb:498:in `block (2 levels) in around'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activestorage-4.2.5.1/lib/active_storage/callbacks.
rb:313:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activestorage-4.2.5.1/lib/active_storage/callbacks.
rb:313:in `block (2 levels) in halting'
| /usr/share/foreman/app/controllers/api/v2/base_controller.rb:152:in `disable_json_root'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activestorage-4.2.5.1/lib/active_storage/callbacks.
rb:432:in `block in make_lambda'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activestorage-4.2.5.1/lib/active_storage/callbacks.

```

```
rb:312:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:312:in `block in halting'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:497:in `call'
| /opt/rh/sclo-ror42/root/usr/share/gems/gems/activesupport-4.2.5.1/lib/active_support/callbacks.
rb:497:in `block in around'
...
```

I have also run this in debug with SQL logging and see no errors there as well.

#### Related issues:

|  |        |            |
|--|--------|------------|
| Related to Hammer CLI - Bug #23473: Update hammer to correctly provision vmwa... | Closed |            |
| Related to Foreman - Bug #22037: Compute attributes create and update API mis... | New    | 12/20/2017 |
| Related to Foreman - Bug #3649: Hosts need validations of compute attributes     | New    |            |

#### History

##### #1 - 05/01/2018 07:06 PM - Doug Forster

- Subject changed from Unable to provision host after upgrade to 1.16.1 to Unable to provision host with hammer after upgrade to 1.16.1

It seems this might be tied to hammer being used to build hosts. I am trying to figure out the issues but it may be tied to the use of compute profiles. When using the UI the compute profile populates the form and the build request has much more information in it than the hammer request.

This is from the hammer log.

```
[ERROR 2018-05-01T14:09:29 API] 500 Internal Server Error
[DEBUG 2018-05-01T14:09:29 API] {
  "error"ESC[0;37m => ESC[0m{
    "message"ESC[0;37m => ESC[0mESC[0;33m"resource have no errors"ESC[0m
  }
}
[DEBUG 2018-05-01T14:09:29 Exception] Using exception handler HammerCLIForeman::ExceptionHandler#handle_intern
al_error
[ERROR 2018-05-01T14:09:29 Exception] resource have no errors
[ERROR 2018-05-01T14:09:29 Exception]

RestClient::InternalServerError (500 Internal Server Error):
/opt/puppetlabs/puppet/lib/ruby/gems/2.1.0/gems/rest-client-2.1.0.rc1/lib/restclient/abstract_response.rb:
249:in `exception_with_response'
/opt/puppetlabs/puppet/lib/ruby/gems/2.1.0/gems/rest-client-2.1.0.rc1/lib/restclient/abstract_response.rb:
129:in `return!'
/opt/puppetlabs/puppet/lib/ruby/gems/2.1.0/gems/apipie-bindings-0.2.2/lib/apipie_bindings/api.rb:353:in `b
lock in rest_client_call_block'
/opt/puppetlabs/puppet/lib/ruby/gems/2.1.0/gems/rest-client-2.1.0.rc1/lib/restclient/request.rb:829:in `ca
ll'
/opt/puppetlabs/puppet/lib/ruby/gems/2.1.0/gems/rest-client-2.1.0.rc1/lib/restclient/request.rb:829:in `pr
ocess_result'
/opt/puppetlabs/puppet/lib/ruby/gems/2.1.0/gems/rest-client-2.1.0.rc1/lib/restclient/request.rb:738:in `bl
ock in transmit'
/opt/puppetlabs/puppet/lib/ruby/2.1.0/net/http.rb:853:in `start'
/opt/puppetlabs/puppet/lib/ruby/gems/2.1.0/gems/rest-client-2.1.0.rc1/lib/restclient/request.rb:722:in `tr
ansmit'
/opt/puppetlabs/puppet/lib/ruby/gems/2.1.0/gems/rest-client-2.1.0.rc1/lib/restclient/request.rb:158:in `ex
ecute'
/opt/puppetlabs/puppet/lib/ruby/gems/2.1.0/gems/rest-client-2.1.0.rc1/lib/restclient/request.rb:58:in `exe
cute'
/opt/puppetlabs/puppet/lib/ruby/gems/2.1.0/gems/rest-client-2.1.0.rc1/lib/restclient/resource.rb:69:in `po
st'
/opt/puppetlabs/puppet/lib/ruby/gems/2.1.0/gems/apipie-bindings-0.2.2/lib/apipie_bindings/api.rb:327:in `c
all_client'
/opt/puppetlabs/puppet/lib/ruby/gems/2.1.0/gems/apipie-bindings-0.2.2/lib/apipie_bindings/api.rb:240:in `h
ttp_call'
/opt/puppetlabs/puppet/lib/ruby/gems/2.1.0/gems/apipie-bindings-0.2.2/lib/apipie_bindings/api.rb:190:in `c
all_action'
/opt/puppetlabs/puppet/lib/ruby/gems/2.1.0/gems/apipie-bindings-0.2.2/lib/apipie_bindings/api.rb:185:in `c
all'
/opt/puppetlabs/puppet/lib/ruby/gems/2.1.0/gems/apipie-bindings-0.2.2/lib/apipie_bindings/resource.rb:21:i
n `call'
/opt/puppetlabs/puppet/lib/ruby/gems/2.1.0/gems/hammer_cli-0.12.0/lib/hammer_cli/apipie/command.rb:43:in `
send_request'
/opt/puppetlabs/puppet/lib/ruby/gems/2.1.0/gems/hammer_cli_foreman-0.12.1/lib/hammer_cli_foreman/commands.
```



```
rb:168:in `send_request'
/opt/puppetlabs/puppet/lib/ruby/gems/2.1.0/gems/hammer_cli-0.12.0/lib/hammer_cli/apipie/command.rb:34:in `
execute'
/opt/puppetlabs/puppet/lib/ruby/gems/2.1.0/gems/clamp-1.2.0.beta1/lib/clamp/command.rb:63:in `run'
/opt/puppetlabs/puppet/lib/ruby/gems/2.1.0/gems/hammer_cli-0.12.0/lib/hammer_cli/abstract.rb:29:in `run'
/opt/puppetlabs/puppet/lib/ruby/gems/2.1.0/gems/clamp-1.2.0.beta1/lib/clamp/subcommand/execution.rb:11:in
`execute'
/opt/puppetlabs/puppet/lib/ruby/gems/2.1.0/gems/clamp-1.2.0.beta1/lib/clamp/command.rb:63:in `run'
/opt/puppetlabs/puppet/lib/ruby/gems/2.1.0/gems/hammer_cli-0.12.0/lib/hammer_cli/abstract.rb:29:in `run'
/opt/puppetlabs/puppet/lib/ruby/gems/2.1.0/gems/clamp-1.2.0.beta1/lib/clamp/subcommand/execution.rb:11:in
`execute'
/opt/puppetlabs/puppet/lib/ruby/gems/2.1.0/gems/clamp-1.2.0.beta1/lib/clamp/command.rb:63:in `run'
/opt/puppetlabs/puppet/lib/ruby/gems/2.1.0/gems/hammer_cli-0.12.0/lib/hammer_cli/abstract.rb:29:in `run'
/opt/puppetlabs/puppet/lib/ruby/gems/2.1.0/gems/clamp-1.2.0.beta1/lib/clamp/command.rb:132:in `run'
/opt/puppetlabs/puppet/lib/ruby/gems/2.1.0/gems/hammer_cli-0.12.0/bin/hammer:142:in `'
/bin/hammer:23:in `load'
/bin/hammer:23:in `'
```

## #2 - 05/09/2018 09:38 AM - Tomáš Strachota

- Related to Bug #23473: Update hammer to correctly provision vmware VMs. added

## #3 - 06/26/2018 10:00 AM - Tomer Brisker

- translation missing: en.field\_release set to 330

- Triaged set to Yes

## #4 - 07/02/2018 04:58 PM - Doug Forster

- File foreman debug log from parameter change fail with hammer.txt added

It seems that if I remove my parameters from hammer and exclude the compute profile I am able to provision a VM with hammer.

I am unable to however update parameters on any host after provisioning with hammer. Here is the debug log from foreman while trying to simply change a parameter with SQL debugging enabled as well.

## #5 - 07/12/2018 08:31 AM - Tomer Brisker

- Target version changed from 1.18.0 to 1.18.1

## #6 - 08/14/2018 03:04 PM - Tomer Brisker

- Target version changed from 1.18.1 to 1.18.2

## #7 - 09/05/2018 10:29 AM - Tomáš Strachota

- Priority changed from High to Normal

I did some investigation and wasn't able to reproduce the issue. I suspect it's either an issue with misconfigured attributes in the compute profile or a bug in the logic that API uses for merging attributes with profiles. Since a workaround exists (creating a host without compute profiles) I'm lowering the priority.

I'm afraid we won't be able to debug the issue further until we improve logging of errors in compute orchestration and add validation for compute attribute parameters (<https://projects.theforeman.org/issues/22037>).

Unfortunately there's no developers' capacity to look into the problem right now.

## #8 - 09/05/2018 10:31 AM - Tomáš Strachota

- Related to Bug #22037: Compute attributes create and update API miss validations added

## #9 - 09/05/2018 10:32 AM - Tomáš Strachota

- Related to Bug #3649: Hosts need validations of compute attributes added

## #10 - 10/15/2018 11:32 AM - Tomer Brisker

- Category changed from Host creation to Compute resources

- Target version deleted (1.18.2)

## Files

|  |        |            |              |
|--|--------|------------|--------------|
| foreman debug log from parameter change fail with hammer.txt | 131 KB | 07/02/2018 | Doug Forster |
|--|--------|------------|--------------|