

Foreman - Feature #24010

Host list should have a possibility to mass-add host variables

06/20/2018 06:56 AM - Marc 'Zugschluss' Haber

<div><div>Status:</div><div>New</div></div> <div><div>Priority:</div><div>Low</div></div> <div><div>Assignee:</div><div></div></div> <div><div>Category:</div><div>Inventory</div></div> <div><div>Target version:</div><div></div></div> <div><div>Difficulty:</div><div>medium</div></div> <div><div>Triaged:</div><div></div></div> <div><div>Bugzilla link:</div><div></div></div> <div><div>Pull request:</div><div></div></div>	<div><div>Fixed in Releases:</div><div></div></div> <div><div>Found in Releases:</div><div>1.17.1</div></div> <div><div>Red Hat JIRA:</div><div></div></div>
<div><div>Description</div><div><div>Hi,</div><div>in the host list, I can mass-editor host variables. This does, however, only work when the variables are already set in the host. There is no possibility to mass-add a host variable. In some settings, the host groups feature is used to control some other aspect of the host, so using host groups to have the host inherit a variable cannot be used in all cases.</div><div>Regarding the handling of host variables, the mass management actions in the host list look a bit half baked. Please consider improving that.</div><div>Greetings</div><div>Marc</div></div></div>	