

## Foreman - Bug #24071

### Locked state isn't available in GET ptable v2 API

06/26/2018 08:20 AM - Bernhard Suttner

<b>Status:</b>	Closed	
<b>Priority:</b>	Normal	
<b>Assignee:</b>	Bernhard Suttner	
<b>Category:</b>	API	
<b>Target version:</b>	1.19.0	
<b>Difficulty:</b>		<b>Fixed in Releases:</b> 1.19.0
<b>Triaged:</b>	No	<b>Found in Releases:</b>
<b>Bugzilla link:</b>		<b>Red Hat JIRA:</b>
<b>Pull request:</b>	<a href="https://github.com/foreman/foreman/pull/5741">https://github.com/foreman/foreman/pull/5741</a>	
<b>Description</b>		
The locked state isn't available in the ptable api/v2 GET method.		
This is the reason, why nailgun could not set/get the locked state of a partition table. (PR follows).		

#### Associated revisions

##### Revision c6a311f6 - 06/26/2018 09:49 AM - Bernhard Suttner

Fixes #24071 - Adding locked state (#5741)

#### History

##### #1 - 06/26/2018 08:24 AM - The Foreman Bot

- Status changed from New to Ready For Testing
- Pull request <https://github.com/foreman/foreman/pull/5741> added

##### #2 - 06/26/2018 09:52 AM - Daniel Lobato Garcia

- translation missing: en.field\_release set to 353

##### #3 - 06/26/2018 10:01 AM - Anonymous

- Status changed from Ready For Testing to Closed
- % Done changed from 0 to 100

Applied in changeset [c6a311f67cdc2ae4162dda7d585ef3456bb90778](#).

##### #4 - 07/19/2018 11:15 AM - Ewoud Kohl van Wijngaarden

- Category set to API
- Assignee set to Bernhard Suttner