

Foreman - Bug #24185

No debug logging with Foreman 1.18 RC3

07/06/2018 01:38 PM - Trey Dockendorf

Status:	Closed				
Priority:	Normal				
Assignee:	Lukas Zapletal				
Category:	Logging				
Target version:	1.18.1				
Difficulty:		Fixed in Releases: 1.19.0			
Triaged:	Yes	Found in Releases: 1.18.0-RC3			
Bugzilla link:	1698943	Red Hat JIRA:			
Pull request:	https://github.com/theforeman/foreman/pull/5792				
Description <p>I enabled debug logging and get only information messages in production.log. I touched restart.txt several times and still the logging is not taking effect.</p> <pre>:logging: :level: debug :production: :type: file :layout: pattern # Individual logging types can be toggled on/off here :loggers: :app: :enabled: true :sql: :enabled: true</pre> <pre>2018-07-06T09:37:16 [I app] Started GET "/node/foreman-test.DOMAIN?format=yml" for 10.20.0.26 at 2018-07-06 09:37:16 -0400 2018-07-06T09:37:16 [I app ec21f] Processing by HostsController#externalNodes as YAML 2018-07-06T09:37:16 [I app ec21f] Parameters: {"name"=>"foreman-test.DOMAIN"} 2018-07-06T09:37:16 [I app ec21f] Current user: foreman_api_admin (administrator) 2018-07-06T09:37:17 [I app ec21f] Rendering text template 2018-07-06T09:37:17 [I app ec21f] Rendered text template (0.0ms) 2018-07-06T09:37:17 [I app ec21f] Completed 200 OK in 1467ms (Views: 1.2ms ActiveRecord: 867.0ms)</pre>					
Related issues: <table><tr><td>Related to Foreman - Feature #16218: Add possibility to override log configur...</td><td>Closed</td><td>08/22/2016</td></tr></table>			Related to Foreman - Feature #16218: Add possibility to override log configur...	Closed	08/22/2016
Related to Foreman - Feature #16218: Add possibility to override log configur...	Closed	08/22/2016			

Associated revisions

Revision b0b46844 - 07/12/2018 08:47 AM - Lukas Zapletal

Fixes #24185 - logging env override config fixed (#5792)

History

#1 - 07/07/2018 01:39 PM - Tomer Brisker

- Category set to Logging
- translation missing: en.field_release set to 330

#2 - 07/09/2018 11:20 AM - Lukas Zapletal

- Related to Feature #16218: Add possibility to override log configuration for test environment added

#3 - 07/09/2018 11:44 AM - The Foreman Bot

- Status changed from New to Ready For Testing
- Assignee set to Lukas Zapletal
- Pull request <https://github.com/foreman/foreman/pull/5792> added

#4 - 07/09/2018 01:09 PM - Marek Hulán

Which file are you changing? Also could you try restarting the whole httpd service? Also note it should be tmp/restart.txt which is touched (not sure if that still works though)

#5 - 07/09/2018 01:10 PM - Marek Hulán

Oh I see it has been already reproduced, please ignore my comment.

#6 - 07/09/2018 03:06 PM - Lukas Zapletal

- Triaged changed from No to Yes

Yeah, bot could have set Triaged as well perhaps.

#7 - 07/10/2018 10:30 AM - Marek Hulán

This does not seem to be 1.18 regression, the introducing commit was merged in 1.14. It should be possible to just move production configuration to one level above under :logging and it should work just fine.

#8 - 07/11/2018 04:11 PM - Trey Dockendorf

Using the documented method for debug logging works just fine:

```
:logging:  
  :level: debug
```

I don't know where I got the idea to use the production key, maybe something from older version of Foreman that's no longer valid.

#9 - 07/12/2018 06:40 AM - Ondřej Pražák

- Target version changed from 1.18.0 to 1.18.1

#10 - 07/12/2018 09:01 AM - Lukas Zapletal

- Status changed from Ready For Testing to Closed
- % Done changed from 0 to 100

Applied in changeset [b0b46844626a27b6d67f6aef1f67695af103b47a](#).

#11 - 07/12/2018 02:23 PM - Lukas Zapletal

I think it was in example (commented), it is supposed to work and it had a bug. Fixed.

#12 - 08/29/2018 03:12 PM - Tomer Brisker

- Fixed in Releases 1.19.0 added

#13 - 04/11/2019 01:43 PM - Lukas Zapletal

- Bugzilla link set to 1698943