

Foreman - Bug #24955

non-SCL plugins fail to build with release mismatch (build: 2.fm1_20.el7, rpm: 2.el7)

09/17/2018 06:45 AM - Evgeni Golov

| | |
|--|----------------------------------|
| Status: Resolved | |
| Priority: High | |
| Assignee: | |
| Category: Packaging | |
| Target version: | |
| Difficulty: | Fixed in Releases: |
| Triaged: No | Found in Releases: 1.20.0 |
| Bugzilla link: | Red Hat JIRA: |
| Pull request: | |
| Description | |
| <p>I seem not to be able to build non-SCL plugins at the moment: http://koji.katello.org/koji/taskinfo?taskID=132508</p> <p>The issue is that the build (rightfully) expects the result to have <code>%{foremandist}</code> set to <code>fm1_20</code>, but the built RPMs don't have that.</p> <p>I think this is because of the recent split out of the foreman-release package into an own source package, and the move of the RPM macros to foreman-build which is not installed in the buildroots (http://koji.katello.org/koji/rpmlist?buildrootID=40939%20&start=150&order=external_repo_name&type=component).</p> <p>This does not happen in 1.18/1.19, as there foreman-release is installed in the buildroots.</p> <p>The SCL buildroots seem to have foreman-build installed.</p> | |

History

#1 - 09/17/2018 03:02 PM - Evgeni Golov

- Status changed from New to Closed

this was fixed by eric in koji

#2 - 10/15/2018 09:06 AM - Tomer Brisker

- Status changed from Closed to Resolved