

Foreman - Feature #25124

Add ability to indicate a substatus

10/04/2018 03:48 PM - Jonathon Turel

Status:	Closed	
Priority:	Normal	
Assignee:	Jonathon Turel	
Category:	Monitoring	
Target version:		
Difficulty:		Fixed in Releases: 1.20.0
Triaged:	No	Found in Releases:
Bugzilla link:		Red Hat JIRA:
Pull request:	https://github.com/foreman/foreman/pull/6109	
Description		
We are working on a feature in Katello in which we are adding 4 new statuses, and one additional 'parent' status that will look at those 4 in order to find its own status. The 4 statuses on their own should not affect the global status of the host - only the parent will. This will give us a way to indicate that kind of relationship.		

Associated revisions

Revision f90038f4 - 10/12/2018 07:51 AM - Jonathon Turel

Fixes #25124 - Add ability to indicate a host substatus

History

#1 - 10/04/2018 03:53 PM - The Foreman Bot

- Status changed from New to Ready For Testing
- Pull request <https://github.com/foreman/foreman/pull/6109> added

#2 - 10/12/2018 07:51 AM - Marek Hulán

- Category set to Monitoring
- Fixed in Releases 1.20.0 added

#3 - 10/12/2018 08:01 AM - Jonathon Turel

- Status changed from Ready For Testing to Closed

Applied in changeset [f90038f4c2430d6ef98ca9a31215f0168255538f](https://github.com/foreman/foreman/commit/f90038f4c2430d6ef98ca9a31215f0168255538f).