Foreman - Bug #25130

Expose host.operatingsystem_name in SafeMode

10/05/2018 11:37 AM - Martin Bacovsky

Status: Rejected

Priority: Normal

Assignee: Martin Bacovsky

Category: Templates

Target version:

Difficulty: Fixed in Releases:

Triaged: No Found in Releases:

Bugzilla link: Red Hat JIRA:

Pull request: https://github.com/theforeman/foreman/pull/6113

Description

For registered hosts report template we need to expose operationgsystem_name in host

Related issues:

Related to Foreman - Feature #24027: Provide some macros for OS name/family a... New 06/21/2018

History

#1 - 10/05/2018 11:56 AM - The Foreman Bot

- Status changed from Assigned to Ready For Testing
- Pull request https://github.com/theforeman/foreman/pull/6113 added

#2 - 10/05/2018 11:57 AM - Marek Hulán

this could be useful also outside of report templates, I'd say this could go to generic scope, you can take inspiration from https://github.com/ares/foreman/commit/5f413e658fe4591a6935fe760ad13b01da160fd3 also there's existing ticket https://projects.theforeman.org/issues/24027

#3 - 10/05/2018 11:58 AM - Marek Hulán

- Related to Feature #24027: Provide some macros for OS name/family and version comparsion added

#4 - 10/09/2018 03:07 PM - Martin Bacovsky

- Status changed from Ready For Testing to Rejected

 $host. operating system_name is the same as host. operating system. to_s. \ Closing \ this \ request.$

05/19/2024 1/1