

Foreman - Bug #26414

Api error when querying LDAP users

03/20/2019 09:32 AM - Ondřej Pražák

Status: New	
Priority: Normal	
Assignee:	
Category:	
Target version:	
Difficulty:	Fixed in Releases:
Triaged: No	Found in Releases:
Bugzilla link: 1620164	Red Hat JIRA:
Pull request:	
Description	
Description of problem: We get RuntimeError when we try to list LDAP users.	
Steps to reproduce: hammer user list --auth-source-ldap-id 3	
<pre>2019-03-20T09:22:04 [I app 9efa0498] Started GET "/api/auth_source_ldaps/3/users?page=1&per_page=1000" for :::1 at 2019-03-20 09:22:04 +0000 2019-03-20T09:22:04 [I app 9efa0498] Processing by Api::V2::UsersController#index as JSON 2019-03-20T09:22:04 [I app 9efa0498] Parameters: {"page"=>"1", "per_page"=>"1000", "apiv"=>"v2", "auth_source_ldap_id"=>"3", "user"=>{}} 2019-03-20T09:22:04 [D app 9efa0498] Authenticated user admin against INTERNAL authentication source 2019-03-20T09:22:04 [D app 9efa0498] Current user set to foreman_admin (admin) 2019-03-20T09:22:04 [I app 9efa0498] Authorized user admin(Admin User) 2019-03-20T09:22:04 [I app 9efa0498] Current user set to admin (admin) 2019-03-20T09:22:04 [D app 9efa0498] Current location set to none 2019-03-20T09:22:04 [D app 9efa0498] Current organization set to none 2019-03-20T09:22:04 [D app 9efa0498] Current location set to none 2019-03-20T09:22:04 [D app 9efa0498] Current organization set to none 2019-03-20T09:22:04 [W app 9efa0498] DEPRECATION WARNING: Dangerous query method (method whose arguments are used as raw SQL) called with non-attribute argument(s): "CASE WHEN \"auth_sources\".\"name\" = '3' THEN 1 ELSE 0 END". Non-attribute arguments will be disallowed in Rails 6.0. This method should not be called with user-provided values, such as request parameters or model attributes. Known-safe values can be passed by wrapping them in Arel.sql(). (called from prioritize_friendly_name_records at /home/vagrant/projects/foreman/app/controllers/api/base_controller.rb:410) 2019-03-20T09:22:04 [W app 9efa0498] DEPRECATION WARNING: Dangerous query method (method whose arguments are used as raw SQL) called with non-attribute argument(s): "CASE WHEN \"auth_sources\".\"name\" = '3' THEN 1 ELSE 0 END". Non-attribute arguments will be disallowed in Rails 6.0. This method should not be called with user-provided values, such as request parameters or model attributes. Known-safe values can be passed by wrapping them in Arel.sql(). (called from prioritize_friendly_name_records at /home/vagrant/projects/foreman/app/controllers/api/base_controller.rb:410) 2019-03-20T09:22:04 [W app 9efa0498] Action failed RuntimeError: Association not found for auth_source_ldap /home/vagrant/projects/foreman/app/controllers/api/base_controller.rb:75:in `parent_scope' /home/vagrant/projects/foreman/app/controllers/api/base_controller.rb:61:in `resource_scope' /home/vagrant/projects/foreman/app/controllers/concerns/foreman/controller/users_mixin.rb:10:in `resource_scope' /home/vagrant/projects/foreman/app/controllers/api/base_controller.rb:100:in `resource_scope_for_index' /home/vagrant/projects/foreman/app/controllers/api/v2/users_controller.rb:31:in `index' /home/vagrant/.rvm/gems/ruby-2.3.4/gems/actionpack-5.2.1/lib/action_controller/metal/basic_implicit_render.rb:6:in `send_action' /home/vagrant/.rvm/gems/ruby-2.3.4/gems/actionpack-5.2.1/lib/abstract_controller/base.rb:194:in `process_action'</pre>	

```
| /home/vagrant/.rvm/gems/ruby-2.3.4/gems/actionpack-5.2.1/lib/action_controller/metal/rendering.
rb:30:in `process_action'
| /home/vagrant/.rvm/gems/ruby-2.3.4/gems/actionpack-5.2.1/lib/abstract_controller/callbacks.rb:4
2:in `block in process_action'
| /home/vagrant/.rvm/gems/ruby-2.3.4/gems/activestorage-5.2.1/lib/active_storage/callbacks.rb:109
:in `block in run_callbacks'
| /home/vagrant/projects/foreman/app/controllers/api/v2/base_controller.rb:163:in `disable_json_r
oot'
| /home/vagrant/.rvm/gems/ruby-2.3.4/gems/activestorage-5.2.1/lib/active_storage/callbacks.rb:118
:in `block in run_callbacks'
| /home/vagrant/projects/foreman/app/controllers/concerns/foreman/controller/timezone.rb:10:in `s
et_timezone'
| /home/vagrant/.rvm/gems/ruby-2.3.4/gems/activestorage-5.2.1/lib/active_storage/callbacks.rb:118
:in `block in run_callbacks'
| /home/vagrant/projects/foreman/app/models/concerns/foreman/thread_session.rb:32:in `clear_threa
d'
| /home/vagrant/.rvm/gems/ruby-2.3.4/gems/activestorage-5.2.1/lib/active_storage/callbacks.rb:118
:in `block in run_callbacks'
| /home/vagrant/projects/foreman/app/controllers/concerns/foreman/controller/topbar_sweeper.rb:12
:in `set_topbar_sweeper_controller'
| /home/vagrant/.rvm/gems/ruby-2.3.4/gems/activestorage-5.2.1/lib/active_storage/callbacks.rb:118
:in `block in run_callbacks'
| /home/vagrant/.rvm/gems/ruby-2.3.4/gems/audited-4.8.0/lib/audited/sweeper.rb:14:in `around'
| /home/vagrant/.rvm/gems/ruby-2.3.4/gems/activestorage-5.2.1/lib/active_storage/callbacks.rb:118
:in `block in run_callbacks'
| /home/vagrant/.rvm/gems/ruby-2.3.4/gems/audited-4.8.0/lib/audited/sweeper.rb:14:in `around'
| /home/vagrant/.rvm/gems/ruby-2.3.4/gems/activestorage-5.2.1/lib/active_storage/callbacks.rb:118
:in `block in run_callbacks'
| /home/vagrant/.rvm/gems/ruby-2.3.4/gems/activestorage-5.2.1/lib/active_storage/callbacks.rb:136
:in `run_callbacks'
| /home/vagrant/.rvm/gems/ruby-2.3.4/gems/actionpack-5.2.1/lib/abstract_controller/callbacks.rb:4
1:in `process_action'
| /home/vagrant/.rvm/gems/ruby-2.3.4/gems/actionpack-5.2.1/lib/action_controller/metal/rescue.rb:
22:in `process_action'
| /home/vagrant/.rvm/gems/ruby-2.3.4/gems/actionpack-5.2.1/lib/action_controller/metal/instrument
ation.rb:34:in `block in process_action'
| /home/vagrant/.rvm/gems/ruby-2.3.4/gems/activestorage-5.2.1/lib/active_storage/notifications.rb
:168:in `block in instrument'
| /home/vagrant/.rvm/gems/ruby-2.3.4/gems/activestorage-5.2.1/lib/active_storage/notifications/in
strumenter.rb:23:in `instrument'
| /home/vagrant/.rvm/gems/ruby-2.3.4/gems/activestorage-5.2.1/lib/active_storage/notifications.rb
:168:in `instrument'
| /home/vagrant/.rvm/gems/ruby-2.3.4/gems/actionpack-5.2.1/lib/action_controller/metal/instrument
ation.rb:32:in `process_action'
| /home/vagrant/.rvm/gems/ruby-2.3.4/gems/actionpack-5.2.1/lib/action_controller/metal/params_wra
pper.rb:256:in `process_action'
| /home/vagrant/.rvm/gems/ruby-2.3.4/gems/activerecord-5.2.1/lib/active_record/railties/controlle
r_runtime.rb:24:in `process_action'
| /home/vagrant/.rvm/gems/ruby-2.3.4/gems/actionpack-5.2.1/lib/abstract_controller/base.rb:134:in
`process'
| /home/vagrant/.rvm/gems/ruby-2.3.4/gems/actionview-5.2.1/lib/action_view/rendering.rb:32:in `pr
ocess'
| /home/vagrant/.rvm/gems/ruby-2.3.4/gems/actionpack-5.2.1/lib/action_controller/metal.rb:191:in
`dispatch'
| /home/vagrant/.rvm/gems/ruby-2.3.4/gems/actionpack-5.2.1/lib/action_controller/metal.rb:252:in
`dispatch'
| /home/vagrant/.rvm/gems/ruby-2.3.4/gems/actionpack-5.2.1/lib/action_dispatch/routing/route_set.
rb:52:in `dispatch'
| /home/vagrant/.rvm/gems/ruby-2.3.4/gems/actionpack-5.2.1/lib/action_dispatch/routing/route_set.
rb:34:in `serve'
| /home/vagrant/.rvm/gems/ruby-2.3.4/gems/actionpack-5.2.1/lib/action_dispatch/routing/mapper.rb:
18:in `block in <class:Constraints>'
| /home/vagrant/.rvm/gems/ruby-2.3.4/gems/actionpack-5.2.1/lib/action_dispatch/routing/mapper.rb:
48:in `serve'
| /home/vagrant/.rvm/gems/ruby-2.3.4/gems/actionpack-5.2.1/lib/action_dispatch/journey/router.rb:
52:in `block in serve'
| /home/vagrant/.rvm/gems/ruby-2.3.4/gems/actionpack-5.2.1/lib/action_dispatch/journey/router.rb:
```

```
35:in `each'
| /home/vagrant/.rvm/gems/ruby-2.3.4/gems/actionpack-5.2.1/lib/action_dispatch/journey/router.rb:
35:in `serve'
| /home/vagrant/.rvm/gems/ruby-2.3.4/gems/actionpack-5.2.1/lib/action_dispatch/routing/route_set.
rb:840:in `call'
| /home/vagrant/.rvm/gems/ruby-2.3.4/gems/actionpack-5.2.1/lib/action_dispatch/middleware/static.
rb:127:in `call'
| /home/vagrant/.rvm/gems/ruby-2.3.4/gems/actionpack-5.2.1/lib/action_dispatch/middleware/static.
rb:127:in `call'
| /home/vagrant/.rvm/gems/ruby-2.3.4/gems/apipie-rails-0.5.15/lib/apipie/static_dispatcher.rb:66:
in `call'
| /home/vagrant/.rvm/gems/ruby-2.3.4/gems/bullet-5.9.0/lib/bullet/rack.rb:15:in `call'
| /home/vagrant/.rvm/gems/ruby-2.3.4/gems/apipie-rails-0.5.15/lib/apipie/extractor/recorder.rb:13
7:in `call'
| /home/vagrant/projects/foreman/lib/foreman/middleware/telemetry.rb:10:in `call'
| /home/vagrant/.rvm/gems/ruby-2.3.4/gems/apipie-rails-0.5.15/lib/apipie/middleware/checksum_in_h
eaders.rb:27:in `call'
| /home/vagrant/projects/foreman/lib/foreman/middleware/catch_json_parse_errors.rb:9:in `call'
| /home/vagrant/.rvm/gems/ruby-2.3.4/gems/rack-openid-1.4.2/lib/rack/openid.rb:98:in `call'
| /home/vagrant/.rvm/gems/ruby-2.3.4/gems/rack-2.0.6/lib/rack/tempfile_reaper.rb:15:in `call'
| /home/vagrant/.rvm/gems/ruby-2.3.4/gems/rack-2.0.6/lib/rack/etag.rb:25:in `call'
| /home/vagrant/.rvm/gems/ruby-2.3.4/gems/rack-2.0.6/lib/rack/conditional_get.rb:25:in `call'
| /home/vagrant/.rvm/gems/ruby-2.3.4/gems/rack-2.0.6/lib/rack/head.rb:12:in `call'
| /home/vagrant/.rvm/gems/ruby-2.3.4/gems/actionpack-5.2.1/lib/action_dispatch/http/content_secur
ity_policy.rb:18:in `call'
| /home/vagrant/projects/foreman/lib/foreman/middleware/logging_context_session.rb:22:in `call'
| /home/vagrant/.rvm/gems/ruby-2.3.4/gems/rack-2.0.6/lib/rack/session/abstract/id.rb:232:in `cont
ext'
| /home/vagrant/.rvm/gems/ruby-2.3.4/gems/rack-2.0.6/lib/rack/session/abstract/id.rb:226:in `call'
|
| /home/vagrant/.rvm/gems/ruby-2.3.4/gems/actionpack-5.2.1/lib/action_dispatch/middleware/cookies
.rb:670:in `call'
| /home/vagrant/.rvm/gems/ruby-2.3.4/gems/activerecord-5.2.1/lib/active_record/migration.rb:559:i
n `call'
| /home/vagrant/.rvm/gems/ruby-2.3.4/gems/actionpack-5.2.1/lib/action_dispatch/middleware/callbac
ks.rb:28:in `block in call'
| /home/vagrant/.rvm/gems/ruby-2.3.4/gems/activesupport-5.2.1/lib/active_support/callbacks.rb:98:
in `run_callbacks'
| /home/vagrant/.rvm/gems/ruby-2.3.4/gems/actionpack-5.2.1/lib/action_dispatch/middleware/callbac
ks.rb:26:in `call'
| /home/vagrant/.rvm/gems/ruby-2.3.4/gems/actionpack-5.2.1/lib/action_dispatch/middleware/executo
r.rb:14:in `call'
| /home/vagrant/.rvm/gems/ruby-2.3.4/gems/actionpack-5.2.1/lib/action_dispatch/middleware/debug_e
xceptions.rb:61:in `call'
| /home/vagrant/.rvm/gems/ruby-2.3.4/gems/actionpack-5.2.1/lib/action_dispatch/middleware/show_ex
ceptions.rb:33:in `call'
| /home/vagrant/.rvm/gems/ruby-2.3.4/gems/railties-5.2.1/lib/rails/rack/logger.rb:38:in `call_app'
|
| /home/vagrant/.rvm/gems/ruby-2.3.4/gems/railties-5.2.1/lib/rails/rack/logger.rb:28:in `call'
| /home/vagrant/.rvm/gems/ruby-2.3.4/gems/sprockets-rails-3.2.1/lib/sprockets/rails/quiet_assets.
rb:13:in `call'
| /home/vagrant/projects/foreman/lib/foreman/middleware/logging_context_request.rb:11:in `call'
| /home/vagrant/.rvm/gems/ruby-2.3.4/gems/actionpack-5.2.1/lib/action_dispatch/middleware/remot_e
ip.rb:81:in `call'
| /home/vagrant/.rvm/gems/ruby-2.3.4/gems/actionpack-5.2.1/lib/action_dispatch/middleware/request
_id.rb:27:in `call'
| /home/vagrant/projects/katello/lib/katello/prevent_json_parsing.rb:12:in `call'
| /home/vagrant/.rvm/gems/ruby-2.3.4/gems/rack-2.0.6/lib/rack/method_override.rb:22:in `call'
| /home/vagrant/.rvm/gems/ruby-2.3.4/gems/rack-2.0.6/lib/rack/runtime.rb:22:in `call'
| /home/vagrant/.rvm/gems/ruby-2.3.4/gems/activesupport-5.2.1/lib/active_support/cache/strategy/l
ocal_cache_middleware.rb:29:in `call'
| /home/vagrant/.rvm/gems/ruby-2.3.4/gems/actionpack-5.2.1/lib/action_dispatch/middleware/executo
r.rb:14:in `call'
| /home/vagrant/.rvm/gems/ruby-2.3.4/gems/actionpack-5.2.1/lib/action_dispatch/middleware/static.
rb:127:in `call'
| /home/vagrant/.rvm/gems/ruby-2.3.4/gems/rack-2.0.6/lib/rack/sendfile.rb:111:in `call'
| /home/vagrant/.rvm/gems/ruby-2.3.4/gems/secure_headers-6.0.0/lib/secure_headers/middleware.rb:1
```

```
3:in `call'
| /home/vagrant/.rvm/gems/ruby-2.3.4/gems/railties-5.2.1/lib/rails/engine.rb:524:in `call'
| /home/vagrant/.rvm/gems/ruby-2.3.4/gems/railties-5.2.1/lib/rails/railtie.rb:190:in `public_send'
| /home/vagrant/.rvm/gems/ruby-2.3.4/gems/railties-5.2.1/lib/rails/railtie.rb:190:in `method_missing'
| /home/vagrant/.rvm/gems/ruby-2.3.4/gems/rack-2.0.6/lib/rack/urlmap.rb:68:in `block in call'
| /home/vagrant/.rvm/gems/ruby-2.3.4/gems/rack-2.0.6/lib/rack/urlmap.rb:53:in `each'
| /home/vagrant/.rvm/gems/ruby-2.3.4/gems/rack-2.0.6/lib/rack/urlmap.rb:53:in `call'
| /home/vagrant/.rvm/gems/ruby-2.3.4/gems/puma-3.12.0/lib/puma/configuration.rb:225:in `call'
| /home/vagrant/.rvm/gems/ruby-2.3.4/gems/puma-3.12.0/lib/puma/server.rb:658:in `handle_request'
| /home/vagrant/.rvm/gems/ruby-2.3.4/gems/puma-3.12.0/lib/puma/server.rb:472:in `process_client'
| /home/vagrant/.rvm/gems/ruby-2.3.4/gems/puma-3.12.0/lib/puma/server.rb:332:in `block in run'
| /home/vagrant/.rvm/gems/ruby-2.3.4/gems/puma-3.12.0/lib/puma/thread_pool.rb:133:in `block in spawn_thread'
```

History

#1 - 04/28/2019 08:32 PM - Anonymous

- Related to Refactor #23300: Do not use string interpolation when composing SQL queries. added

#2 - 04/28/2019 08:32 PM - Anonymous

- Blocks Tracker #24837: Rails 6.0 Tracker added

#3 - 11/12/2019 01:16 PM - Anonymous

- Blocks deleted (Tracker #24837: Rails 6.0 Tracker)

#4 - 12/25/2019 03:40 PM - Anonymous

- Related to deleted (Refactor #23300: Do not use string interpolation when composing SQL queries.)