## Foreman - Refactor #26452

# set autocomplete key shortcuts off by default

03/26/2019 11:54 AM - Ron Lavi

Status: Closed

**Priority:** Normal

Assignee: Ron Lavi

Category: Web Interface

Target version:

Difficulty: Fixed in Releases: 1.22.0

Triaged: No Found in Releases:

Bugzilla link: Red Hat JIRA:

**Pull request:** https://github.com/theforeman/foreman/p

ull/6618

### Description

While using only the SearchBar it made sense to set `usekeyShortcuts` prop to true by default.

Now, while it is possible to consume the Autocomplete component independently, we doesn't want to use those key shortcuts by default.

#### **Associated revisions**

### Revision 984cd6a6 - 03/27/2019 11:21 AM - Ron Lavi

Fixes #26452 - default disable autocomplete key shortcuts

### History

## #1 - 03/26/2019 12:00 PM - The Foreman Bot

- Status changed from New to Ready For Testing
- Pull request https://github.com/theforeman/foreman/pull/6618 added

### #2 - 03/27/2019 11:21 AM - Tomer Brisker

- Category set to Web Interface
- Fixed in Releases 1.22.0 added

### #3 - 03/27/2019 12:02 PM - Ron Lavi

- Status changed from Ready For Testing to Closed

Applied in changeset 984cd6a6b06ccaa20e11b108ab9ecf433e62762a.

05/20/2024 1/1