## Foreman - Refactor #26452

# set autocomplete key shortcuts off by default

03/26/2019 11:54 AM - Ron Lavi

Status:	Closed	
Priority:	Normal	
Assignee:	Ron Lavi	
Category:	Web Interface	
Target version:		
Difficulty:		Fixed in Releases: 1.22.0
Triaged:	No	Found in Releases:
Bugzilla link:		Red Hat JIRA:
Pull request:	https://github.com/theforeman/foreman/p ull/6618	
Description		•

While using only the SearchBar it made sense to set `usekeyShortcuts` prop to true by default. Now, while it is possible to consume the Autocomplete component independently, we doesn't want to use those key shortcuts by default.

### Associated revisions

#### Revision 984cd6a6 - 03/27/2019 11:21 AM - Ron Lavi

Fixes #26452 - default disable autocomplete key shortcuts

### History

## #1 - 03/26/2019 12:00 PM - The Foreman Bot

- Status changed from New to Ready For Testing
- Pull request https://github.com/theforeman/foreman/pull/6618 added

## #2 - 03/27/2019 11:21 AM - Tomer Brisker

- Category set to Web Interface
- Fixed in Releases 1.22.0 added

### #3 - 03/27/2019 12:02 PM - Ron Lavi

- Status changed from Ready For Testing to Closed

Applied in changeset <u>984cd6a6b06ccaa20e11b108ab9ecf433e62762a</u>.