Foreman - Feature #26481

Add Foreman systemd service file

03/28/2019 07:46 PM - Eric Helms

Status:	Closed		
Priority:	Normal		
Assignee:	Eric Helms		
Category:	Packaging		
Target version:			
Difficulty:		**Fixed in Releases:**	1.22.0
Triaged:	No	**Found in Releases:**	
Bugzilla link:		**Red Hat JIRA:**	
Pull request:	https://github.com/theforeman/foreman/pull/6624, https://github.com/theforeman/foreman/pull/6647		

Description

Associated revisions

Revision f58a3cbc - 04/01/2019 02:05 PM - Eric Helms

Fixes #26481 - Add foreman.service systemd file

Revision 2d663047 - 04/05/2019 12:04 PM - Ewoud Kohl van Wijngaarden

Refs #26481 - Set the foreman user statically

This can be overridden using a drop in file.

History

#1 - 03/28/2019 07:49 PM - The Foreman Bot

- Status changed from New to Ready For Testing

- Assignee set to Eric Helms

- Pull request https://github.com/theforeman/foreman/pull/6624 added

#2 - 04/01/2019 02:06 PM - Anonymous

- Fixed in Releases 1.22.0 added

#3 - 04/01/2019 03:01 PM - Eric Helms

- Status changed from Ready For Testing to Closed

Applied in changeset f58a3cbc70d03f01bc153731b9d613eb5abdffff.

#4 - 04/04/2019 02:25 PM - The Foreman Bot

- Pull request https://github.com/theforeman/foreman/pull/6647 added

#5 - 04/22/2019 07:19 AM - Tomer Brisker

- Category set to Packaging