

## Installer - Bug #2689

### Importing installer modules after an installer run causes a permissions conflict

06/21/2013 07:38 AM - Greg Sutcliffe

<b>Status:</b> Resolved	
<b>Priority:</b> Normal	
<b>Assignee:</b>	
<b>Category:</b>	
<b>Target version:</b> 1.2.0	
<b>Difficulty:</b>	<b>Fixed in Releases:</b>
<b>Triaged:</b>	<b>Found in Releases:</b>
<b>Bugzilla link:</b>	<b>Red Hat JIRA:</b>
<b>Pull request:</b>	
<b>Description</b>	
Some cache data gets root owned:	
1. <code>ls -lh /var/lib/puppet/foreman_cache_data/db_password</code>	
<pre>-rw----- 1 root root 36 Jun 21 12:24 /var/lib/puppet/foreman_cache_data/db_password</pre>	
A simple chown will fix it:	
1. <code>chown puppet /var/lib/puppet/foreman_cache_data/db_password</code>	
We should probably handle this where db_password is created (maybe in the function?), otherwise it will trip people up.	

#### Associated revisions

**Revision 8a6e87dc - 06/24/2013 09:47 AM - Greg Sutcliffe**

Fixes #2689 - chown cache data to puppet

#### History

**#1 - 06/24/2013 12:47 PM - Greg Sutcliffe**

- Status changed from New to Resolved

- % Done changed from 0 to 100

Applied in 8a6e87dc7a1615dd9d110f60ad13ecf30791dbec

**#2 - 07/10/2018 02:45 PM - Greg Sutcliffe**

- Target version deleted (1.2.0)