## Foreman - Bug #2711

## Review provision template leads to: HTTP-error 500 - Internal Server Error

06/25/2013 03:14 PM - Ronny M

Status: Duplicate
Priority: Normal

Assignee:

Category: Templates

Target version:

Difficulty: Fixed in Releases:

Triaged: Found in Releases:

Bugzilla link: Red Hat JIRA:

**Pull request:** 

## **Description**

VMWare Esxi 5.0.0 managed by VSphere (VMware vCenter Server 5.0.0.16964)

CentOS release 6.2 (Final)

Foreman 1.2 RC3

Clicking the Edit button for both "PXELinux Template" and "provision Template" for a created vmware host works.

https://foreman.localdomain/config\_templates/1-kickstart-default-pxelinux/edit

https://foreman.localdomain/config\_templates/4-kickstart-default/edit

Also clicking the "PXELinux Template" Review button for created vmware host works

url:

https://foreman.localdomain/unattended/PXELinux?spoof=192.168.88.3

I then get the contents of the template:

default linux label linux

kernel

append initrd= ks=http://foreman.localdomain/unattended/provision ksdevice=bootif network kssend mac

But when I click the "provision Template" for the same vmware host:

url:

https://foreman.localdomain/unattended/provision?spoof=192.168.88.3

I get HTTP-error 500 - Internal Server Error

The kickstarted VM is also unable to retrieve the needed kickstart file during boot.

I attached debug log wich includes all 4 actions as (production-500-error.log)

### Related issues:

Related to Foreman - Bug #2710: Kickstart default safemode failure

Closed

06/25/2013

## History

# #1 - 06/25/2013 03:24 PM - Dominic Cleal

- Category set to Templates
- Status changed from New to Feedback

I wonder if this is <u>#2710</u>, there was a bug in the default kickstart template that meant it would trigger a safemode failure. Perhaps try changing the line in the patch there in the template, or disable safemode via More>Settings>Provisioning>render\_safemode = false and see if the 500 error goes away.

If not, are there any more details given on the spoof page when you view it?

05/20/2024 1/2

# #2 - 06/25/2013 03:34 PM - Ronny M

Yes setting "render\_safemode = false" solves the error 500 and kickstart is also working fine now. Thanks :)

## #3 - 06/25/2013 03:36 PM - Dominic Cleal

- Status changed from Feedback to Duplicate

I think it's just that change to the template then. If you get the chance to test it with safemode enabled, that'd be great.

Thanks for the ever-excellent bug reports!

### #4 - 06/25/2013 04:06 PM - Ronny M

Added change in https://github.com/theforeman/community-templates/pull/15 to "Kickstart Default" template.

And changed render\_safemode back to true.

Reviewing provision template and kickstart are both working fine now with render\_safemode enabled :)

### #5 - 06/25/2013 04:18 PM - Dominic Cleal

Perfect, thanks for testing:)

### **Files**

production-500-error.log 10.9 KB 06/25/2013 Ronny M

05/20/2024 2/2