

Foreman - Feature #2728

API: POST /api/hostgroups does not accept ancestry

06/28/2013 06:08 PM - Kal Aeolian

Status:	Closed	
Priority:	Normal	
Assignee:	Joseph Magen	
Category:	API	
Target version:	1.2.0	
Difficulty:	trivial	Fixed in Releases:
Triaged:		Found in Releases:
Bugzilla link:		Red Hat JIRA:
Pull request:		
Description <p>When trying to use the API to create hostgroups, POST /api/hostgroups does not accept a hostgroup[ancestry] as a parameter. This means a user cannot create nested hostgroups through the API.</p> <p>The example json in the documentation for the API shows both hostgroup[ancestry] and hostgroup[parameters] being accepted on a post, but in the parameters below the example, neither of these are listed and indeed this is reflected in code at app/controllers/api/v1/hostgroups_controller.rb. PUT /api/hostgroups does not accept either of these fields either.</p> <p>This greatly limits the usability of either of these routes unless you want to create un-nested host groups.</p>		

Associated revisions

Revision 5f7b64bd - 07/01/2013 03:23 AM - Joseph Magen

fixes #2728 - POST /api/hostgroups does not accept ancestry

Revision 663a5752 - 07/01/2013 04:01 AM - Joseph Magen

fixes #2728 - POST /api/hostgroups does not accept ancestry
(cherry picked from commit 5f7b64bd2d70057b752c9a6e171e4d5a11a1348f)

History

#1 - 06/30/2013 09:37 AM - Joseph Magen

- Status changed from New to Assigned
- Assignee set to Joseph Magen

#2 - 06/30/2013 09:48 AM - Joseph Magen

- Status changed from Assigned to Ready For Testing

The parameter :parent_id can be passed for PUT or POST.
It was missing from the API documentation and the following pull request fixes this
<https://github.com/theforeman/foreman/pull/755>

#3 - 07/01/2013 03:23 AM - Ohad Levy

- Target version set to 1.2.0

#4 - 07/01/2013 04:17 AM - Joseph Magen

- Status changed from Ready For Testing to Closed
- % Done changed from 0 to 100

Applied in changeset [5f7b64bd2d70057b752c9a6e171e4d5a11a1348f](#).