

Foreman - Bug #27380

'duplicate key value violates unique constraint "index_roles_on_name"' when installing 6.5.0

07/23/2019 06:48 AM - Marek Hulán

Status:	Closed	
Priority:	Normal	
Assignee:	Ondřej Pražák	
Category:	DB migrations	
Target version:		
Difficulty:		Fixed in Releases: 1.24.0
Triaged:	No	Found in Releases:
Bugzilla link:	1713769	Red Hat JIRA:
Pull request:	https://github.com/theforeman/foreman/pull/6939	
Description		
Cloned from https://bugzilla.redhat.com/show_bug.cgi?id=1713769		
Description of problem: Unique constraint errors displayed when installing Satellite 6.4		
Version-Release number of selected component (if applicable): satellite-6.5.0-11.el7sat		
How reproducible: Only tried once		
Steps to Reproduce: I just did a clean install of Satellite 6.5.0-11.el7sat atop a freshly-installed and fully-updated RHEL 7.6 x86_64 Server VM.		
The command I ran (after `yum install satellite`) was: ... <pre>satellite-installer --scenario satellite \ --foreman-admin-username admin \ --foreman-admin-password <redacted> \ --foreman-proxy-puppetca true \ --foreman-proxy-tftp true \ --enable-foreman-plugin-discovery ...</pre>		
Actual results: ... <pre>Resetting puppet server version param... Installing Cert[europa.jovian.sgallagh.rht-qpid-router-server [21%] [.....] Execution of '/usr/sbin/foreman-rake -- config -k 'pulp_client_cert' -v '/etc/pki/katello/certs/pulp-client.crt" returned 1: rake aborted! ActiveRecord::RecordNotUnique: PG::UniqueViolation: ERROR: duplicate key value violates unique constraint "index_roles_on_name" DETAIL: Key (name)=(Register hosts) already exists. : INSERT INTO "roles" ("name", "description", "origin") VALUES (\$1, \$2, \$3) RETURNING "id" /opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/connection_adapters/postgresql_adapter.rb :603:in `async_exec' /opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/connection_adapters/postgresql_adapter.rb :603:in `block (2 levels) in exec_no_cache' /opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activesupport-5.2.1/lib/active_support/dependencies/interlock.rb:48:in `block in permit_concurrent_loads' /opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activesupport-5.2.1/lib/active_support/concurrency/share_lock.rb:187:in `yield_shares' /opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activesupport-5.2.1/lib/active_support/dependencies/interlock.rb:47:in `permit_concurrent_loads' /opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/connection_adapters/postgresql_adapter.rb</pre>		

```
:602:in `block in exec_no_cache'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/connection_adapters/abstract_adapter.rb:5
79:in `block (2 levels) in log'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/connection_adapters/abstract_adapter.rb:5
78:in `block in log'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activesupport-5.2.1/lib/active_support/notifications/instrumenter.rb:23:in
`instrument'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/connection_adapters/abstract_adapter.rb:5
69:in `log'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/connection_adapters/postgresql_adapter.rb
:601:in `exec_no_cache'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/connection_adapters/postgresql_adapter.rb
:590:in `execute_and_clear'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/connection_adapters/postgresql/database_
statements.rb:81:in `exec_query'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/connection_adapters/abstract/database_st
atements.rb:117:in `exec_insert'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/connection_adapters/postgresql/database_
statements.rb:115:in `exec_insert'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/connection_adapters/abstract/database_st
atements.rb:149:in `insert'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/connection_adapters/abstract/query_cache.
rb:21:in `insert'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/persistence.rb:187:in `__insert_record'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/persistence.rb:733:in `__create_record'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/counter_cache.rb:184:in `__create_record'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/locking/optimistic.rb:70:in `__create_record'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/attribute_methods/dirty.rb:137:in
`__create_record'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/callbacks.rb:346:in `block in __create_record'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activesupport-5.2.1/lib/active_support/callbacks.rb:132:in `run_callbacks'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activesupport-5.2.1/lib/active_support/callbacks.rb:816:in
`__run_create_callbacks'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/callbacks.rb:346:in `__create_record'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/timestamp.rb:102:in `__create_record'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/persistence.rb:704:in `create_or_update'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/callbacks.rb:342:in `block in
create_or_update'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activesupport-5.2.1/lib/active_support/callbacks.rb:132:in `run_callbacks'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activesupport-5.2.1/lib/active_support/callbacks.rb:816:in `__run_save_callbacks'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/callbacks.rb:342:in `create_or_update'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/persistence.rb:308:in `save!'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/validations.rb:52:in `save!'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/transactions.rb:315:in `block in save!'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/transactions.rb:387:in `block in
with_transaction_returning_status'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/connection_adapters/abstract/database_st
atements.rb:252:in `transaction'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/transactions.rb:212:in `transaction'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/transactions.rb:385:in
`with_transaction_returning_status'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/transactions.rb:315:in `save!'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/suppressor.rb:48:in `save!'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/persistence.rb:53:in `create!'
/usr/share/foreman/app/services/foreman/plugin/role_lock.rb:43:in `block in create_plugin_role'
/usr/share/foreman/app/models/role.rb:86:in `ignore_locking'
/usr/share/foreman/app/services/foreman/plugin/role_lock.rb:42:in `create_plugin_role'
/usr/share/foreman/app/services/foreman/plugin/role_lock.rb:37:in `block in process_role'
/opt/theforeman/tfm-root/usr/share/gems/gems/audited-4.7.1/lib/audited/auditor.rb:336:in `without_auditing'
/usr/share/foreman/app/services/foreman/plugin/role_lock.rb:35:in `process_role'
/usr/share/foreman/app/services/foreman/plugin/role_lock.rb:13:in `block (2 levels) in register_role'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/connection_adapters/abstract/database_st
atements.rb:254:in `block in transaction'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/connection_adapters/abstract/transaction.rb
:239:in `block in within_new_transaction'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/connection_adapters/abstract/transaction.rb
:236:in `within_new_transaction'
```

```
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/connection_adapters/abstract/database_statements.rb:254:in `transaction'  
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/transactions.rb:212:in `transaction'  
/usr/share/foreman/app/services/foreman/plugin/role_lock.rb:12:in `block in register_role'  
/usr/share/foreman/app/models/concerns/foreman/thread_session.rb:100:in `as'  
/usr/share/foreman/app/models/concerns/foreman/thread_session.rb:106:in `as_anonymous_admin'  
/usr/share/foreman/app/services/foreman/plugin/role_lock.rb:11:in `register_role'  
/usr/share/foreman/app/registries/foreman/plugin.rb:283:in `block (2 levels) in role'  
/opt/theforeman/tfm/root/usr/share/gems/gems/audited-4.7.1/lib/audited/auditor.rb:336:in `without_auditing'  
/usr/share/foreman/app/registries/foreman/plugin.rb:282:in `block in role'  
/opt/theforeman/tfm/root/usr/share/gems/gems/audited-4.7.1/lib/audited/auditor.rb:336:in `without_auditing'  
/usr/share/foreman/app/registries/foreman/plugin.rb:281:in `role'  
/opt/theforeman/tfm/root/usr/share/gems/gems/katello-3.10.0.46/lib/katello/plugin.rb:320:in `block in <top (required)>'  
/usr/share/foreman/app/registries/foreman/plugin.rb:74:in `instance_eval'  
/usr/share/foreman/app/registries/foreman/plugin.rb:74:in `register'  
/opt/theforeman/tfm/root/usr/share/gems/gems/katello-3.10.0.46/lib/katello/plugin.rb:5:in `<top (required)>'  
/opt/theforeman/tfm/root/usr/share/gems/gems/polyglot-0.3.5/lib/polyglot.rb:65:in `require'  
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activesupport-5.2.1/lib/active_support/dependencies.rb:287:in `block in require'  
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activesupport-5.2.1/lib/active_support/dependencies.rb:253:in `load_dependency'  
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activesupport-5.2.1/lib/active_support/dependencies.rb:287:in `require'  
/opt/theforeman/tfm/root/usr/share/gems/gems/katello-3.10.0.46/lib/katello/engine.rb:59:in `block in <class:Engine>'  
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/railties-5.2.1/lib/rails/initializable.rb:32:in `instance_exec'  
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/railties-5.2.1/lib/rails/initializable.rb:32:in `run'  
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/railties-5.2.1/lib/rails/initializable.rb:61:in `block in run_initializers'  
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/railties-5.2.1/lib/rails/initializable.rb:60:in `run_initializers'  
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/railties-5.2.1/lib/rails/application.rb:361:in `initialize!'  
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/railties-5.2.1/lib/rails/railtie.rb:190:in `public_send'  
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/railties-5.2.1/lib/rails/railtie.rb:190:in `method_missing'  
/usr/share/foreman/config/environment.rb:5:in `<top (required)>'  
/opt/theforeman/tfm/root/usr/share/gems/gems/polyglot-0.3.5/lib/polyglot.rb:65:in `require'  
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activesupport-5.2.1/lib/active_support/dependencies.rb:287:in `block in require'  
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activesupport-5.2.1/lib/active_support/dependencies.rb:253:in `load_dependency'  
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activesupport-5.2.1/lib/active_support/dependencies.rb:287:in `require'  
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/railties-5.2.1/lib/rails/application.rb:337:in `require_environment!'  
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/railties-5.2.1/lib/rails/application.rb:520:in `block in run_tasks_blocks'  
/opt/rh/rh-ruby25/root/usr/share/gems/gems/rake-12.3.0/exe/rake:27:in `<top (required)>'
```

Caused by:

```
PG::UniqueViolation: ERROR: duplicate key value violates unique constraint "index_roles_on_name"  
DETAIL: Key (name)=(Register hosts) already exists.  
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/connection_adapters/postgresql_adapter.rb:603:in `async_exec'  
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/connection_adapters/postgresql_adapter.rb:603:in `block (2 levels) in exec_no_cache'  
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activesupport-5.2.1/lib/active_support/dependencies/interlock.rb:48:in `block in permit_concurrent_loads'  
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activesupport-5.2.1/lib/active_support/concurrency/share_lock.rb:187:in `yield_shares'  
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activesupport-5.2.1/lib/active_support/dependencies/interlock.rb:47:in `permit_concurrent_loads'  
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/connection_adapters/postgresql_adapter.rb:602:in `block in exec_no_cache'  
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/connection_adapters/abstract_adapter.rb:579:in `block (2 levels) in log'  
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/connection_adapters/abstract_adapter.rb:578:in `block in log'  
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activesupport-5.2.1/lib/active_support/notifications/instrumenter.rb:23:in `instrument'  
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/connection_adapters/abstract_adapter.rb:69:in `log'  
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/connection_adapters/postgresql_adapter.rb:601:in `exec_no_cache'  
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/connection_adapters/postgresql_adapter.rb:590:in `execute_and_clear'  
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/connection_adapters/postgresql_database_
```

```
statements.rb:81:in `exec_query'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/connection_adapters/abstract/database_statements.rb:117:in `exec_insert'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/connection_adapters/postgresql/database_statements.rb:115:in `exec_insert'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/connection_adapters/abstract/database_statements.rb:149:in `insert'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/connection_adapters/abstract/query_cache.rb:21:in `insert'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/persistence.rb:187:in `__insert_record'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/persistence.rb:733:in `__create_record'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/counter_cache.rb:184:in `__create_record'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/locking/optimistic.rb:70:in `__create_record'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/attribute_methods/dirty.rb:137:in `__create_record'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/callbacks.rb:346:in `block in __create_record'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activesupport-5.2.1/lib/active_support/callbacks.rb:132:in `run_callbacks'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activesupport-5.2.1/lib/active_support/callbacks.rb:816:in `__run_create_callbacks'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/callbacks.rb:346:in `__create_record'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/timestamp.rb:102:in `__create_record'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/persistence.rb:704:in `create_or_update'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/callbacks.rb:342:in `block in create_or_update'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activesupport-5.2.1/lib/active_support/callbacks.rb:132:in `run_callbacks'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activesupport-5.2.1/lib/active_support/callbacks.rb:816:in `__run_save_callbacks'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/callbacks.rb:342:in `create_or_update'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/persistence.rb:308:in `save!'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/validations.rb:52:in `save!'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/transactions.rb:315:in `block in save!'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/transactions.rb:387:in `block in with_transaction_returning_status'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/connection_adapters/abstract/database_statements.rb:252:in `transaction'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/transactions.rb:212:in `transaction'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/transactions.rb:385:in `with_transaction_returning_status'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/transactions.rb:315:in `save!'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/suppressor.rb:48:in `save!'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/persistence.rb:53:in `create!'
/usr/share/foreman/app/services/foreman/plugin/role_lock.rb:43:in `block in create_plugin_role'
/usr/share/foreman/app/models/role.rb:86:in `ignore_locking'
/usr/share/foreman/app/services/foreman/plugin/role_lock.rb:42:in `create_plugin_role'
/usr/share/foreman/app/services/foreman/plugin/role_lock.rb:37:in `block in process_role'
/opt/theforeman/tfm-root/usr/share/gems/gems/audited-4.7.1/lib/audited/auditor.rb:336:in `without_auditing'
/usr/share/foreman/app/services/foreman/plugin/role_lock.rb:35:in `process_role'
/usr/share/foreman/app/services/foreman/plugin/role_lock.rb:13:in `block (2 levels) in register_role'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/connection_adapters/abstract/database_statements.rb:254:in `block in transaction'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/connection_adapters/abstract/transaction.rb:239:in `block in within_new_transaction'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/connection_adapters/abstract/transaction.rb:236:in `within_new_transaction'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/connection_adapters/abstract/database_statements.rb:254:in `transaction'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/transactions.rb:212:in `transaction'
/usr/share/foreman/app/services/foreman/plugin/role_lock.rb:12:in `block in register_role'
/usr/share/foreman/app/models/concerns/foreman/thread_session.rb:100:in `as'
/usr/share/foreman/app/models/concerns/foreman/thread_session.rb:106:in `as_anonymous_admin'
/usr/share/foreman/app/services/foreman/plugin/role_lock.rb:11:in `register_role'
/usr/share/foreman/app/registries/foreman/plugin.rb:283:in `block (2 levels) in role'
/opt/theforeman/tfm-root/usr/share/gems/gems/audited-4.7.1/lib/audited/auditor.rb:336:in `without_auditing'
/usr/share/foreman/app/registries/foreman/plugin.rb:282:in `block in role'
/opt/theforeman/tfm-root/usr/share/gems/gems/audited-4.7.1/lib/audited/auditor.rb:336:in `without_auditing'
/usr/share/foreman/app/registries/foreman/plugin.rb:281:in `role'
/opt/theforeman/tfm-root/usr/share/gems/gems/katello-3.10.0.46/lib/katello/plugin.rb:320:in `block in <top (required)>'
/usr/share/foreman/app/registries/foreman/plugin.rb:74:in `instance_eval'
```

```

/usr/share/foreman/app/registries/foreman/plugin.rb:74:in `register'
/opt/theforeman/tfm/root/usr/share/gems/gems/katello-3.10.0.46/lib/katello/plugin.rb:5:in `<top (required)>'
/opt/theforeman/tfm/root/usr/share/gems/gems/polyglot-0.3.5/lib/polyglot.rb:65:in `require'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activesupport-5.2.1/lib/active_support/dependencies.rb:287:in `block in require'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activesupport-5.2.1/lib/active_support/dependencies.rb:253:in
`load_dependency'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activesupport-5.2.1/lib/active_support/dependencies.rb:287:in `require'
/opt/theforeman/tfm/root/usr/share/gems/gems/katello-3.10.0.46/lib/katello/engine.rb:59:in `block in <class:Engine>'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/railties-5.2.1/lib/rails/initializable.rb:32:in `instance_exec'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/railties-5.2.1/lib/rails/initializable.rb:32:in `run'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/railties-5.2.1/lib/rails/initializable.rb:61:in `block in run_initializers'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/railties-5.2.1/lib/rails/initializable.rb:60:in `run_initializers'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/railties-5.2.1/lib/rails/application.rb:361:in `initialize!'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/railties-5.2.1/lib/rails/railtie.rb:190:in `public_send'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/railties-5.2.1/lib/rails/railtie.rb:190:in `method_missing'
/usr/share/foreman/config/environment.rb:5:in `<top (required)>'
/opt/theforeman/tfm/root/usr/share/gems/gems/polyglot-0.3.5/lib/polyglot.rb:65:in `require'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activesupport-5.2.1/lib/active_support/dependencies.rb:287:in `block in require'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activesupport-5.2.1/lib/active_support/dependencies.rb:253:in
`load_dependency'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activesupport-5.2.1/lib/active_support/dependencies.rb:287:in `require'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/railties-5.2.1/lib/rails/application.rb:337:in `require_environment!'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/railties-5.2.1/lib/rails/application.rb:520:in `block in run_tasks_blocks'
/opt/rh/rh-ruby25/root/usr/share/gems/gems/rake-12.3.0/exe/rake:27:in `<top (required)>'

Tasks: TOP => config => environment
(See full trace by running task with --trace)

Apipie cache enabled but not present yet. Run apipie:cache rake task to speed up API calls.

/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/util/execution.rb:294:in `execute'
/usr/share/foreman-installer/modules/foreman/lib/puppet/provider/foreman_config_entry/cli.rb:21:in `block in run_foreman_config'
/usr/share/foreman-installer/modules/foreman/lib/puppet/provider/foreman_config_entry/cli.rb:10:in `chdir'
/usr/share/foreman-installer/modules/foreman/lib/puppet/provider/foreman_config_entry/cli.rb:10:in `run_foreman_config'
/usr/share/foreman-installer/modules/foreman/lib/puppet/provider/foreman_config_entry/cli.rb:35:in `run_foreman_config'
/usr/share/foreman-installer/modules/foreman/lib/puppet/provider/foreman_config_entry/cli.rb:78:in `value='
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/property.rb:195:in `call_provider'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/property.rb:506:in `set'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/property.rb:568:in `sync'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction/resource_harness.rb:239:in `sync'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction/resource_harness.rb:134:in `sync_if_needed'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction/resource_harness.rb:88:in `block in perform_changes'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction/resource_harness.rb:87:in `each'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction/resource_harness.rb:87:in `perform_changes'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction/resource_harness.rb:21:in `evaluate'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction.rb:259:in `apply'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction.rb:279:in `eval_resource'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction.rb:183:in `call'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction.rb:183:in `block (2 levels) in evaluate'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/util.rb:519:in `block in thinmark'
/opt/puppetlabs/puppet/lib/ruby/2.4.0/benchmark.rb:308:in `realtime'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/util.rb:518:in `thinmark'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction.rb:183:in `block in evaluate'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/graph/relationship_graph.rb:121:in `traverse'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction.rb:173:in `evaluate'
/usr/share/gems/kafo-2.1.0/modules/kafo_configure/lib/puppet/parser/functions/add_progress.rb:30:in `evaluate_with_trigger'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/resource/catalog.rb:239:in `block (2 levels) in apply'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/util.rb:519:in `block in thinmark'
/opt/puppetlabs/puppet/lib/ruby/2.4.0/benchmark.rb:308:in `realtime'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/util.rb:518:in `thinmark'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/resource/catalog.rb:238:in `block in apply'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/util/log.rb:161:in `with_destination'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/transaction/report.rb:146:in `as_logging_destination'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/resource/catalog.rb:237:in `apply'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/configurer.rb:186:in `block (2 levels) in apply_catalog'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/util.rb:519:in `block in thinmark'
/opt/puppetlabs/puppet/lib/ruby/2.4.0/benchmark.rb:308:in `realtime'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/util.rb:518:in `thinmark'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/configurer.rb:185:in `block in apply_catalog'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/util.rb:232:in `block in benchmark'

```

```
/opt/puppetlabs/puppet/lib/ruby/2.4.0/benchmark.rb:308:in `realtime'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/util.rb:231:in `benchmark'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/configurer.rb:184:in `apply_catalog'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/configurer.rb:366:in `run_internal'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/configurer.rb:234:in `block in run'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/context.rb:65:in `override'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet.rb:260:in `override'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/configurer.rb:211:in `run'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/application/apply.rb:355:in `apply_catalog'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/application/apply.rb:280:in `block (2 levels) in main'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/context.rb:65:in `override'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet.rb:260:in `override'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/application/apply.rb:280:in `block in main'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/context.rb:65:in `override'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet.rb:260:in `override'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/application/apply.rb:233:in `main'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/application/apply.rb:174:in `run_command'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/application.rb:375:in `block in run'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/util.rb:667:in `exit_on_fail'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/application.rb:375:in `run'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/util/command_line.rb:139:in `run'
/opt/puppetlabs/puppet/lib/ruby/vendor_ruby/puppet/util/command_line.rb:77:in `execute'
/opt/puppetlabs/puppet/bin/puppet:5:in `<main>'
/Stage[main]/Katello::Application/Foreman_config_entry[pulp_client_cert]/value: change from " to '/etc/pki/katello/certs/pulp-client.crt'
failed: Execution of '/usr/sbin/foreman-rake -- config -k 'pulp_client_cert' -v '/etc/pki/katello/certs/pulp-client.crt" returned 1: rake
aborted!
ActiveRecord::RecordNotUnique: PG::UniqueViolation: ERROR: duplicate key value violates unique constraint
"index_roles_on_name"
DETAIL: Key (name)=(Register hosts) already exists.
: INSERT INTO "roles" ("name", "description", "origin") VALUES ($1, $2, $3) RETURNING "id"
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/connection_adapters/postgresql_adapter.rb:603:in `async_exec'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/connection_adapters/postgresql_adapter.rb:603:in `block (2 levels) in exec_no_cache'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activesupport-5.2.1/lib/active_support/dependencies/interlock.rb:48:in `block in permit_concurrent_loads'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activesupport-5.2.1/lib/active_support/concurrency/share_lock.rb:187:in `yield_shares'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activesupport-5.2.1/lib/active_support/dependencies/interlock.rb:47:in `permit_concurrent_loads'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/connection_adapters/postgresql_adapter.rb:602:in `block in exec_no_cache'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/connection_adapters/abstract_adapter.rb:579:in `block (2 levels) in log'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/connection_adapters/abstract_adapter.rb:578:in `block in log'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activesupport-5.2.1/lib/active_support/notifications/instrumenter.rb:23:in `instrument'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/connection_adapters/abstract_adapter.rb:569:in `log'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/connection_adapters/postgresql_adapter.rb:601:in `exec_no_cache'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/connection_adapters/postgresql_adapter.rb:590:in `execute_and_clear'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/connection_adapters/postgresql/database_statements.rb:81:in `exec_query'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/connection_adapters/abstract/database_statements.rb:117:in `exec_insert'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/connection_adapters/postgresql/database_statements.rb:115:in `exec_insert'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/connection_adapters/abstract/database_statements.rb:149:in `insert'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/connection_adapters/abstract/query_cache.rb:21:in `insert'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/persistence.rb:187:in `__insert_record'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/persistence.rb:733:in `__create_record'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/counter_cache.rb:184:in `__create_record'
```

```
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/locking/optimistic.rb:70:in `__create_record'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/attribute_methods/dirty.rb:137:in
`__create_record'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/callbacks.rb:346:in `block in __create_record'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activesupport-5.2.1/lib/active_support/callbacks.rb:132:in `run_callbacks'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activesupport-5.2.1/lib/active_support/callbacks.rb:816:in
`__run_create_callbacks'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/callbacks.rb:346:in `__create_record'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/timestamp.rb:102:in `__create_record'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/persistence.rb:704:in `create_or_update'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/callbacks.rb:342:in `block in
create_or_update'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activesupport-5.2.1/lib/active_support/callbacks.rb:132:in `run_callbacks'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activesupport-5.2.1/lib/active_support/callbacks.rb:816:in `__run_save_callbacks'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/callbacks.rb:342:in `create_or_update'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/persistence.rb:308:in `save!'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/validations.rb:52:in `save!'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/transactions.rb:315:in `block in save!'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/transactions.rb:387:in `block in
with_transaction_returning_status'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/connection_adapters/abstract/database_st
atements.rb:252:in `transaction'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/transactions.rb:212:in `transaction'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/transactions.rb:385:in
`with_transaction_returning_status'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/transactions.rb:315:in `save!'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/suppressor.rb:48:in `save!'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/persistence.rb:53:in `create!'
/usr/share/foreman/app/services/foreman/plugin/role_lock.rb:43:in `block in create_plugin_role'
/usr/share/foreman/app/models/role.rb:86:in `ignore_locking'
/usr/share/foreman/app/services/foreman/plugin/role_lock.rb:42:in `create_plugin_role'
/usr/share/foreman/app/services/foreman/plugin/role_lock.rb:37:in `block in process_role'
/opt/theforeman/tfm/root/usr/share/gems/gems/audited-4.7.1/lib/audited/auditor.rb:336:in `without_auditing'
/usr/share/foreman/app/services/foreman/plugin/role_lock.rb:35:in `process_role'
/usr/share/foreman/app/services/foreman/plugin/role_lock.rb:13:in `block (2 levels) in register_role'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/connection_adapters/abstract/database_st
atements.rb:254:in `block in transaction'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/connection_adapters/abstract/transaction.rb
:239:in `block in within_new_transaction'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/connection_adapters/abstract/transaction.rb
:236:in `within_new_transaction'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/connection_adapters/abstract/database_st
atements.rb:254:in `transaction'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/transactions.rb:212:in `transaction'
/usr/share/foreman/app/services/foreman/plugin/role_lock.rb:12:in `block in register_role'
/usr/share/foreman/app/models/concerns/foreman/thread_session.rb:100:in `as'
/usr/share/foreman/app/models/concerns/foreman/thread_session.rb:106:in `as_anonymous_admin'
/usr/share/foreman/app/services/foreman/plugin/role_lock.rb:11:in `register_role'
/usr/share/foreman/app/registries/foreman/plugin.rb:283:in `block (2 levels) in role'
/opt/theforeman/tfm/root/usr/share/gems/gems/audited-4.7.1/lib/audited/auditor.rb:336:in `without_auditing'
/usr/share/foreman/app/registries/foreman/plugin.rb:282:in `block in role'
/opt/theforeman/tfm/root/usr/share/gems/gems/audited-4.7.1/lib/audited/auditor.rb:336:in `without_auditing'
/usr/share/foreman/app/registries/foreman/plugin.rb:281:in `role'
/opt/theforeman/tfm/root/usr/share/gems/gems/katello-3.10.0.46/lib/katello/plugin.rb:320:in `block in <top (required)>'
/usr/share/foreman/app/registries/foreman/plugin.rb:74:in `instance_eval'
/usr/share/foreman/app/registries/foreman/plugin.rb:74:in `register'
/opt/theforeman/tfm/root/usr/share/gems/gems/katello-3.10.0.46/lib/katello/plugin.rb:5:in `<top (required)>'
/opt/theforeman/tfm/root/usr/share/gems/gems/polyglot-0.3.5/lib/polyglot.rb:65:in `require'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activesupport-5.2.1/lib/active_support/dependencies.rb:287:in `block in require'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activesupport-5.2.1/lib/active_support/dependencies.rb:253:in
`load_dependency'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activesupport-5.2.1/lib/active_support/dependencies.rb:287:in `require'
/opt/theforeman/tfm/root/usr/share/gems/gems/katello-3.10.0.46/lib/katello/engine.rb:59:in `block in <class:Engine>'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/railties-5.2.1/lib/rails/initializable.rb:32:in `instance_exec'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/railties-5.2.1/lib/rails/initializable.rb:32:in `run'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/railties-5.2.1/lib/rails/initializable.rb:61:in `block in run_initializers'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/railties-5.2.1/lib/rails/initializable.rb:60:in `run_initializers'
```

```
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/railties-5.2.1/lib/rails/application.rb:361:in `initialize'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/railties-5.2.1/lib/rails/railtie.rb:190:in `public_send'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/railties-5.2.1/lib/rails/railtie.rb:190:in `method_missing'
/usr/share/foreman/config/environment.rb:5:in `<top (required)>'
/opt/theforeman/tfm/root/usr/share/gems/gems/polyglot-0.3.5/lib/polyglot.rb:65:in `require'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activesupport-5.2.1/lib/active_support/dependencies.rb:287:in `block in require'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activesupport-5.2.1/lib/active_support/dependencies.rb:253:in
`load_dependency'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activesupport-5.2.1/lib/active_support/dependencies.rb:287:in `require'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/railties-5.2.1/lib/rails/application.rb:337:in `require_environment!'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/railties-5.2.1/lib/rails/application.rb:520:in `block in run_tasks_blocks'
/opt/rh/ruby25/root/usr/share/gems/gems/rake-12.3.0/exe/rake:27:in `<top (required)>'
```

Caused by:

```
PG::UniqueViolation: ERROR: duplicate key value violates unique constraint "index_roles_on_name"
DETAIL: Key (name)=(Register hosts) already exists.
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/connection_adapters/postgresql_adapter.rb
:603:in `async_exec'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/connection_adapters/postgresql_adapter.rb
:603:in `block (2 levels) in exec_no_cache'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activesupport-5.2.1/lib/active_support/dependencies/interlock.rb:48:in `block in
permit_concurrent_loads'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activesupport-5.2.1/lib/active_support/concurrency/share_lock.rb:187:in
`yield_shares'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activesupport-5.2.1/lib/active_support/dependencies/interlock.rb:47:in
`permit_concurrent_loads'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/connection_adapters/postgresql_adapter.rb
:602:in `block in exec_no_cache'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/connection_adapters/abstract_adapter.rb:5
79:in `block (2 levels) in log'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/connection_adapters/abstract_adapter.rb:5
78:in `block in log'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activesupport-5.2.1/lib/active_support/notifications/instrumenter.rb:23:in
`instrument'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/connection_adapters/abstract_adapter.rb:5
69:in `log'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/connection_adapters/postgresql_adapter.rb
:601:in `exec_no_cache'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/connection_adapters/postgresql_adapter.rb
:590:in `execute_and_clear'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/connection_adapters/postgresql/database_
statements.rb:81:in `exec_query'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/connection_adapters/abstract/database_st
atements.rb:117:in `exec_insert'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/connection_adapters/postgresql/database_
statements.rb:115:in `exec_insert'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/connection_adapters/abstract/database_st
atements.rb:149:in `insert'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/connection_adapters/abstract/query_cache.
rb:21:in `insert'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/persistence.rb:187:in `_insert_record'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/persistence.rb:733:in `_create_record'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/counter_cache.rb:184:in `_create_record'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/locking/optimistic.rb:70:in `_create_record'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/attribute_methods/dirty.rb:137:in
`_create_record'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/callbacks.rb:346:in `block in _create_record'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activesupport-5.2.1/lib/active_support/callbacks.rb:132:in `run_callbacks'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activesupport-5.2.1/lib/active_support/callbacks.rb:816:in
`_run_create_callbacks'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/callbacks.rb:346:in `_create_record'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/timestamp.rb:102:in `_create_record'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/persistence.rb:704:in `create_or_update'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/callbacks.rb:342:in `block in
create_or_update'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activesupport-5.2.1/lib/active_support/callbacks.rb:132:in `run_callbacks'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activesupport-5.2.1/lib/active_support/callbacks.rb:816:in `_run_save_callbacks'
```

```
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/callbacks.rb:342:in `create_or_update'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/persistence.rb:308:in `save!'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/validations.rb:52:in `save!'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/transactions.rb:315:in `block in save!'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/transactions.rb:387:in `block in
with_transaction_returning_status'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/connection_adapters/abstract/database_st
atements.rb:252:in `transaction'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/transactions.rb:212:in `transaction'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/transactions.rb:385:in
`with_transaction_returning_status'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/transactions.rb:315:in `save!'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/suppressor.rb:48:in `save!'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/persistence.rb:53:in `create!'
/usr/share/foreman/app/services/foreman/plugin/role_lock.rb:43:in `block in create_plugin_role'
/usr/share/foreman/app/models/role.rb:86:in `ignore_locking'
/usr/share/foreman/app/services/foreman/plugin/role_lock.rb:42:in `create_plugin_role'
/usr/share/foreman/app/services/foreman/plugin/role_lock.rb:37:in `block in process_role'
/opt/theforeman/tfm/root/usr/share/gems/gems/audited-4.7.1/lib/audited/auditor.rb:336:in `without_auditing'
/usr/share/foreman/app/services/foreman/plugin/role_lock.rb:35:in `process_role'
/usr/share/foreman/app/services/foreman/plugin/role_lock.rb:13:in `block (2 levels) in register_role'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/connection_adapters/abstract/database_st
atements.rb:254:in `block in transaction'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/connection_adapters/abstract/transaction.rb
:239:in `block in within_new_transaction'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/connection_adapters/abstract/transaction.rb
:236:in `within_new_transaction'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/connection_adapters/abstract/database_st
atements.rb:254:in `transaction'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activerecord-5.2.1/lib/active_record/transactions.rb:212:in `transaction'
/usr/share/foreman/app/services/foreman/plugin/role_lock.rb:12:in `block in register_role'
/usr/share/foreman/app/models/concerns/foreman/thread_session.rb:100:in `as'
/usr/share/foreman/app/models/concerns/foreman/thread_session.rb:106:in `as_anonymous_admin'
/usr/share/foreman/app/services/foreman/plugin/role_lock.rb:11:in `register_role'
/usr/share/foreman/app/registries/foreman/plugin.rb:283:in `block (2 levels) in role'
/opt/theforeman/tfm/root/usr/share/gems/gems/audited-4.7.1/lib/audited/auditor.rb:336:in `without_auditing'
/usr/share/foreman/app/registries/foreman/plugin.rb:282:in `block in role'
/opt/theforeman/tfm/root/usr/share/gems/gems/audited-4.7.1/lib/audited/auditor.rb:336:in `without_auditing'
/usr/share/foreman/app/registries/foreman/plugin.rb:281:in `role'
/opt/theforeman/tfm/root/usr/share/gems/gems/katello-3.10.0.46/lib/katello/plugin.rb:320:in `block in <top (required)>'
/usr/share/foreman/app/registries/foreman/plugin.rb:74:in `instance_eval'
/usr/share/foreman/app/registries/foreman/plugin.rb:74:in `register'
/opt/theforeman/tfm/root/usr/share/gems/gems/katello-3.10.0.46/lib/katello/plugin.rb:5:in `<top (required)>'
/opt/theforeman/tfm/root/usr/share/gems/gems/polyglot-0.3.5/lib/polyglot.rb:65:in `require'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activesupport-5.2.1/lib/active_support/dependencies.rb:287:in `block in require'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activesupport-5.2.1/lib/active_support/dependencies.rb:253:in
`load_dependency'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activesupport-5.2.1/lib/active_support/dependencies.rb:287:in `require'
/opt/theforeman/tfm/root/usr/share/gems/gems/katello-3.10.0.46/lib/katello/engine.rb:59:in `block in <class:Engine>'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/railties-5.2.1/lib/rails/initializable.rb:32:in `instance_exec'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/railties-5.2.1/lib/rails/initializable.rb:32:in `run'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/railties-5.2.1/lib/rails/initializable.rb:61:in `block in run_initializers'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/railties-5.2.1/lib/rails/initializable.rb:60:in `run_initializers'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/railties-5.2.1/lib/rails/application.rb:361:in `initialize!'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/railties-5.2.1/lib/rails/railtie.rb:190:in `public_send'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/railties-5.2.1/lib/rails/railtie.rb:190:in `method_missing'
/usr/share/foreman/config/environment.rb:5:in `<top (required)>'
/opt/theforeman/tfm/root/usr/share/gems/gems/polyglot-0.3.5/lib/polyglot.rb:65:in `require'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activesupport-5.2.1/lib/active_support/dependencies.rb:287:in `block in require'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activesupport-5.2.1/lib/active_support/dependencies.rb:253:in
`load_dependency'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/activesupport-5.2.1/lib/active_support/dependencies.rb:287:in `require'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/railties-5.2.1/lib/rails/application.rb:337:in `require_environment!'
/opt/theforeman/tfm-ror52/root/usr/share/gems/gems/railties-5.2.1/lib/rails/application.rb:520:in `block in run_tasks_blocks'
/opt/rh/ruby25/root/usr/share/gems/gems/rake-12.3.0/exe/rake:27:in `<top (required)>'
```

Tasks: TOP => config => environment

(See full trace by running task with --trace)

Apipie cache enabled but not present yet. Run apipie:cache rake task to speed up API calls.

...

Expected results:

Installation should complete without pages of error notices.

Additional info:

Related issues:

Related to Foreman - Bug #28767: Installer can fail at apipie:cache:index ste...

Closed

Associated revisions

Revision a426bffe - 08/08/2019 09:33 AM - Ondřej Pražák

Fixes #27380 - Handle non-unique role on creation (#6939)

History

#1 - 07/30/2019 06:50 AM - The Foreman Bot

- Status changed from New to Ready For Testing
- Assignee set to Ondřej Pražák
- Pull request <https://github.com/theforeman/foreman/pull/6939> added

#2 - 08/08/2019 09:33 AM - The Foreman Bot

- Fixed in Releases 1.24.0 added

#3 - 08/08/2019 10:01 AM - Ondřej Pražák

- Status changed from Ready For Testing to Closed

Applied in changeset [a426bffe4f6e094d5bf1d9a293003619ff963961](#).

#4 - 10/24/2019 12:40 PM - Amit Upadhye

- Subject changed from 'duplicate key value violates unique constraint "index_roles_on_name"' when installing 6.5.0 to 'duplicate key value violates unique constraint "index_roles_on_name"' when installing 6.5.0
- Category set to DB migrations

#5 - 01/15/2020 07:26 PM - Eric Helms

- Related to Bug #28767: Installer can fail at apipie:cache:index step due to race condition with plugin role loading` added