

## Foreman - Bug #2750

### DNS record for BMC interface don't append domain name

07/05/2013 05:08 AM - Romain Vrignaud

Status:	Duplicate	
Priority:	Normal	
Assignee:	Trey Dockendorf	
Category:	BMC	
Target version:		
Difficulty:		<b>Fixed in Releases:</b>
Triaged:		<b>Found in Releases:</b>
Bugzilla link:		<b>Red Hat JIRA:</b>
Pull request:		

#### Description

When creating a new BMC interface on existing host,

I set Name : proxy2-ipmi

Domain: example.com

Subnet : dc1

It seems that foreman try to set DNS A record without domain.

See following traces.

If I set in Name field a valid FQDN saving works.

Foreman and smart-proxy 1.2.0

I get an error on Foreman side :

```
Started PUT "/hosts/proxy2.example.com" for 192.168.200.11 at 2013-07-05 11:04:37 +0200
Processing by HostsController#update as */
Parameters: {"utf8"=>"\"", "authenticity_token"=>"L+DrLyvpxSx+Xm+swLS1+/PVneVGNwVUhR4HFc+m0HA=", "host"=>{"name"=>"proxy2", "hostgroup_id"=>"17", "environment_id"=>"1", "puppet_ca_proxy_id"=>"2", "puppet_proxy_id"=>"2", "puppetclass_ids"=>[""], "managed"=>"1", "progress_report_id"=>">[FILTERED]", "mac"=>"00:1c:23:e1:b1:d2", "domain_id"=>"4", "subnet_id"=>"2", "ip"=>"192.168.200.224", "interfaces_attributes"=>{"new_interfaces"=>{"_destroy"=>"false", "type"=>"Nic::Managed", "mac"=>"", "name"=>"", "domain_id"=>"", "subnet_id"=>"", "ip"=>"rvrignaud", "provider"=>"IPMI"}, "new_1373015051051"=>{"_destroy"=>"false", "type"=>"Nic::BMC", "mac"=>"00:1c:23:e1:b1:d4", "name"=>"proxy2-ipmi", "domain_id"=>"4", "subnet_id"=>"2", "ip"=>"192.168.200.223", "username"=>"foreman", "password"=>">[FILTERED]", "provider"=>"IPMI"}}, "architecture_id"=>"1", "operatingsystem_id"=>"16", "provision_method"=>"build", "medium_id"=>"6", "ptable_id"=>"6", "disk"=>"", "root_pass"=>">[FILTERED]", "is_owned_by"=>"9-Users", "enabled"=>"1", "model_id"=>"2", "comment"=>"", "overwrite"=>"false"}, "id"=>"proxy2.example.com"}
Create DHCP reservation for proxy2-ipmi-00:1c:23:e1:b1:d4/192.168.200.223
Add DNS A record for proxy2-ipmi/192.168.200.223
Create DNS record for proxy2-ipmi task failed with the following error: 400 Bad Request/opt/foreman/vendor/ruby/1.9.1/gems/rest-client-1.6.7/lib/restclient/abstract_response.rb:48:in `return!'
/opt/foreman/vendor/ruby/1.9.1/gems/rest-client-1.6.7/lib/restclient/request.rb:230:in `process_result'
/opt/foreman/vendor/ruby/1.9.1/gems/rest-client-1.6.7/lib/restclient/request.rb:178:in `block in transmit'
/usr/lib/ruby/1.9.1/net/http.rb:745:in `start'
/opt/foreman/vendor/ruby/1.9.1/gems/rest-client-1.6.7/lib/restclient/request.rb:172:in `transmit'
/opt/foreman/vendor/ruby/1.9.1/gems/rest-client-1.6.7/lib/restclient/request.rb:64:in `execute'
/opt/foreman/vendor/ruby/1.9.1/gems/rest-client-1.6.7/lib/restclient/request.rb:33:in `execute'
/opt/foreman/vendor/ruby/1.9.1/gems/rest-client-1.6.7/lib/restclient/resource.rb:67:in `post'
/opt/foreman/lib/proxy_api/resource.rb:76:in `post'
/opt/foreman/lib/proxy_api/dns.rb:13:in `set'
/opt/foreman/lib/net/dns/a_record.rb:21:in `create'
/opt/foreman/app/models/orchestration/dns.rb:33:in `set_dns_a_record'
/opt/foreman/app/models/orchestration.rb:151:in `execute'
/opt/foreman/app/models/orchestration.rb:91:in `block in process'
```

```
/opt/foreman/app/models/orchestration.rb:83:in `each'  
/opt/foreman/app/models/orchestration.rb:83:in `process'  
/opt/foreman/app/models/orchestration.rb:21:in `on_save'  
/opt/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.13/lib/active_support/callbacks.rb:627:in `__run__1206801557567445375__save__3004087242711543902__callbacks'  
/opt/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.13/lib/active_support/callbacks.rb:405:in `__run_callback'  
/opt/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.13/lib/active_support/callbacks.rb:385:in `__run_save_callbacks'  
/opt/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.13/lib/active_support/callbacks.rb:81:in `run_callbacks'  
/opt/foreman/vendor/ruby/1.9.1/gems/activerecord-3.2.13/lib/active_record/callbacks.rb:264:in `create_or_update'  
/opt/foreman/vendor/ruby/1.9.1/gems/activerecord-3.2.13/lib/active_record/persistence.rb:84:in `save'  
/opt/foreman/vendor/ruby/1.9.1/gems/activerecord-3.2.13/lib/active_record/validations.rb:50:in `save'  
/opt/foreman/vendor/ruby/1.9.1/gems/activerecord-3.2.13/lib/active_record/attribute_methods/dirty.rb:22:in `save'  
/opt/foreman/vendor/ruby/1.9.1/gems/activerecord-3.2.13/lib/active_record/transactions.rb:259:in `block (2 levels) in save'  
/opt/foreman/vendor/ruby/1.9.1/gems/activerecord-3.2.13/lib/active_record/transactions.rb:313:in `block in with_transaction_returning_status'  
/opt/foreman/vendor/ruby/1.9.1/gems/activerecord-3.2.13/lib/active_record/connection_adapters/abstract/database_statements.rb:192:in `transaction'  
/opt/foreman/vendor/ruby/1.9.1/gems/activerecord-3.2.13/lib/active_record/transactions.rb:208:in `transaction'  
/opt/foreman/vendor/ruby/1.9.1/gems/activerecord-3.2.13/lib/active_record/transactions.rb:311:in `with_transaction_returning_status'  
/opt/foreman/vendor/ruby/1.9.1/gems/activerecord-3.2.13/lib/active_record/transactions.rb:259:in `block in save'  
/opt/foreman/vendor/ruby/1.9.1/gems/activerecord-3.2.13/lib/active_record/transactions.rb:270:in `rollback_active_record_state!'  
/opt/foreman/vendor/ruby/1.9.1/gems/activerecord-3.2.13/lib/active_record/transactions.rb:258:in `save'  
/opt/foreman/lib/foreman/sti.rb:26:in `save_with_type'  
/opt/foreman/vendor/ruby/1.9.1/gems/activerecord-3.2.13/lib/active_record/persistence.rb:217:in `block in update_attributes'  
/opt/foreman/vendor/ruby/1.9.1/gems/activerecord-3.2.13/lib/active_record/transactions.rb:313:in `block in with_transaction_returning_status'  
/opt/foreman/vendor/ruby/1.9.1/gems/activerecord-3.2.13/lib/active_record/connection_adapters/abstract/database_statements.rb:192:in `transaction'  
/opt/foreman/vendor/ruby/1.9.1/gems/activerecord-3.2.13/lib/active_record/transactions.rb:208:in `transaction'  
/opt/foreman/vendor/ruby/1.9.1/gems/activerecord-3.2.13/lib/active_record/transactions.rb:311:in `with_transaction_returning_status'  
/opt/foreman/vendor/ruby/1.9.1/gems/activerecord-3.2.13/lib/active_record/persistence.rb:215:in `update_attributes'  
/opt/foreman/app/controllers/hosts_controller.rb:110:in `block in update'  
/opt/foreman/app/models/taxonomy.rb:48:in `block in no_taxonomy_scope'  
/opt/foreman/app/models/taxonomy.rb:55:in `block (2 levels) in as_taxonomy'  
/opt/foreman/lib/foreman/thread_session.rb:140:in `as_location'  
/opt/foreman/app/models/taxonomy.rb:54:in `block in as_taxonomy'  
/opt/foreman/lib/foreman/thread_session.rb:105:in `as_org'  
/opt/foreman/app/models/taxonomy.rb:53:in `as_taxonomy'  
/opt/foreman/app/models/taxonomy.rb:47:in `no_taxonomy_scope'  
/opt/foreman/app/controllers/hosts_controller.rb:102:in `update'  
/opt/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.13/lib/action_controller/metal/implicit_render.rb:4:in `send_action'  
/opt/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.13/lib/abstract_controller/base.rb:167:in `process_action'  
/opt/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.13/lib/action_controller/metal/rendering.rb:10:in `process_action'  
/opt/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.13/lib/abstract_controller/callbacks.rb:18:in `block in process_action'  
/opt/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.13/lib/active_support/callbacks.rb:549:in `block (3 levels) in __run__1534121847872689640__process_action__1381217565883779306__callbacks'
```

```
/opt/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.13/lib/active_support/callbacks.rb:215:in `block in _conditional_callback_around_4557'
/opt/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.13/lib/active_support/callbacks.rb:326:in `around'
/opt/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.13/lib/active_support/callbacks.rb:310:in `__callback_around_917'
/opt/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.13/lib/active_support/callbacks.rb:214:in `__conditional_callback_around_4557'
/opt/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.13/lib/active_support/callbacks.rb:526:in `block (2 levels) in _run__1534121847872689640__process_action__1381217565883779306__callbacks'
/opt/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.13/lib/active_support/callbacks.rb:215:in `block in _conditional_callback_around_4556'
/opt/foreman/lib/foreman/thread_session.rb:31:in `clear_thread'
/opt/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.13/lib/active_support/callbacks.rb:214:in `__conditional_callback_around_4556'
/opt/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.13/lib/active_support/callbacks.rb:415:in `block in _run__1534121847872689640__process_action__1381217565883779306__callbacks'
/opt/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.13/lib/active_support/callbacks.rb:215:in `block in _conditional_callback_around_4555'
/opt/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.13/lib/active_support/callbacks.rb:326:in `around'
/opt/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.13/lib/active_support/callbacks.rb:310:in `__callback_around_13'
/opt/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.13/lib/active_support/callbacks.rb:214:in `__conditional_callback_around_4555'
/opt/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.13/lib/active_support/callbacks.rb:414:in `__run__1534121847872689640__process_action__1381217565883779306__callbacks'
/opt/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.13/lib/active_support/callbacks.rb:405:in `__run_callback'
/opt/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.13/lib/active_support/callbacks.rb:385:in `__run_process_action_callbacks'
/opt/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.13/lib/active_support/callbacks.rb:81:in `run_callbacks'
/opt/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.13/lib/abstract_controller/callbacks.rb:17:in `process_action'
/opt/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.13/lib/action_controller/metal/rescue.rb:29:in `process_action'
/opt/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.13/lib/action_controller/metal/instrumentation.rb:30:in `block in process_action'
/opt/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.13/lib/active_support/notifications.rb:123:in `block in instrument'
/opt/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.13/lib/active_support/notifications/instrumenter.rb:20:in `instrument'
/opt/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.13/lib/active_support/notifications.rb:123:in `instrument'
/opt/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.13/lib/action_controller/metal/instrumentation.rb:29:in `process_action'
/opt/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.13/lib/action_controller/metal/params_wrapper.rb:207:in `process_action'
/opt/foreman/vendor/ruby/1.9.1/gems/activerecord-3.2.13/lib/active_record/railties/controller_runtime.rb:18:in `process_action'
/opt/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.13/lib/abstract_controller/base.rb:121:in `process'
/opt/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.13/lib/abstract_controller/rendering.rb:45:in `process'
/opt/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.13/lib/action_controller/metal.rb:203:in `dispatch'
/opt/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.13/lib/action_controller/metal/rack_delegation.rb:14:in `dispatch'
/opt/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.13/lib/action_controller/metal.rb:246:in `block in action'
/opt/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.13/lib/action_dispatch/routing/route_set.rb:73:in `call'
/opt/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.13/lib/action_dispatch/routing/route_set.rb:73:in `dispatch'
/opt/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.13/lib/action_dispatch/routing/route_set.rb:36:in `call'
```

```
/opt/foreman/vendor/ruby/1.9.1/gems/journey-1.0.4/lib/journey/router.rb:68:in `block in call'  
/opt/foreman/vendor/ruby/1.9.1/gems/journey-1.0.4/lib/journey/router.rb:56:in `each'  
/opt/foreman/vendor/ruby/1.9.1/gems/journey-1.0.4/lib/journey/router.rb:56:in `call'  
/opt/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.13/lib/action_dispatch/routing/route_set.rb:612  
:in `call'  
/opt/foreman/vendor/ruby/1.9.1/gems/apipie-rails-0.0.16/lib/apipie/static_dispatcher.rb:56:in `cal  
l'  
/opt/foreman/vendor/ruby/1.9.1/gems/rack-openid-1.3.1/lib/rack/openid.rb:98:in `call'  
/opt/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.13/lib/action_dispatch/middleware/best_standard  
s_support.rb:17:in `call'  
/opt/foreman/vendor/ruby/1.9.1/gems/rack-1.4.5/lib/rack/etag.rb:23:in `call'  
/opt/foreman/vendor/ruby/1.9.1/gems/rack-1.4.5/lib/rack/conditionalget.rb:35:in `call'  
/opt/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.13/lib/action_dispatch/middleware/head.rb:14:in  
`call'  
/opt/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.13/lib/action_dispatch/middleware/params_parser  
.rb:21:in `call'  
/opt/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.13/lib/action_dispatch/middleware/flash.rb:242:  
in `call'  
/opt/foreman/vendor/ruby/1.9.1/gems/rack-1.4.5/lib/rack/session/abstract/id.rb:210:in `context'  
/opt/foreman/vendor/ruby/1.9.1/gems/rack-1.4.5/lib/rack/session/abstract/id.rb:205:in `call'  
/opt/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.13/lib/action_dispatch/middleware/cookies.rb:34  
1:in `call'  
/opt/foreman/vendor/ruby/1.9.1/gems/activerecord-3.2.13/lib/active_record/query_cache.rb:64:in `ca  
ll'  
/opt/foreman/vendor/ruby/1.9.1/gems/activerecord-3.2.13/lib/active_record/connection_adapters/abst  
ract/connection_pool.rb:479:in `call'  
/opt/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.13/lib/action_dispatch/middleware/callbacks.rb:  
28:in `block in call'  
/opt/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.13/lib/active_support/callbacks.rb:405:in `__  
run_264268188735438121__call__3004087242711543902_callbacks'  
/opt/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.13/lib/active_support/callbacks.rb:405:in `__  
run_callback'  
/opt/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.13/lib/active_support/callbacks.rb:385:in `__  
run_call_callbacks'  
/opt/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.13/lib/active_support/callbacks.rb:81:in `ru  
n_callbacks'  
/opt/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.13/lib/action_dispatch/middleware/callbacks.rb:  
27:in `call'  
/opt/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.13/lib/action_dispatch/middleware/remote_ip.rb:  
31:in `call'  
/opt/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.13/lib/action_dispatch/middleware/debug_excepti  
ons.rb:16:in `call'  
/opt/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.13/lib/action_dispatch/middleware/show_exceptio  
ns.rb:56:in `call'  
/opt/foreman/vendor/ruby/1.9.1/gems/railties-3.2.13/lib/rails/rack/logger.rb:32:in `call_app'  
/opt/foreman/vendor/ruby/1.9.1/gems/railties-3.2.13/lib/rails/rack/logger.rb:16:in `block in call'  
/opt/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.13/lib/active_support/tagged_logging.rb:22:i  
n `tagged'  
/opt/foreman/vendor/ruby/1.9.1/gems/railties-3.2.13/lib/rails/rack/logger.rb:16:in `call'  
/opt/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.13/lib/action_dispatch/middleware/request_id.rb:  
22:in `call'  
/opt/foreman/vendor/ruby/1.9.1/gems/rack-1.4.5/lib/rack/methodoverride.rb:21:in `call'  
/opt/foreman/vendor/ruby/1.9.1/gems/rack-1.4.5/lib/rack/runtime.rb:17:in `call'  
/opt/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.13/lib/active_support/cache/strategy/local_c  
ache.rb:72:in `call'  
/opt/foreman/vendor/ruby/1.9.1/gems/rack-1.4.5/lib/rack/lock.rb:15:in `call'  
/opt/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.13/lib/action_dispatch/middleware/static.rb:63:  
in `call'  
/opt/foreman/vendor/ruby/1.9.1/gems/rack-cache-1.2/lib/rack/cache/context.rb:136:in `forward'  
/opt/foreman/vendor/ruby/1.9.1/gems/rack-cache-1.2/lib/rack/cache/context.rb:143:in `pass'  
/opt/foreman/vendor/ruby/1.9.1/gems/rack-cache-1.2/lib/rack/cache/context.rb:155:in `invalidate'  
/opt/foreman/vendor/ruby/1.9.1/gems/rack-cache-1.2/lib/rack/cache/context.rb:71:in `call!'  
/opt/foreman/vendor/ruby/1.9.1/gems/rack-cache-1.2/lib/rack/cache/context.rb:51:in `call'  
/opt/foreman/vendor/ruby/1.9.1/gems/railties-3.2.13/lib/rails/engine.rb:479:in `call'  
/opt/foreman/vendor/ruby/1.9.1/gems/railties-3.2.13/lib/rails/application.rb:223:in `call'  
/opt/foreman/vendor/ruby/1.9.1/gems/railties-3.2.13/lib/rails/railtie/configurable.rb:30:in `metho  
d_missing'
```

```

/opt/foreman/vendor/ruby/1.9.1/gems/rack-1.4.5/lib/rack/builder.rb:134:in `call'
/opt/foreman/vendor/ruby/1.9.1/gems/rack-1.4.5/lib/rack/urlmap.rb:64:in `block in call'
/opt/foreman/vendor/ruby/1.9.1/gems/rack-1.4.5/lib/rack/urlmap.rb:49:in `each'
/opt/foreman/vendor/ruby/1.9.1/gems/rack-1.4.5/lib/rack/urlmap.rb:49:in `call'
/usr/lib/ruby/vendor_ruby/phusion_passenger/rack/request_handler.rb:96:in `process_request'
/usr/lib/ruby/vendor_ruby/phusion_passenger/abstract_request_handler.rb:516:in `accept_and_process
_next_request'
/usr/lib/ruby/vendor_ruby/phusion_passenger/abstract_request_handler.rb:274:in `main_loop'
/usr/lib/ruby/vendor_ruby/phusion_passenger/rack/application_spawner.rb:206:in `start_request_hand
ler'
/usr/lib/ruby/vendor_ruby/phusion_passenger/rack/application_spawner.rb:171:in `block in handle_sp
awn_application'
/usr/lib/ruby/vendor_ruby/phusion_passenger/utils.rb:479:in `safe_fork'
/usr/lib/ruby/vendor_ruby/phusion_passenger/rack/application_spawner.rb:166:in `handle_spawn_appli
cation'
/usr/lib/ruby/vendor_ruby/phusion_passenger/abstract_server.rb:357:in `server_main_loop'
/usr/lib/ruby/vendor_ruby/phusion_passenger/abstract_server.rb:206:in `start_synchronously'
/usr/lib/ruby/vendor_ruby/phusion_passenger/abstract_server.rb:180:in `start'
/usr/lib/ruby/vendor_ruby/phusion_passenger/rack/application_spawner.rb:129:in `start'
/usr/lib/ruby/vendor_ruby/phusion_passenger/spawn_manager.rb:253:in `block (2 levels) in spawn_rac
k_application'
/usr/lib/ruby/vendor_ruby/phusion_passenger/abstract_server_collection.rb:132:in `lookup_or_add'
/usr/lib/ruby/vendor_ruby/phusion_passenger/spawn_manager.rb:246:in `block in spawn_rack_applicati
on'
/usr/lib/ruby/vendor_ruby/phusion_passenger/abstract_server_collection.rb:82:in `block in synchroni
ze'
<internal:prelude>:10:in `synchronize'
/usr/lib/ruby/vendor_ruby/phusion_passenger/abstract_server_collection.rb:79:in `synchronize'
/usr/lib/ruby/vendor_ruby/phusion_passenger/spawn_manager.rb:244:in `spawn_rack_application'
/usr/lib/ruby/vendor_ruby/phusion_passenger/spawn_manager.rb:137:in `spawn_application'
/usr/lib/ruby/vendor_ruby/phusion_passenger/spawn_manager.rb:275:in `handle_spawn_application'
/usr/lib/ruby/vendor_ruby/phusion_passenger/abstract_server.rb:357:in `server_main_loop'
/usr/lib/ruby/vendor_ruby/phusion_passenger/abstract_server.rb:206:in `start_synchronously'
/usr/share/phusion-passenger/helper-scripts/passenger-spawn-server:99:in `<main>'

Rolling back due to a problem: [Create DNS record for proxy2-ipmi 10 failed [#<Nic::BM
C id: nil, mac: "00:1c:23:e1:b1:d4", ip: "192.168.200.223", type: "Nic::BMC", name: "proxy2-ipmi",
host_id: 742, subnet_id: 2, domain_id: 4, attrs: {::username=>"foreman", ::password=>"strongpasswor
d", :provider=>"IPMI"}, created_at: nil, updated_at: nil>, :set_dns_a_record]]
Delete DHCP reservation for proxy2-ipmi-00:1c:23:e1:b1:d4/192.168.200.223
Failed to save: Create DNS record for proxy2-ipmi task failed with the following error: 400 Bad Re
quest

```

And on proxy side :

```

D, [2013-07-05T11:04:39.526395 #2464] DEBUG -- : running /usr/bin/nsupdate -k /etc/bind/foreman.ke
y
D, [2013-07-05T11:04:39.530682 #2464] DEBUG -- : nsupdate: executed - server localhost
D, [2013-07-05T11:04:39.532283 #2464] DEBUG -- : nsupdate: executed - update add proxy2-ipmi. 864
00 A 192.168.200.223
D, [2013-07-05T11:04:39.546982 #2464] DEBUG -- : nsupdate: errors
Answer:

;; ->>HEADER<<- opcode: UPDATE, status: NOTAUTH, id: 8276

;; flags: qr ra; ZONE: 1, PREREQ: 0, UPDATE: 0, ADDITIONAL: 1

;; ZONE SECTION:

; . IN SOA

;; TSIG PSEUDOSECTION:

foreman.yakaz.com. 0 ANY TSIG hmac-md5.sig-alg.reg.int. 1373015079 300 16 nR71u9
8Fp14td7xngS7WIg== 8276 NOERROR 0

E, [2013-07-05T11:04:39.547375 #2464] ERROR -- : Update errors: Answer:

```

```

;; ->>HEADER<<- opcode: UPDATE, status: NOTAUTH, id: 8276
;; flags: qr ra; ZONE: 1, PREREQ: 0, UPDATE: 0, ADDITIONAL: 1
;; ZONE SECTION:
;.
;IN      SOA
;; TSIG PSEUDOSECTION:
foreman.yakaz.com. 0 ANY TSIG hmac-md5.sig-alg.reg.int. 1373015079 300 16 nR71u9
8Fp14td7xngS7WIg== 8276 NOERROR 0

D, [2013-07-05T11:04:39.547448 #2464] DEBUG -- : /opt/smart-proxy/lib/proxy/dns/nsupdate.rb:80:in
`nsupdate'
/opt/smart-proxy/lib/proxy/dns/nsupdate.rb:36:in `create'
/opt/smart-proxy/lib/dns_api.rb:28:in `block in <class:SmartProxy>'
/var/lib/gems/1.9.1/gems/sinatra-1.3.5/lib/sinatra/base.rb:1293:in `call'
/var/lib/gems/1.9.1/gems/sinatra-1.3.5/lib/sinatra/base.rb:1293:in `block in compile!'
/var/lib/gems/1.9.1/gems/sinatra-1.3.5/lib/sinatra/base.rb:860:in `[]'
/var/lib/gems/1.9.1/gems/sinatra-1.3.5/lib/sinatra/base.rb:860:in `block (3 levels) in route!'
/var/lib/gems/1.9.1/gems/sinatra-1.3.5/lib/sinatra/base.rb:876:in `route_eval'
/var/lib/gems/1.9.1/gems/sinatra-1.3.5/lib/sinatra/base.rb:860:in `block (2 levels) in route!'
/var/lib/gems/1.9.1/gems/sinatra-1.3.5/lib/sinatra/base.rb:897:in `block in process_route'
/var/lib/gems/1.9.1/gems/sinatra-1.3.5/lib/sinatra/base.rb:895:in `catch'
/var/lib/gems/1.9.1/gems/sinatra-1.3.5/lib/sinatra/base.rb:895:in `process_route'
/var/lib/gems/1.9.1/gems/sinatra-1.3.5/lib/sinatra/base.rb:859:in `block in route!'
/var/lib/gems/1.9.1/gems/sinatra-1.3.5/lib/sinatra/base.rb:858:in `each'
/var/lib/gems/1.9.1/gems/sinatra-1.3.5/lib/sinatra/base.rb:858:in `route!'
/var/lib/gems/1.9.1/gems/sinatra-1.3.5/lib/sinatra/base.rb:963:in `block in dispatch!'
/var/lib/gems/1.9.1/gems/sinatra-1.3.5/lib/sinatra/base.rb:946:in `block in invoke'
/var/lib/gems/1.9.1/gems/sinatra-1.3.5/lib/sinatra/base.rb:946:in `catch'
/var/lib/gems/1.9.1/gems/sinatra-1.3.5/lib/sinatra/base.rb:946:in `invoke'
/var/lib/gems/1.9.1/gems/sinatra-1.3.5/lib/sinatra/base.rb:960:in `dispatch!'
/var/lib/gems/1.9.1/gems/sinatra-1.3.5/lib/sinatra/base.rb:794:in `block in call!'
/var/lib/gems/1.9.1/gems/sinatra-1.3.5/lib/sinatra/base.rb:946:in `block in invoke'
/var/lib/gems/1.9.1/gems/sinatra-1.3.5/lib/sinatra/base.rb:946:in `catch'
/var/lib/gems/1.9.1/gems/sinatra-1.3.5/lib/sinatra/base.rb:946:in `invoke'
/var/lib/gems/1.9.1/gems/sinatra-1.3.5/lib/sinatra/base.rb:794:in `call!'
/var/lib/gems/1.9.1/gems/sinatra-1.3.5/lib/sinatra/base.rb:780:in `call'
/var/lib/gems/1.9.1/gems/rack-1.5.2/lib/rack/methodoverride.rb:21:in `call'
/var/lib/gems/1.9.1/gems/rack-protection-1.3.2/lib/rack/protection/xss_header.rb:27:in `call'
/var/lib/gems/1.9.1/gems/rack-protection-1.3.2/lib/rack/protection/path_traversal.rb:16:in `call'
/var/lib/gems/1.9.1/gems/rack-protection-1.3.2/lib/rack/protection/json_csrf.rb:17:in `call'
/var/lib/gems/1.9.1/gems/rack-protection-1.3.2/lib/rack/protection/base.rb:48:in `call'
/var/lib/gems/1.9.1/gems/rack-protection-1.3.2/lib/rack/protection/base.rb:48:in `call'
/var/lib/gems/1.9.1/gems/rack-protection-1.3.2/lib/rack/protection/xss_header.rb:27:in `call'
/var/lib/gems/1.9.1/gems/rack-1.5.2/lib/rack/logger.rb:15:in `call'
/var/lib/gems/1.9.1/gems/rack-1.5.2/lib/rack/commonlogger.rb:33:in `call'
/var/lib/gems/1.9.1/gems/sinatra-1.3.5/lib/sinatra/base.rb:161:in `call'
/var/lib/gems/1.9.1/gems/sinatra-1.3.5/lib/sinatra/base.rb:154:in `call'
/var/lib/gems/1.9.1/gems/rack-1.5.2/lib/rack/head.rb:11:in `call'
/var/lib/gems/1.9.1/gems/sinatra-1.3.5/lib/sinatra/base.rb:124:in `call'
/var/lib/gems/1.9.1/gems/sinatra-1.3.5/lib/sinatra/base.rb:1417:in `block in call'
/var/lib/gems/1.9.1/gems/sinatra-1.3.5/lib/sinatra/base.rb:1499:in `synchronize'
/var/lib/gems/1.9.1/gems/sinatra-1.3.5/lib/sinatra/base.rb:1417:in `call'
/usr/lib/ruby/vendor_ruby/phusion_passenger/rack/request_handler.rb:96:in `process_request'
/usr/lib/ruby/vendor_ruby/phusion_passenger/abstract_request_handler.rb:516:in `accept_and_process
_next_request'
/usr/lib/ruby/vendor_ruby/phusion_passenger/abstract_request_handler.rb:274:in `main_loop'
/usr/lib/ruby/vendor_ruby/phusion_passenger/rack/application_spawner.rb:206:in `start_request_hand
ler'
/usr/lib/ruby/vendor_ruby/phusion_passenger/rack/application_spawner.rb:171:in `block in handle_sp
awn_application'
/usr/lib/ruby/vendor_ruby/phusion_passenger/utils.rb:479:in `safe_fork'
/usr/lib/ruby/vendor_ruby/phusion_passenger/rack/application_spawner.rb:166:in `handle_spawn_appli
cation'

```

```

/usr/lib/ruby/vendor_ruby/phusion_passenger/abstract_server.rb:357:in `server_main_loop'
/usr/lib/ruby/vendor_ruby/phusion_passenger/abstract_server.rb:206:in `start_synchronously'
/usr/lib/ruby/vendor_ruby/phusion_passenger/abstract_server.rb:180:in `start'
/usr/lib/ruby/vendor_ruby/phusion_passenger/rack/application_spawner.rb:129:in `start'
/usr/lib/ruby/vendor_ruby/phusion_passenger/spawn_manager.rb:253:in `block (2 levels) in spawn_rack_application'
/usr/lib/ruby/vendor_ruby/phusion_passenger/abstract_server_collection.rb:132:in `lookup_or_add'
/usr/lib/ruby/vendor_ruby/phusion_passenger/spawn_manager.rb:246:in `block in spawn_rack_application'
/usr/lib/ruby/vendor_ruby/phusion_passenger/abstract_server_collection.rb:82:in `block in synchronize'
<internal:prelude>:10:in `synchronize'
/usr/lib/ruby/vendor_ruby/phusion_passenger/abstract_server_collection.rb:79:in `synchronize'
/usr/lib/ruby/vendor_ruby/phusion_passenger/spawn_manager.rb:244:in `spawn_rack_application'
/usr/lib/ruby/vendor_ruby/phusion_passenger/spawn_manager.rb:137:in `spawn_application'
/usr/lib/ruby/vendor_ruby/phusion_passenger/spawn_manager.rb:275:in `handle_spawn_application'
/usr/lib/ruby/vendor_ruby/phusion_passenger/abstract_server.rb:357:in `server_main_loop'
/usr/lib/ruby/vendor_ruby/phusion_passenger/abstract_server.rb:206:in `start_synchronously'
/usr/share/phusion-passenger/helper-scripts/passenger-spawn-server:99:in `<main>'
```

## Related issues:

Related to Foreman - Bug #4599: Managed interfaces do not create proper DNS r...

Closed

03/09/2014

## History

### #1 - 07/05/2013 08:59 AM - Romain Vrignaud

- Category changed from *DNS* to *BMC*

### #2 - 07/31/2013 12:12 AM - Jeremy Kitchen

this is happening to me as well. I'm trying to track it down for a PR

### #3 - 07/31/2013 12:58 AM - Jeremy Kitchen

after a bunch of looking and not really finding what I was looking for, I found that you **can** set them if you specify the full domain, but something tells me this is wrong to do.

### #4 - 07/31/2013 02:13 AM - Ohad Levy

Jeremy Kitchen wrote:

after a bunch of looking and not really finding what I was looking for, I found that you **can** set them if you specify the full domain, but something tells me this is wrong to do.

This is the workaround, foreman doesn't currently auto add the domain name to the hostname(which is the bug), the resulting trace means dns reject registering a client without a FQDN.

### #5 - 07/31/2013 03:10 AM - Ohad Levy

- Description updated

### #6 - 03/09/2014 12:53 AM - Trey Dockendorf

- Related to Bug #4599: Managed interfaces do not create proper DNS records added

### #7 - 04/23/2014 02:30 PM - Trey Dockendorf

- Assignee set to *Trey Dockendorf*

### #8 - 04/28/2014 04:31 PM - Dominic Cleal

- Status changed from *New* to *Duplicate*

Fixed in 1.5.0-RC2 via [#4599](#).