

## Smart Proxy - Bug #27574

### Can't add host after configuration of dns proxy (powered by powerdns)

08/09/2019 09:13 AM - Lukasz Chrustek

<b>Status:</b>	New	
<b>Priority:</b>	Normal	
<b>Assignee:</b>		
<b>Category:</b>	DNS	
<b>Target version:</b>		
<b>Difficulty:</b>		<b>Fixed in Releases:</b>
<b>Triaged:</b>	No	<b>Found in Releases:</b> 1.22.0
<b>Bugzilla link:</b>		<b>Red Hat JIRA:</b>
<b>Pull request:</b>		

#### Description

When I add host in foreman I get following error in GUI:

Create IPv4 DNS record for cary-lannigan.example.com task failed with the following error: ERF12-2357 [ProxyAPI::ProxyException]: Unable to set DNS entry ([RestClient::BadRequest]: 400 Bad Request) for proxy <https://foreman-01.example.com:8443/dns>

in logs I can see:

```
2019-08-09T10:23:00 [I|app|e188f925] Started POST "/hosts" for 172.31.253.6 at 2019-08-09 10:23:00 +0200
2019-08-09T10:23:00 [I|app|e188f925] Processing by HostsController#create as /*
2019-08-09T10:23:00 [I|app|e188f925] Parameters: {"utf8"=>"",
"authenticity_token"=>"yLXkvpCBVj9jy/GA8IcH+iDshM6PrsHP3eYo8dSKhQ3q4ce6xF5UWOG01faweqTLwgOHO5XSN4wEs
+6QtGNxMg==", "host"=>{"name"=>"cary-lannigan", "organization_id"=>"1", "location_id"=>"5", "hostgroup_id"=>"1",
"puppetclass_ids"=>[""], "managed"=>"true", "progress_report_id"=>"[FILTERED]", "type"=>"Host::Managed",
"interfaces_attributes"=>{"0"=>{"_destroy"=>"0", "type"=>"Nic::Managed", "mac"=>"0c:c4:7a:15:1f:02", "identifier"=>""},
"name"=>"cary-lannigan", "domain_id"=>"1", "subnet_id"=>"3", "ip"=>"10.22.2.200", "ip6"=>""}, "managed"=>"1",
"primary"=>"1", "provision"=>"1", "virtual"=>"0", "tag"=>""}, "attached_to"=>""}, "architecture_id"=>"1",
"operatingsystem_id"=>"1", "provision_method"=>"build", "build"=>"1", "medium_id"=>"19", "ptable_id"=>"241",
"pxe_loader"=>"PXELinux BIOS", "disk"=>""}, "root_pass"=>"[FILTERED]", "is_owned_by"=>"9-Users", "enabled"=>"1",
"model_id"=>""}, "comment"=>""}, "overwrite"=>"false"}}
2019-08-09T10:23:00 [I|app|e188f925] Current user set to chrustek (admin)
2019-08-09T10:23:00 [D|app|e188f925] Current location set to none
2019-08-09T10:23:00 [D|app|e188f925] Current organization set to none
2019-08-09T10:23:01 [D|app|e188f925] Scheduling new DHCP reservations for cary-lannigan.example.com
2019-08-09T10:23:01 [D|app|e188f925] Enqueued task 'dhcp_create_0c:c4:7a:15:1f:02' to 'Host::Managed Main' queue
2019-08-09T10:23:01 [D|app|e188f925] Scheduling new DNS entries
2019-08-09T10:23:01 [D|app|e188f925] Enqueued task 'Create IPv4 DNS record for cary-lannigan.example.com' to
'Host::Managed Main' queue
2019-08-09T10:23:01 [D|app|e188f925] Current organization set to Default Organization
2019-08-09T10:23:01 [D|app|e188f925] Current location set to WAW2-PROD
2019-08-09T10:23:01 [D|app|e188f925] Current location set to none
2019-08-09T10:23:01 [D|app|e188f925] Current organization set to none
2019-08-09T10:23:01 [D|app|e188f925] Enqueued task 'Deploy TFTP PXELinux config for cary-lannigan.example.com' to
'Host::Managed Main' queue
2019-08-09T10:23:01 [D|app|e188f925] Enqueued task 'Deploy TFTP PXEGrub2 config for cary-lannigan.example.com' to
'Host::Managed Main' queue
2019-08-09T10:23:01 [D|app|e188f925] Enqueued task 'Deploy TFTP PXEGrub config for cary-lannigan.example.com' to
'Host::Managed Main' queue
2019-08-09T10:23:01 [D|app|e188f925] Enqueued task 'Deploy TFTP iPXE config for cary-lannigan.example.com' to
'Host::Managed Main' queue
2019-08-09T10:23:01 [D|app|e188f925] Enqueued task 'Fetch TFTP boot files for cary-lannigan.example.com' to
'Host::Managed Main' queue
2019-08-09T10:23:01 [D|app|e188f925] Enqueued task 'Cleanup PuppetCA certificates for cary-lannigan.example.com' to
'Host::Managed Post' queue
2019-08-09T10:23:01 [D|app|e188f925] Enqueued task 'Enable PuppetCA autosigning for cary-lannigan.example.com' to
'Host::Managed Post' queue
2019-08-09T10:23:01 [D|app|e188f925] Processing task 'Create DHCP Settings for cary-lannigan.example.com' from
```

'Host::Managed Main'  
2019-08-09T10:23:01 [I|apple188f925] Create DHCP reservation cary-lannigan.example.com for cary-lannigan.example.com-0c:c4:7a:15:1f:02/10.22.2.200  
2019-08-09T10:23:01 [D|apple188f925] DHCP reservation on net 10.22.0.0 with attrs:  
{:hostname=>"cary-lannigan.example.com", :mac=>"0c:c4:7a:15:1f:02", :ip=>"10.22.2.200", :network=>"10.22.0.0", :nextServer=>"10.12.0.60", :filename=>"pxelinux.0", :name=>"cary-lannigan.example.com", :related\_macs=>[]}  
2019-08-09T10:23:01 [D|apple188f925] Processing task 'Create IPv4 DNS record for cary-lannigan.example.com' from 'Host::Managed Main'  
2019-08-09T10:23:01 [I|apple188f925] Add DNS A record for cary-lannigan.example.com/10.22.2.200  
2019-08-09T10:23:01 [W|apple188f925] Create IPv4 DNS record for cary-lannigan.example.com task failed with the following error: ERF12-2357 [ProxyAPI::ProxyException]: Unable to set DNS entry ([RestClient::BadRequest]: 400 Bad Request) for proxy <https://foreman-01.example.com:8443/dns>  
ProxyAPI::ProxyException: ERF12-2357 [ProxyAPI::ProxyException]: Unable to set DNS entry ([RestClient::BadRequest]: 400 Bad Request) for proxy <https://foreman-01.example.com:8443/dns>  
/usr/share/foreman/lib/proxy\_api/dns.rb:15:in `rescue in set'  
/usr/share/foreman/lib/proxy\_api/dns.rb:13:in `set'  
/usr/share/foreman/lib/net/dns/forward\_record.rb:15:in `create'  
/usr/share/foreman/app/models/concerns/dns\_interface.rb:43:in `set\_dns\_record'  
/usr/share/foreman/app/models/concerns/orchestration.rb:221:in `execute'  
/usr/share/foreman/app/models/concerns/orchestration.rb:145:in `block in process'  
/usr/share/foreman/app/models/concerns/orchestration.rb:137:in `each'  
/usr/share/foreman/app/models/concerns/orchestration.rb:137:in `process'  
/usr/share/foreman/app/models/concerns/orchestration.rb:44:in `around\_save\_orchestration'  
/usr/share/foreman/vendor/ruby/2.3.0/gems/activerecord-5.2.1/lib/active\_support/callbacks.rb:118:in `block in run\_callbacks'  
/usr/share/foreman/vendor/ruby/2.3.0/gems/activerecord-5.2.1/lib/active\_support/callbacks.rb:136:in `run\_callbacks'  
/usr/share/foreman/vendor/ruby/2.3.0/gems/activerecord-5.2.1/lib/active\_support/callbacks.rb:816:in `\_run\_save\_callbacks'  
/usr/share/foreman/vendor/ruby/2.3.0/gems/activerecord-5.2.1/lib/active\_record/callbacks.rb:342:in `create\_or\_update'  
/usr/share/foreman/vendor/ruby/2.3.0/gems/activerecord-5.2.1/lib/active\_record/persistence.rb:275:in `save'  
/usr/share/foreman/vendor/ruby/2.3.0/gems/activerecord-5.2.1/lib/active\_record/validations.rb:46:in `save'  
/usr/share/foreman/vendor/ruby/2.3.0/gems/activerecord-5.2.1/lib/active\_record/transactions.rb:310:in `block (2 levels) in save'  
/usr/share/foreman/vendor/ruby/2.3.0/gems/activerecord-5.2.1/lib/active\_record/transactions.rb:387:in `block in with\_transaction\_returning\_status'  
/usr/share/foreman/vendor/ruby/2.3.0/gems/activerecord-5.2.1/lib/active\_record/connection\_adapters/abstract/database\_statements.rb:254:in `block in transaction'  
/usr/share/foreman/vendor/ruby/2.3.0/gems/activerecord-5.2.1/lib/active\_record/connection\_adapters/abstract/transaction.rb:239:in `block in within\_new\_transaction'  
/usr/lib/ruby/2.3.0/monitor.rb:214:in `mon\_synchronize'  
/usr/share/foreman/vendor/ruby/2.3.0/gems/activerecord-5.2.1/lib/active\_record/connection\_adapters/abstract/transaction.rb:236:in `within\_new\_transaction'  
/usr/share/foreman/vendor/ruby/2.3.0/gems/activerecord-5.2.1/lib/active\_record/connection\_adapters/abstract/database\_statements.rb:254:in `transaction'  
/usr/share/foreman/vendor/ruby/2.3.0/gems/activerecord-5.2.1/lib/active\_record/transactions.rb:212:in `transaction'  
/usr/share/foreman/vendor/ruby/2.3.0/gems/activerecord-5.2.1/lib/active\_record/transactions.rb:385:in `with\_transaction\_returning\_status'  
/usr/share/foreman/vendor/ruby/2.3.0/gems/activerecord-5.2.1/lib/active\_record/transactions.rb:310:in `block in save'  
/usr/share/foreman/vendor/ruby/2.3.0/gems/activerecord-5.2.1/lib/active\_record/transactions.rb:325:in `rollback\_active\_record\_state!'  
/usr/share/foreman/vendor/ruby/2.3.0/gems/activerecord-5.2.1/lib/active\_record/transactions.rb:309:in `save'  
/usr/share/foreman/vendor/ruby/2.3.0/gems/activerecord-5.2.1/lib/active\_record/suppressor.rb:44:in `save'  
/usr/share/foreman/app/models/concerns/foreman/sti.rb:26:in `save'  
/usr/share/foreman/app/controllers/hosts\_controller.rb:98:in `create'  
/usr/share/foreman/vendor/ruby/2.3.0/gems/actionpack-5.2.1/lib/action\_controller/metal/basic\_implicit\_render.rb:6:in `send\_action'  
/usr/share/foreman/vendor/ruby/2.3.0/gems/actionpack-5.2.1/lib/abstract\_controller/base.rb:194:in `process\_action'  
/usr/share/foreman/vendor/ruby/2.3.0/gems/actionpack-5.2.1/lib/action\_controller/metal/rendering.rb:30:in `process\_action'  
/usr/share/foreman/vendor/ruby/2.3.0/gems/actionpack-5.2.1/lib/abstract\_controller/callbacks.rb:42:in `block in process\_action'  
/usr/share/foreman/vendor/ruby/2.3.0/gems/activerecord-5.2.1/lib/active\_support/callbacks.rb:109:in `block in run\_callbacks'  
/usr/share/foreman/app/controllers/concerns/foreman/controller/timezone.rb:10:in `set\_timezone'  
/usr/share/foreman/vendor/ruby/2.3.0/gems/activerecord-5.2.1/lib/active\_support/callbacks.rb:118:in `block in run\_callbacks'  
/usr/share/foreman/app/models/concerns/foreman/thread\_session.rb:32:in `clear\_thread'  
/usr/share/foreman/vendor/ruby/2.3.0/gems/activerecord-5.2.1/lib/active\_support/callbacks.rb:118:in `block in run\_callbacks'

/usr/share/foreman/app/controllers/concerns/foreman/controller/topbar\_sweeper.rb:12:in `set\_topbar\_sweeper\_controller'  
/usr/share/foreman/vendor/ruby/2.3.0/gems/activestorage-5.2.1/lib/active\_storage/callbacks.rb:118:in `block in run\_callbacks'  
/usr/share/foreman/vendor/ruby/2.3.0/gems/audited-4.8.0/lib/audited/sweeper.rb:14:in `around'  
/usr/share/foreman/vendor/ruby/2.3.0/gems/activestorage-5.2.1/lib/active\_storage/callbacks.rb:118:in `block in run\_callbacks'  
/usr/share/foreman/vendor/ruby/2.3.0/gems/audited-4.8.0/lib/audited/sweeper.rb:14:in `around'  
/usr/share/foreman/vendor/ruby/2.3.0/gems/activestorage-5.2.1/lib/active\_storage/callbacks.rb:118:in `block in run\_callbacks'  
/usr/share/foreman/vendor/ruby/2.3.0/gems/activestorage-5.2.1/lib/active\_storage/callbacks.rb:136:in `run\_callbacks'  
/usr/share/foreman/vendor/ruby/2.3.0/gems/actionpack-5.2.1/lib/abstract\_controller/callbacks.rb:41:in `process\_action'  
/usr/share/foreman/vendor/ruby/2.3.0/gems/actionpack-5.2.1/lib/action\_controller/metal/rescue.rb:22:in `process\_action'  
/usr/share/foreman/vendor/ruby/2.3.0/gems/actionpack-5.2.1/lib/action\_controller/metal/instrumentation.rb:34:in `block in process\_action'  
/usr/share/foreman/vendor/ruby/2.3.0/gems/activestorage-5.2.1/lib/active\_storage/notifications.rb:168:in `block in instrument'  
/usr/share/foreman/vendor/ruby/2.3.0/gems/activestorage-5.2.1/lib/active\_storage/notifications/instrumenter.rb:23:in `instrument'  
/usr/share/foreman/vendor/ruby/2.3.0/gems/activestorage-5.2.1/lib/active\_storage/notifications.rb:168:in `instrument'  
/usr/share/foreman/vendor/ruby/2.3.0/gems/actionpack-5.2.1/lib/action\_controller/metal/instrumentation.rb:32:in `process\_action'  
/usr/share/foreman/vendor/ruby/2.3.0/gems/actionpack-5.2.1/lib/action\_controller/metal/params\_wrapper.rb:256:in `process\_action'  
/usr/share/foreman/vendor/ruby/2.3.0/gems/activerecord-5.2.1/lib/active\_record/railties/controller\_runtime.rb:24:in `process\_action'  
/usr/share/foreman/vendor/ruby/2.3.0/gems/actionpack-5.2.1/lib/abstract\_controller/base.rb:134:in `process'  
/usr/share/foreman/vendor/ruby/2.3.0/gems/actionview-5.2.1/lib/action\_view/rendering.rb:32:in `process'  
/usr/share/foreman/vendor/ruby/2.3.0/gems/actionpack-5.2.1/lib/action\_controller/metal.rb:191:in `dispatch'  
/usr/share/foreman/vendor/ruby/2.3.0/gems/actionpack-5.2.1/lib/action\_controller/metal.rb:252:in `dispatch'  
/usr/share/foreman/vendor/ruby/2.3.0/gems/actionpack-5.2.1/lib/action\_dispatch/routing/route\_set.rb:52:in `dispatch'  
/usr/share/foreman/vendor/ruby/2.3.0/gems/actionpack-5.2.1/lib/action\_dispatch/routing/route\_set.rb:34:in `serve'  
/usr/share/foreman/vendor/ruby/2.3.0/gems/actionpack-5.2.1/lib/action\_dispatch/journey/router.rb:52:in `block in serve'  
/usr/share/foreman/vendor/ruby/2.3.0/gems/actionpack-5.2.1/lib/action\_dispatch/journey/router.rb:35:in `each'  
/usr/share/foreman/vendor/ruby/2.3.0/gems/actionpack-5.2.1/lib/action\_dispatch/journey/router.rb:35:in `serve'  
/usr/share/foreman/vendor/ruby/2.3.0/gems/actionpack-5.2.1/lib/action\_dispatch/routing/route\_set.rb:840:in `call'  
/usr/share/foreman/vendor/ruby/2.3.0/gems/apipie-rails-0.5.16/lib/apipie/static\_dispatcher.rb:66:in `call'  
/usr/share/foreman/vendor/ruby/2.3.0/gems/apipie-rails-0.5.16/lib/apipie/extractor/recorder.rb:137:in `call'  
/usr/share/foreman/lib/foreman/middleware/telemetry.rb:10:in `call'  
/usr/share/foreman/vendor/ruby/2.3.0/gems/apipie-rails-0.5.16/lib/apipie/middleware/checksum\_in\_headers.rb:27:in `call'  
/usr/share/foreman/lib/foreman/middleware/catch\_json\_parse\_errors.rb:9:in `call'  
/usr/share/foreman/vendor/ruby/2.3.0/gems/rack-2.0.7/lib/rack/tempfile\_reaper.rb:15:in `call'  
/usr/share/foreman/vendor/ruby/2.3.0/gems/rack-2.0.7/lib/rack/etag.rb:25:in `call'  
/usr/share/foreman/vendor/ruby/2.3.0/gems/rack-2.0.7/lib/rack/conditional\_get.rb:38:in `call'  
/usr/share/foreman/vendor/ruby/2.3.0/gems/rack-2.0.7/lib/rack/head.rb:12:in `call'  
/usr/share/foreman/vendor/ruby/2.3.0/gems/actionpack-5.2.1/lib/action\_dispatch/http/content\_security\_policy.rb:18:in `call'  
/usr/share/foreman/lib/foreman/middleware/logging\_context\_session.rb:22:in `call'  
/usr/share/foreman/vendor/ruby/2.3.0/gems/rack-2.0.7/lib/rack/session/abstract/id.rb:232:in `context'  
/usr/share/foreman/vendor/ruby/2.3.0/gems/rack-2.0.7/lib/rack/session/abstract/id.rb:226:in `call'  
/usr/share/foreman/vendor/ruby/2.3.0/gems/actionpack-5.2.1/lib/action\_dispatch/middleware/cookies.rb:670:in `call'  
/usr/share/foreman/vendor/ruby/2.3.0/gems/actionpack-5.2.1/lib/action\_dispatch/middleware/callbacks.rb:28:in `block in call'  
/usr/share/foreman/vendor/ruby/2.3.0/gems/activestorage-5.2.1/lib/active\_storage/callbacks.rb:98:in `run\_callbacks'  
/usr/share/foreman/vendor/ruby/2.3.0/gems/actionpack-5.2.1/lib/action\_dispatch/middleware/callbacks.rb:26:in `call'  
/usr/share/foreman/vendor/ruby/2.3.0/gems/actionpack-5.2.1/lib/action\_dispatch/middleware/debug\_exceptions.rb:61:in `call'  
/usr/share/foreman/vendor/ruby/2.3.0/gems/actionpack-5.2.1/lib/action\_dispatch/middleware/show\_exceptions.rb:33:in `call'  
/usr/share/foreman/vendor/ruby/2.3.0/gems/railties-5.2.1/lib/rails/rack/logger.rb:38:in `call\_app'  
/usr/share/foreman/vendor/ruby/2.3.0/gems/railties-5.2.1/lib/rails/rack/logger.rb:28:in `call'  
/usr/share/foreman/vendor/ruby/2.3.0/gems/sprockets-rails-3.2.1/lib/sprockets/rails/quiet\_assets.rb:13:in `call'  
/usr/share/foreman/lib/foreman/middleware/logging\_context\_request.rb:11:in `call'  
/usr/share/foreman/vendor/ruby/2.3.0/gems/actionpack-5.2.1/lib/action\_dispatch/middleware/remote\_ip.rb:81:in `call'  
/usr/share/foreman/vendor/ruby/2.3.0/gems/actionpack-5.2.1/lib/action\_dispatch/middleware/request\_id.rb:27:in `call'  
/usr/share/foreman/vendor/ruby/2.3.0/gems/rack-2.0.7/lib/rack/method\_override.rb:22:in `call'  
/usr/share/foreman/vendor/ruby/2.3.0/gems/rack-2.0.7/lib/rack/runtime.rb:22:in `call'  
/usr/share/foreman/vendor/ruby/2.3.0/gems/activestorage-5.2.1/lib/active\_storage/cache/strategy/local\_cache\_middleware.rb:29:in `call'  
/usr/share/foreman/vendor/ruby/2.3.0/gems/actionpack-5.2.1/lib/action\_dispatch/middleware/executor.rb:14:in `call'

```

/usr/share/foreman/vendor/ruby/2.3.0/gems/actionpack-5.2.1/lib/action_dispatch/middleware/static.rb:127:in `call'
/usr/share/foreman/vendor/ruby/2.3.0/gems/rack-2.0.7/lib/rack/sendfile.rb:111:in `call'
/usr/share/foreman/vendor/ruby/2.3.0/gems/secure_headers-6.1.0/lib/secure_headers/middleware.rb:11:in `call'
/usr/share/foreman/vendor/ruby/2.3.0/gems/railties-5.2.1/lib/rails/engine.rb:524:in `call'
/usr/share/foreman/vendor/ruby/2.3.0/gems/railties-5.2.1/lib/rails/railtie.rb:190:in `public_send'
/usr/share/foreman/vendor/ruby/2.3.0/gems/railties-5.2.1/lib/rails/railtie.rb:190:in `method_missing'
/usr/share/foreman/vendor/ruby/2.3.0/gems/rack-2.0.7/lib/rack/urlmap.rb:68:in `block in call'
/usr/share/foreman/vendor/ruby/2.3.0/gems/rack-2.0.7/lib/rack/urlmap.rb:53:in `each'
/usr/share/foreman/vendor/ruby/2.3.0/gems/rack-2.0.7/lib/rack/urlmap.rb:53:in `call'
/usr/lib/ruby/vendor_ruby/phusion_passenger/rack/thread_handler_extension.rb:97:in `process_request'
/usr/lib/ruby/vendor_ruby/phusion_passenger/request_handler/thread_handler.rb:160:in
`accept_and_process_next_request'
/usr/lib/ruby/vendor_ruby/phusion_passenger/request_handler/thread_handler.rb:113:in `main_loop'
/usr/lib/ruby/vendor_ruby/phusion_passenger/request_handler.rb:416:in `block (3 levels) in start_threads'
/usr/lib/ruby/vendor_ruby/phusion_passenger/Utils.rb:113:in `block in create_thread_and_abort_on_exception'
/usr/share/foreman/vendor/ruby/2.3.0/gems/logging-2.2.2/lib/logging/diagnostic_context.rb:474:in `block in
create_with_logging_context'
2019-08-09T10:23:01 [W|apple188f925] Rolling back due to a problem: [#<Orchestration::Task:0x007f5e3ff2ef50
@name="Create IPv4 DNS record for cary-lannigan.example.com", @id="Create IPv4 DNS record for
cary-lannigan.example.com", @status="failed", @priority=10, @action=[#<Nic::Managed id: nil, mac: "0c:c4:7a:15:1f:02",
ip: "10.22.2.200", type: "Nic::Managed", name: "cary-lannigan.example.com", host_id: nil, subnet_id: 3, domain_id: 1, attrs:
{}}, created_at: nil, updated_at: nil, provider: nil, username: nil, password: nil, virtual: false, link: true, identifier: "", tag: "",
attached_to: "", managed: true, mode: "balance-rr", attached_devices: "", bond_options: "", primary: true, provision: true,
compute_attributes: {}, ip6: "", subnet6_id: nil>, :set_dns_record, :a], @created=1565338981.4323535,
@timestamp=2019-08-09 08:23:01 UTC>]
2019-08-09T10:23:01 [I|apple188f925] Delete DHCP reservation cary-lannigan.example.com for
cary-lannigan.example.com-0c:c4:7a:15:1f:02/10.22.2.200
2019-08-09T10:23:01 [I|app|3330502b] Started GET "/node/mgmt-waw2-dev-02.example.com?format=yml" for 10.12.0.50 at
2019-08-09 10:23:01 +0200
2019-08-09T10:23:01 [I|app|3330502b] Processing by HostsController#externalNodes as YAML
2019-08-09T10:23:01 [I|app|3330502b] Parameters: {"name"=>"mgmt-waw2-dev-02.example.com"}
2019-08-09T10:23:01 [D|app|3330502b] Examining client certificate to extract dn and sans
2019-08-09T10:23:01 [D|app|3330502b] Client sent certificate with subject 'puppet-01.example.com' and subject alt names
["puppet", "puppet-01.example.com"]
2019-08-09T10:23:01 [I|apple188f925] Processed 1 tasks from queue 'Host::Managed Main', completed 0/7
2019-08-09T10:23:01 [E|apple188f925] Task 'Create DHCP Settings for cary-lannigan.example.com' *rollbacked
2019-08-09T10:23:01 [E|apple188f925] Task 'Create IPv4 DNS record for cary-lannigan.example.com' failed
2019-08-09T10:23:01 [E|apple188f925] Task 'Deploy TFTP PXELinux config for cary-lannigan.example.com' canceled
2019-08-09T10:23:01 [E|apple188f925] Task 'Deploy TFTP PXEGrub2 config for cary-lannigan.example.com' canceled
2019-08-09T10:23:01 [E|apple188f925] Task 'Deploy TFTP PXEGrub config for cary-lannigan.example.com' canceled
2019-08-09T10:23:01 [E|apple188f925] Task 'Deploy TFTP iPXE config for cary-lannigan.example.com' canceled
2019-08-09T10:23:01 [E|apple188f925] Task 'Fetch TFTP boot files for cary-lannigan.example.com' canceled
2019-08-09T10:23:01 [E|apple188f925] Failed to save: Create IPv4 DNS record for cary-lannigan.example.com task failed with the
following error: ERF12-2357 [ProxyAPI::ProxyException]: Unable to set DNS entry ([RestClient::BadRequest]: 400 Bad Request) for
proxy https://foreman-01.example.com:8443/dns

```

## History

### #1 - 08/09/2019 09:18 AM - Lukasz Chrustek

but in powerdns this record is created:

```

1. pdnsutil list-zone example.com | grep cary
cary-lannigan.example.com. 86400 IN A 10.22.2.200 #

```

can't figure out what cause this behavior.

### #2 - 08/09/2019 10:11 AM - Lukasz Chrustek

- Found in Releases 1.22.0 added

### #3 - 08/10/2019 09:14 AM - Lukasz Chrustek

- Description updated

### #4 - 08/25/2019 05:09 PM - Tomer Brisker

- Project changed from Foreman to Smart Proxy

- Category set to DNS