# Foreman - Bug #2767

## Seach for host.hostgroup in /fact\_values raise 500 error

07/10/2013 03:51 AM - Romain Vrignaud

Status: Resolved
Priority: Normal
Assignee:
Category: Search
Target version:
Difficulty: Fixed in Releases:
Triaged: Found in Releases:
Bugzilla link: Red Hat JIRA:

Cache read: https://foreman2-unprotected.example.com/fact\_values?search=+host.hostgroup+%3D+web&ut

# Pull request: Description

host.hostgroup in auto-completed but raises 500 in /fact\_values

Version Foreman 1.2.0

Cache read: use\_gravatar

#### Here is a trace:

f8=%E2%9C%93 Started GET "/fact\_values?utf8=%E2%9C%93&search=+host.hostgroup+%3D+web" for 192.168.200.11 at 201 3-07-10 09:48:08 +0200 Cache read: \_session\_id:675cde73f41b286d1490adb366147d9c Processing by FactValuesController#index as HTML Parameters: {"utf8"=>"[", "search"=>" host.hostgroup = web"} User Load (0.9ms) SELECT `users`.\* FROM `users` WHERE `users`.`id` = ? LIMIT 1 [["id", 9]] Setting current user thread-local variable to rvrignaud Cache read: authorize\_login\_delegation Cache read: authorize\_login\_delegation Cache read: idle\_timeout FactValue Load (0.9ms) SELECT `fact\_values`.\* FROM `fact\_values` LIMIT 1 SQL (1080.2ms) SELECT `fact\_values`.`id` AS t0\_r0, `fact\_values`.`value` AS t0\_r1, `fact\_values .`fact\_name\_id` AS t0\_r2, `fact\_values`.`host\_id` AS t0\_r3, `fact\_values`.`updated\_at` AS t0\_r4, `fact\_values`.`created\_at` AS t0\_r5, `fact\_names`.`id` AS t1\_r0, `fact\_names`.`name` AS t1\_r1, `fa ct\_names`.`updated\_at` AS t1\_r2, `fact\_names`.`created\_at` AS t1\_r3, `hosts`.`id` AS t2\_r0, `hosts .`name` AS t2\_r1, `hosts`.`ip` AS t2\_r2, `hosts`.`environment` AS t2\_r3, `hosts`.`last\_compile` A S t2\_r4, `hosts`.`last\_freshcheck` AS t2\_r5, `hosts`.`last\_report` AS t2\_r6, `hosts`.`updated\_at` AS t2\_r7, `hosts`.`source\_file\_id` AS t2\_r8, `hosts`.`created\_at` AS t2\_r9, `hosts`.`mac` AS t2\_r1 0, `hosts`.`root\_pass` AS t2\_r11, `hosts`.`serial` AS t2\_r12, `hosts`.`puppet\_status` AS t2\_r13, hosts`.`domain\_id` AS t2\_r14, `hosts`.`architecture\_id` AS t2\_r15, `hosts`.`operatingsystem\_id` AS t2\_r16, `hosts`.`environment\_id` AS t2\_r17, `hosts`.`subnet\_id` AS t2\_r18, `hosts`.`ptable\_id` AS t2\_r19, `hosts`.`medium\_id` AS t2\_r20, `hosts`.`build` AS t2\_r21, `hosts`.`comment` AS t2\_r22, `h osts`.`disk` AS t2\_r23, `hosts`.`installed\_at` AS t2\_r24, `hosts`.`model\_id` AS t2\_r25, `hosts`.`h ostgroup\_id` AS t2\_r26, `hosts`.`owner\_id` AS t2\_r27, `hosts`.`owner\_type` AS t2\_r28, `hosts`.`ena bled` AS t2\_r29, `hosts`.`puppet\_ca\_proxy\_id` AS t2\_r30, `hosts`.`managed` AS t2\_r31, `hosts`.`use \_image` AS t2\_r32, `hosts`.`image\_file` AS t2\_r33, `hosts`.`uuid` AS t2\_r34, `hosts`.`compute\_reso urce\_id` AS t2\_r35, `hosts`.`puppet\_proxy\_id` AS t2\_r36, `hosts`.`certname` AS t2\_r37, `hosts`.`im age\_id` AS t2\_r38, `hosts`.`organization\_id` AS t2\_r39, `hosts`.`location\_id` AS t2\_r40, `hosts`.` type` AS t2\_r41 FROM `fact\_values` LEFT OUTER JOIN `fact\_names` ON `fact\_names`.`id` = `fact\_value s`.`fact\_name\_id` LEFT OUTER JOIN `hosts` ON `hosts`.`id` = `fact\_values`.`host\_id` AND `hosts`.`t ype` IN ('Host::Managed') WHERE (fact\_names.name <> '\_timestamp') ORDER BY `fact\_values`.`value` A SC LIMIT 20 OFFSET 0 (1001.3ms) SELECT COUNT(DISTINCT `fact\_values`.`id`) FROM `fact\_values` LEFT OUTER JOIN `fact\_ names` ON `fact\_names`.`id` = `fact\_values`.`fact\_name\_id` LEFT OUTER JOIN `hosts` ON `hosts`.`id` = `fact\_values`.`host\_id` AND `hosts`.`type` IN ('Host::Managed') WHERE (fact\_names.name <> '\_tim

05/17/2024 1/6

Rendered fact\_values/index.html.erb within layouts/application (2128.0ms)

```
Rendered home/_user_dropdown.html.erb (1.6ms)
Cache read: views/tabs_and_title_records-9
Read fragment views/tabs_and_title_records-9 (0.4ms)
 Rendered home/_topbar.html.erb (1.6ms)
 Bookmark Load (0.6ms) SELECT `bookmarks`.* FROM `bookmarks` WHERE (((bookmarks.public = 1) OR (
bookmarks.owner_id = 9 AND bookmarks.owner_type = 'User'))) AND (controller = 'fact_values') ORDER
BY name
 Rendered common/_searchbar.erb (3.2ms)
Completed 200 OK in 2146ms (Views: 55.6ms | ActiveRecord: 2083.9ms)
Cache write: _session_id:675cde73f41b286d1490adb366147d9c ({:expires_in=>nil})
Cache read: https://foreman2-unprotected.example.com/fact_values/auto_complete_search?search=+host
.hostgroup+%3D+web
Started GET "/fact_values/auto_complete_search?search=+host.hostgroup+%3D+web" for 192.168.200.11
at 2013-07-10 09:48:16 +0200
Cache read: _session_id:675cde73f41b286d1490adb366147d9c
Processing by FactValuesController#auto_complete_search as JSON
 Parameters: {"search"=>" host.hostgroup = web"}
 User Load (0.9ms) SELECT `users`.* FROM `users` WHERE `users`.`id` = ? LIMIT 1 [["id", 9]]
Setting current user thread-local variable to rvrignaud
Cache read: authorize_login_delegation
Cache read: authorize_login_delegation_api
 Setting Load (0.7ms) SELECT `settings`.* FROM `settings` WHERE `settings`.`name` = 'authorize_1
ogin_delegation_api' ORDER BY name LIMIT 1
Cache write: authorize_login_delegation_api
Cache read: authorize_login_delegation
Cache read: authorize_login_delegation_api
Operation FAILED: undefined method `klass' for nil:NilClass
/opt/foreman/vendor/ruby/1.9.1/gems/scoped_search-2.6.0/lib/scoped_search/query_builder.rb:340:in
`reflection_keys'
/opt/foreman/vendor/ruby/1.9.1/gems/scoped_search-2.6.0/lib/scoped_search/query_builder.rb:252:in
`has_many_through_join'
/opt/foreman/vendor/ruby/1.9.1/gems/scoped_search-2.6.0/lib/scoped_search/query_builder.rb:227:in
`sql_test'
opt/foreman/vendor/ruby/1.9.1/gems/scoped_search-2.6.0/lib/scoped_search/query_builder.rb:429:in/
`to_single_field_sql'
/opt/foreman/vendor/ruby/1.9.1/gems/scoped_search-2.6.0/lib/scoped_search/query_builder.rb:441:in
`to_sql'
/opt/foreman/vendor/ruby/1.9.1/gems/scoped_search-2.6.0/lib/scoped_search/query_builder.rb:54:in `
build_find_params'
/opt/foreman/vendor/ruby/1.9.1/gems/scoped_search-2.6.0/lib/scoped_search/query_builder.rb:25:in `
build_query'
/opt/foreman/vendor/ruby/1.9.1/gems/scoped_search-2.6.0/lib/scoped_search/auto_complete_builder.rb
:88:in `is_query_valid'
/opt/foreman/vendor/ruby/1.9.1/gems/scoped_search-2.6.0/lib/scoped_search/auto_complete_builder.rb
:38:in `build_autocomplete_options'
/opt/foreman/vendor/ruby/1.9.1/gems/scoped_search-2.6.0/lib/scoped_search/auto_complete_builder.rb
:22:in `auto_complete'
/opt/foreman/vendor/ruby/1.9.1/gems/scoped_search-2.6.0/lib/scoped_search/definition.rb:273:in `co
mplete_for'
/opt/foreman/lib/foreman/controller/auto_complete_search.rb:5:in `auto_complete_search'
/opt/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.13/lib/action_controller/metal/implicit_render.
rb:4:in `send_action'
/opt/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.13/lib/abstract_controller/base.rb:167:in `proc
/opt/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.13/lib/action_controller/metal/rendering.rb:10:
in `process_action'
/opt/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.13/lib/abstract_controller/callbacks.rb:18:in `
block in process_action'
/opt/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.13/lib/active_support/callbacks.rb:527:in `b
lock (3 levels) in _run__673705099494661614__process_action__3126497066867904335__callbacks'
/opt/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.13/lib/active_support/callbacks.rb:215:in `b
lock in _conditional_callback_around_4547'
/opt/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.13/lib/active_support/callbacks.rb:326:in `a
/opt/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.13/lib/active_support/callbacks.rb:310:in `_
callback_around_1331'
/opt/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.13/lib/active_support/callbacks.rb:214:in ` _
```

05/17/2024 2/6

```
conditional_callback_around_4547'
/opt/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.13/lib/active_support/callbacks.rb:526:in `b
lock (2 levels) in _run__673705099494661614__process_action__3126497066867904335__callbacks'
/opt/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.13/lib/active_support/callbacks.rb:215:in `b
lock in _conditional_callback_around_4546'
/opt/foreman/lib/foreman/thread_session.rb:31:in `clear_thread'
/opt/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.13/lib/active_support/callbacks.rb:214:in `_
conditional_callback_around_4546'
/opt/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.13/lib/active_support/callbacks.rb:415:in `b
lock in _run__673705099494661614__process_action__3126497066867904335__callbacks'
/opt/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.13/lib/active_support/callbacks.rb:215:in `b
lock in _conditional_callback_around_4545'
/opt/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.13/lib/active_support/callbacks.rb:326:in `a
/opt/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.13/lib/active_support/callbacks.rb:310:in `_
callback_around_13'
/opt/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.13/lib/active_support/callbacks.rb:214:in `_
conditional_callback_around_4545'
/opt/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.13/lib/active_support/callbacks.rb:414:in `_
run__673705099494661614__process_action__3126497066867904335__callbacks'
/opt/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.13/lib/active_support/callbacks.rb:405:in `_
_run_callback'
/opt/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.13/lib/active_support/callbacks.rb:385:in `_
run_process_action_callbacks'
/opt/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.13/lib/active_support/callbacks.rb:81:in `ru
n_callbacks'
/opt/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.13/lib/abstract_controller/callbacks.rb:17:in `
process_action'
/opt/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.13/lib/action_controller/metal/rescue.rb:29:in
`process_action'
/opt/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.13/lib/action_controller/metal/instrumentation.
rb:30:in `block in process_action'
/opt/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.13/lib/active_support/notifications.rb:123:i
n `block in instrument'
/opt/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.13/lib/active_support/notifications/instrume
nter.rb:20:in `instrument'
/opt/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.13/lib/active_support/notifications.rb:123:i
n `instrument'
/opt/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.13/lib/action_controller/metal/instrumentation.
rb:29:in `process_action'
/opt/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.13/lib/action_controller/metal/params_wrapper.r
b:207:in `process_action'
/opt/foreman/vendor/ruby/1.9.1/gems/activerecord-3.2.13/lib/active_record/railties/controller_runt
ime.rb:18:in `process_action'
/opt/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.13/lib/abstract_controller/base.rb:121:in `proc
/opt/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.13/lib/abstract_controller/rendering.rb:45:in `
process'
/opt/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.13/lib/action_controller/metal.rb:203:in `dispa
/opt/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.13/lib/action_controller/metal/rack_delegation.
rb:14:in `dispatch'
/opt/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.13/lib/action_controller/metal.rb:246:in `block
/opt/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.13/lib/action_dispatch/routing/route_set.rb:73:
in `call'
/opt/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.13/lib/action_dispatch/routing/route_set.rb:73:
in `dispatch'
/opt/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.13/lib/action_dispatch/routing/route_set.rb:36:
in `call'
/opt/foreman/vendor/ruby/1.9.1/gems/journey-1.0.4/lib/journey/router.rb:68:in `block in call'
/opt/foreman/vendor/ruby/1.9.1/gems/journey-1.0.4/lib/journey/router.rb:56:in `each'
/opt/foreman/vendor/ruby/1.9.1/gems/journey-1.0.4/lib/journey/router.rb:56:in `call'
/opt/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.13/lib/action_dispatch/routing/route_set.rb:612
/opt/foreman/vendor/ruby/1.9.1/gems/apipie-rails-0.0.16/lib/apipie/static_dispatcher.rb:56:in `cal
```

05/17/2024 3/6

```
/opt/foreman/vendor/ruby/1.9.1/gems/rack-openid-1.3.1/lib/rack/openid.rb:98:in `call'
/opt/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.13/lib/action_dispatch/middleware/best_standard
s_support.rb:17:in `call'
/opt/foreman/vendor/ruby/1.9.1/gems/rack-1.4.5/lib/rack/etag.rb:23:in `call'
/opt/foreman/vendor/ruby/1.9.1/gems/rack-1.4.5/lib/rack/conditionalget.rb:25:in `call'
/opt/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.13/lib/action_dispatch/middleware/head.rb:14:in
 call'
/opt/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.13/lib/action_dispatch/middleware/params_parser
.rb:21:in `call'
/opt/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.13/lib/action_dispatch/middleware/flash.rb:242:
in `call'
/opt/foreman/vendor/ruby/1.9.1/gems/rack-1.4.5/lib/rack/session/abstract/id.rb:210:in `context'
/opt/foreman/vendor/ruby/1.9.1/gems/rack-1.4.5/lib/rack/session/abstract/id.rb:205:in `call'
/opt/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.13/lib/action_dispatch/middleware/cookies.rb:34
1:in `call'
/opt/foreman/vendor/ruby/1.9.1/gems/activerecord-3.2.13/lib/active_record/query_cache.rb:64:in `ca
/opt/foreman/vendor/ruby/1.9.1/gems/activerecord-3.2.13/lib/active_record/connection_adapters/abst
ract/connection_pool.rb:479:in `call'
/opt/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.13/lib/action_dispatch/middleware/callbacks.rb:
28:in `block in call'
/opt/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.13/lib/active_support/callbacks.rb:405:in `_
run__2012018634721837771__call__3265210282948543450__callbacks'
/opt/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.13/lib/active_support/callbacks.rb:405:in `_
_run_callback'
/opt/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.13/lib/active_support/callbacks.rb:385:in `_
run_call_callbacks'
/opt/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.13/lib/active_support/callbacks.rb:81:in `ru
n_callbacks'
/opt/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.13/lib/action_dispatch/middleware/callbacks.rb:
27:in `call'
/opt/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.13/lib/action_dispatch/middleware/remote_ip.rb:
31:in `call'
/opt/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.13/lib/action_dispatch/middleware/debug_excepti
ons.rb:16:in `call'
/opt/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.13/lib/action_dispatch/middleware/show_exceptio
ns.rb:56:in `call'
/opt/foreman/vendor/ruby/1.9.1/gems/railties-3.2.13/lib/rails/rack/logger.rb:32:in `call_app'
/opt/foreman/vendor/ruby/1.9.1/gems/railties-3.2.13/lib/rails/rack/logger.rb:16:in `block in call'
/opt/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.13/lib/active_support/tagged_logging.rb:22:i
/opt/foreman/vendor/ruby/1.9.1/gems/railties-3.2.13/lib/rails/rack/logger.rb:16:in `call'
/opt/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.13/lib/action_dispatch/middleware/request_id.rb
:22:in `call'
/opt/foreman/vendor/ruby/1.9.1/gems/rack-1.4.5/lib/rack/methodoverride.rb:21:in `call'
/opt/foreman/vendor/ruby/1.9.1/gems/rack-1.4.5/lib/rack/runtime.rb:17:in `call'
/opt/foreman/vendor/ruby/1.9.1/gems/activesupport-3.2.13/lib/active_support/cache/strategy/local_c
ache.rb:72:in `call'
/opt/foreman/vendor/ruby/1.9.1/gems/rack-1.4.5/lib/rack/lock.rb:15:in `call'
/opt/foreman/vendor/ruby/1.9.1/gems/actionpack-3.2.13/lib/action_dispatch/middleware/static.rb:63:
/opt/foreman/vendor/ruby/1.9.1/gems/rack-cache-1.2/lib/rack/cache/context.rb:136:in `forward'
/opt/foreman/vendor/ruby/1.9.1/gems/rack-cache-1.2/lib/rack/cache/context.rb:245:in `fetch'
/opt/foreman/vendor/ruby/1.9.1/gems/rack-cache-1.2/lib/rack/cache/context.rb:185:in `lookup'
/opt/foreman/vendor/ruby/1.9.1/gems/rack-cache-1.2/lib/rack/cache/context.rb:66:in `call!'
/opt/foreman/vendor/ruby/1.9.1/gems/rack-cache-1.2/lib/rack/cache/context.rb:51:in `call'
/opt/foreman/vendor/ruby/1.9.1/gems/railties-3.2.13/lib/rails/engine.rb:479:in `call'
/opt/foreman/vendor/ruby/1.9.1/gems/railties-3.2.13/lib/rails/application.rb:223:in `call'
/opt/foreman/vendor/ruby/1.9.1/gems/railties-3.2.13/lib/rails/railtie/configurable.rb:30:in `metho
d_missing'
/opt/foreman/vendor/ruby/1.9.1/gems/rack-1.4.5/lib/rack/builder.rb:134:in `call'
/opt/foreman/vendor/ruby/1.9.1/gems/rack-1.4.5/lib/rack/urlmap.rb:64:in `block in call'
/opt/foreman/vendor/ruby/1.9.1/gems/rack-1.4.5/lib/rack/urlmap.rb:49:in `each'
/opt/foreman/vendor/ruby/1.9.1/gems/rack-1.4.5/lib/rack/urlmap.rb:49:in `call'
/usr/lib/ruby/vendor_ruby/phusion_passenger/rack/request_handler.rb:96:in `process_request'
/usr/lib/ruby/vendor_ruby/phusion_passenger/abstract_request_handler.rb:516:in `accept_and_process
_next_request'
```

05/17/2024 4/6

```
/usr/lib/ruby/vendor_ruby/phusion_passenger/abstract_request_handler.rb:274:in `main_loop'
/usr/lib/ruby/vendor_ruby/phusion_passenger/rack/application_spawner.rb:206:in `start_request_hand
ler'
/usr/lib/ruby/vendor_ruby/phusion_passenger/rack/application_spawner.rb:171:in `block in handle_sp
awn_application'
/usr/lib/ruby/vendor_ruby/phusion_passenger/utils.rb:479:in `safe_fork'
/usr/lib/ruby/vendor_ruby/phusion_passenger/rack/application_spawner.rb:166:in `handle_spawn_appli
cation'
/usr/lib/ruby/vendor_ruby/phusion_passenger/abstract_server.rb:357:in `server_main_loop'
/usr/lib/ruby/vendor_ruby/phusion_passenger/abstract_server.rb:206:in `start_synchronously'
/usr/lib/ruby/vendor_ruby/phusion_passenger/abstract_server.rb:180:in `start'
/usr/lib/ruby/vendor_ruby/phusion_passenger/rack/application_spawner.rb:129:in `start'
/usr/lib/ruby/vendor_ruby/phusion_passenger/spawn_manager.rb:253:in `block (2 levels) in spawn_rac
k_application'
/usr/lib/ruby/vendor_ruby/phusion_passenger/abstract_server_collection.rb:132:in `lookup_or_add'
/usr/lib/ruby/vendor_ruby/phusion_passenger/spawn_manager.rb:246:in `block in spawn_rack_applicati
on '
/usr/lib/ruby/vendor_ruby/phusion_passenger/abstract_server_collection.rb:82:in `block in synchron
ize'
<internal:prelude>:10:in `synchronize'
/usr/lib/ruby/vendor_ruby/phusion_passenger/abstract_server_collection.rb:79:in `synchronize'
/usr/lib/ruby/vendor_ruby/phusion_passenger/spawn_manager.rb:244:in `spawn_rack_application'
/usr/lib/ruby/vendor_ruby/phusion_passenger/spawn_manager.rb:137:in `spawn_application'
/usr/lib/ruby/vendor_ruby/phusion_passenger/spawn_manager.rb:275:in `handle_spawn_application'
/usr/lib/ruby/vendor_ruby/phusion_passenger/abstract_server.rb:357:in `server_main_loop'
/usr/lib/ruby/vendor_ruby/phusion_passenger/abstract_server.rb:206:in `start_synchronously'
/usr/share/phusion-passenger/helper-scripts/passenger-spawn-server:99:in `<main>'
 Rendered common/500.html.erb (3.3ms)
Completed 500 Internal Server Error in 113ms (Views: 5.3ms | ActiveRecord: 1.6ms)
Cache write: _session_id:675cde73f41b286d1490adb366147d9c ({:expires_in=>nil})
```

#### Related issues:

Related to Foreman - Bug #4293: Scoped search breaks on some relations

Closed 02/07/2014

#### History

### #1 - 07/10/2013 05:02 AM - Dominic Cleal

- Category changed from 19 to Search

### #2 - 07/10/2013 05:17 AM - Lukas Zapletal

Can't reproduce on develop, there must be commit fixing this already.

## #3 - 07/10/2013 05:21 AM - Dominic Cleal

Try the 1.2-stable branch Lukas?

### #4 - 07/10/2013 09:36 AM - Lukas Zapletal

Cannot reproduce on 1.2. Why do you have scoped search on 2.6.0? Using bundler?

rpm -q ruby193-rubygem-scoped\_search ruby193-rubygem-scoped\_search-2.5.1-3.el6.noarch

Please try to downgrade to 2.5.1 for now.

#### #5 - 07/11/2013 04:12 AM - Romain Vrignaud

I confirm that problem does not exist with scoped search in 2.5.1

diff --git a/Gemfile b/Gemfile
index 4da0036..108c1ee 100644
--- a/Gemfile
+++ b/Gemfile
@ -9,7 +9,7 @ gem 'rest-client', :require => 'rest\_client'
gem "audited-activerecord", "3.0.0"
gem "will\_paginate", "~> 3.0.2"
gem "ancestry", "~> 1.3"
-gem 'scoped\_search', '>= 2.5'
+gem 'scoped\_search', '= 2.5.1'
gem 'net-ldap'

05/17/2024 5/6

gem 'uuidtools' gem "apipie-rails", '0.0.16'

### #6 - 02/07/2014 02:04 PM - Marek Hulán

- Related to Bug #4293: Scoped search breaks on some relations added

# #7 - 02/10/2014 03:29 PM - Marek Hulán

With 2.6.2 I see different error. You can replicate using search like 'host.hostgroup = "puppet\_managed""

# #8 - 03/10/2014 04:16 PM - Dominic Cleal

- Status changed from New to Resolved

Marek Hulán wrote:

With 2.6.2 I see different error. You can replicate using search like 'host.hostgroup = "puppet\_managed"

I think this is now fixed via #4563 and 2.6.5, closing.

05/17/2024 6/6