

Foreman - Bug #2773

API Inconsistency - /puppetclasses and /api/puppetclasses

07/11/2013 10:57 AM - Tal Kammer

Status: Closed	
Priority: Normal	
Assignee: Joseph Magen	
Category: API	
Target version:	
Difficulty:	Fixed in Releases:
Triaged:	Found in Releases:
Bugzilla link:	Red Hat JIRA:
Pull request:	
Description I was trying to list all the puppet classes in our server and when running: <code>curl -s -H "Accept:application/json" -k -u \$USER:\$PASS --get https://\$HOST/puppetclasses</code> I got one set of results. and when running: <code>curl -s -H "Accept:application/json" -k -u \$USER:\$PASS --get https://\$HOST/api/puppetclasses</code> I got a different set of results. Can someone please verify this. Thanks, Tal	

History

#1 - 07/11/2013 01:58 PM - Joseph Magen

- Category set to API
- Status changed from New to Assigned
- Assignee set to Joseph Magen

The JSON response for /puppetclasses (without /api) does not paginate the results. It returns on the puppetclasses in Foreman. The JSON response for /api/puppetclasses paginates the results according to the parameters :page and :per_page. If you want all the results, pass :per_page in the URL like this below.

```
/api/puppetclasses?per_page=100000
```

If there is no parameter passed, it takes the default in Settings, which is why the response was different.

By the way, the JSON responses in the UI controllers (without /api) are going to be deprecated soon, so there is no reason to paginate the response. Can I close this issue?

#2 - 07/17/2013 12:24 PM - Dominic Cleal

- Status changed from Assigned to Feedback

#3 - 07/30/2013 07:27 AM - Joseph Magen

- Status changed from Feedback to Closed

answered of foreman-users mailing list