

## Foreman - Bug #2774

### Retriving puppet by ID error

07/11/2013 10:59 AM - Tal Kammer

<b>Status:</b> Closed	
<b>Priority:</b> Normal	
<b>Assignee:</b> Joseph Magen	
<b>Category:</b> API	
<b>Target version:</b>	
<b>Difficulty:</b>	<b>Fixed in Releases:</b>
<b>Triaged:</b>	<b>Found in Releases:</b>
<b>Bugzilla link:</b>	<b>Red Hat JIRA:</b>
<b>Pull request:</b>	
<b>Description</b>	
When trying to run:	
curl -s -H "Accept:application/json" -k -u \$USER:\$PASS --get <a href="https://\$HOST/api/puppetclasses/10">https://\$HOST/api/puppetclasses/10</a>	
where 10 is the ID number of one of the puppet classes, I'm getting an error:	
<pre>{"error":{"message":"Missing template api/v1/puppetclasses/show, api/v1/base/show, api/base/show with {:locale=&gt;[:en], :formats=&gt;[:json], :handlers=&gt;[:erb, :builder, :rabl]}. Searched in:\n * \"/usr/share/foreman/app/views"\n * \"/opt/rh/ruby193/root/usr/share/gems/gems/apipie-rails-0.0.18/app/views"\n"}}</pre>	
Tal	

#### History

##### #1 - 07/11/2013 02:01 PM - Joseph Magen

- Category set to API
- Status changed from New to Assigned
- Assignee set to Joseph Magen

There is no :show action in v1/puppetclasses\_controller which is why you are getting the missing template error.

The functionality that you are looking for does exist in v2. Just pass version=2 in the header like this

```
curl -s -H "Accept:application/json,version=2" -k -u $USER:$PASS --get https://\$HOST/api/puppetclasses/10
```

Please confirm and then I'll close this issue.

##### #2 - 07/17/2013 12:24 PM - Dominic Cleal

- Status changed from Assigned to Feedback

##### #3 - 07/30/2013 07:28 AM - Joseph Magen

- Status changed from Feedback to Closed

answered on foreman-users mailing list