

Foreman - Bug #2792

If you delete "PXE Localboot Default" cancel build fails

07/15/2013 10:19 AM - Florian Rosenegger

Status: New	
Priority: Normal	
Assignee:	
Category: Templates	
Target version:	
Difficulty:	Fixed in Releases:
Triaged:	Found in Releases:
Bugzilla link:	Red Hat JIRA:
Pull request:	
Description	
Hello,	
i deleted the Provisioning template "PXE Localboot Default" and after that it was no longer possible to cancel a build for a host.	
The error i got was: Failed to save: Failed to generate PXELinux template: undefined method `template' for nil:NilClass	
Via finish.sh script i also tried to call https://foreman/unattended/built but i only got a 409.	
So maybe it would be good to make the Template undeleteable.	
Thanks, Florian	
Related issues:	
Related to Foreman - Feature #3103: Read only provisioning/config templates f...	Closed 09/17/2013
Related to Foreman - Feature #7484: Per-subnet PXELinux global default files	New 09/17/2014
Has duplicate Foreman - Bug #2215: When PXE Localboot Default is deleted, cau...	Duplicate 02/17/2013
Has duplicate Foreman - Bug #4008: Disable 'build mode' unsuccessful	Duplicate 01/14/2014

Associated revisions

Revision 061e34f2 - 10/24/2013 01:46 PM - Lukas Zapletal

refs #2792 - Adding comments to pxe templates

Revision c40a0f07 - 10/25/2013 03:47 PM - Lukas Zapletal

refs #2792 - Adding comments to pxe templates

(cherry picked from commit 061e34f25131647fe6af0654cbbd492eb64ad402)

History

#1 - 07/22/2013 09:47 AM - Greg Sutcliffe

As we don't have an "undeleteable" feature for templates, I'm not sure this is a strong enough use case to implement one. It could be sensible to have some internal string which could be used if the template is not found, though. Any objections?

#2 - 07/23/2013 03:55 AM - Lukas Zapletal

- Category set to Templates

- Target version set to 1.3.0

Can't we just implement ON DELETE ERROR instead default ON DELETE NULL for this one?

#3 - 07/23/2013 05:21 AM - Greg Sutcliffe

We could, yes. I'm happy with either approach, tbh.

#4 - 07/25/2013 02:47 AM - Florian Rosenegger

Hello again,

i would also be happy if Foreman would just post a message that it is missing this special template (maybe with a hint to create one with the default name..)

My problem was that i just couldn't cancel the build but there was none whatsoever reason why (even in the log) and without Ohad and the IRC i wouldn't had a single idea what the error means.

The undeleteable feature for important templates was just one idea, but maybe/definitely not the best.

#5 - 09/16/2013 12:03 PM - Lukas Zapletal

- *Description updated*
- *Target version deleted (1.3.0)*

#6 - 10/18/2013 07:43 AM - Dominic Cleal

- *Has duplicate Bug #2215: When PXE Localboot Default is deleted, causes nil error when cancelling build added*

#7 - 10/18/2013 07:43 AM - Dominic Cleal

- *Related to Feature #3103: Read only provisioning/config templates for plugins added*

#8 - 10/24/2013 01:44 PM - Lukas Zapletal

- *Status changed from New to Ready For Testing*
- *Assignee set to Lukas Zapletal*
- *Target version set to 1.15.0*
- *translation missing: en.field_release set to 1*
- *Difficulty set to trivial*

At least, I am adding comment to the templates.

<https://github.com/theforeman/foreman/pull/977>

#9 - 10/24/2013 01:49 PM - Dominic Cleal

- *Status changed from Ready For Testing to New*
- *Assignee deleted (Lukas Zapletal)*
- *Target version deleted (1.15.0)*
- *translation missing: en.field_release deleted (1)*
- *Difficulty deleted (trivial)*

Sorry, I'm going to reset this as I don't think this is a final solution to the issue, helpful though it is. Thanks Lukas.

#10 - 01/14/2014 08:27 AM - Dominic Cleal

- *Has duplicate Bug #4008: Disable 'build mode' unsuccessful added*

#11 - 09/17/2014 03:32 AM - Dominic Cleal

- *Related to Feature #7484: Per-subnet PXELinux global default files added*