

Foreman - Bug #29276

telemetry broken on Debian/Ubuntu

03/05/2020 09:58 PM - Anonymous

Status:	Closed	
Priority:	Normal	
Assignee:		
Category:	Packaging	
Target version:		
Difficulty:		Fixed in Releases: 1.23.2, 1.24.3, 2.0.0, 2.1.0
Triaged:	No	Found in Releases:
Bugzilla link:		Red Hat JIRA:
Pull request:	https://github.com/theforeman/foreman/pull/7492	

Description

```
foreman@buster:~$ /usr/bin/bundle exec rails server --environment $FOREMAN_ENV --port $FOREMAN_PORT --binding $FOREMAN_BIND
=> Booting Puma
=> Rails 5.2.1 application starting in production
=> Run `rails server -h` for more startup options
Exiting
Traceback (most recent call last):
  57: from bin/rails:9:in `'
  56: from /usr/share/foreman/vendor/ruby/2.5.0/gems/railties-5.2.1/lib/rails/commands.rb:18:in `'
  55: from /usr/share/foreman/vendor/ruby/2.5.0/gems/railties-5.2.1/lib/rails/command.rb:46:in `invoke'
  54: from /usr/share/foreman/vendor/ruby/2.5.0/gems/railties-5.2.1/lib/rails/command/base.rb:65:in `perform'
  53: from /usr/share/foreman/vendor/ruby/2.5.0/gems/thor-1.0.1/lib/thor.rb:392:in `dispatch'
  52: from /usr/share/foreman/vendor/ruby/2.5.0/gems/thor-1.0.1/lib/thor/invocation.rb:127:in `invoke_command'
  51: from /usr/share/foreman/vendor/ruby/2.5.0/gems/thor-1.0.1/lib/thor/command.rb:27:in `run'
  50: from /usr/share/foreman/vendor/ruby/2.5.0/gems/railties-5.2.1/lib/rails/commands/server/server_command.rb:142:in `perform'
  49: from /usr/share/foreman/vendor/ruby/2.5.0/gems/railties-5.2.1/lib/rails/commands/server/server_command.rb:142:in `tap'
  48: from /usr/share/foreman/vendor/ruby/2.5.0/gems/railties-5.2.1/lib/rails/commands/server/server_command.rb:147:in `block in perform'
  47: from /usr/share/foreman/vendor/ruby/2.5.0/gems/railties-5.2.1/lib/rails/commands/server/server_command.rb:53:in `start'
  46: from /usr/share/foreman/vendor/ruby/2.5.0/gems/rack-2.0.9/lib/rack/server.rb:283:in `start'
  45: from /usr/share/foreman/vendor/ruby/2.5.0/gems/rack-2.0.9/lib/rack/server.rb:354:in `wrapped_app'
  44: from /usr/share/foreman/vendor/ruby/2.5.0/gems/railties-5.2.1/lib/rails/commands/server/server_command.rb:27:in `app'
  43: from /usr/share/foreman/vendor/ruby/2.5.0/gems/rack-2.0.9/lib/rack/server.rb:219:in `app'
  42: from /usr/share/foreman/vendor/ruby/2.5.0/gems/rack-2.0.9/lib/rack/server.rb:319:in `build_app_and_options_from_config'
  41: from /usr/share/foreman/vendor/ruby/2.5.0/gems/rack-2.0.9/lib/rack/builder.rb:40:in `parse_file'
  40: from /usr/share/foreman/vendor/ruby/2.5.0/gems/rack-2.0.9/lib/rack/builder.rb:49:in `new_from_string'
  39: from /usr/share/foreman/vendor/ruby/2.5.0/gems/rack-2.0.9/lib/rack/builder.rb:49:in `eval'
  38: from config.ru:in `'
  37: from config.ru:in `new'
  36: from /usr/share/foreman/vendor/ruby/2.5.0/gems/rack-2.0.9/lib/rack/builder.rb:55:in `initialize'
  35: from /usr/share/foreman/vendor/ruby/2.5.0/gems/rack-2.0.9/lib/rack/builder.rb:55:in `install'
```

```

nce_eval'
  34: from config.ru:5:in `block in <main>'
  33: from /usr/share/foreman/config/environment.rb:5:in `<top (required)>'
  32: from /usr/share/foreman/vendor/ruby/2.5.0/gems/railties-5.2.1/lib/rails/railtie.rb:190:in
`method_missing'
  31: from /usr/share/foreman/vendor/ruby/2.5.0/gems/railties-5.2.1/lib/rails/railtie.rb:190:in
`public_send'
  30: from /usr/share/foreman/vendor/ruby/2.5.0/gems/railties-5.2.1/lib/rails/application.rb:361
:in `initialize!'
  29: from /usr/share/foreman/vendor/ruby/2.5.0/gems/railties-5.2.1/lib/rails/initializable.rb:6
0:in `run_initializers'
  28: from /usr/lib/ruby/2.5.0/tsort.rb:205:in `tsort_each'
  27: from /usr/lib/ruby/2.5.0/tsort.rb:226:in `tsort_each'
  26: from /usr/lib/ruby/2.5.0/tsort.rb:347:in `each_strongly_connected_component'
  25: from /usr/lib/ruby/2.5.0/tsort.rb:347:in `call'
  24: from /usr/lib/ruby/2.5.0/tsort.rb:347:in `each'
  23: from /usr/lib/ruby/2.5.0/tsort.rb:349:in `block in each_strongly_connected_component'
  22: from /usr/lib/ruby/2.5.0/tsort.rb:415:in `each_strongly_connected_component_from'
  21: from /usr/lib/ruby/2.5.0/tsort.rb:415:in `call'
  20: from /usr/share/foreman/vendor/ruby/2.5.0/gems/railties-5.2.1/lib/rails/initializable.rb:5
0:in `tsort_each_child'
  19: from /usr/share/foreman/vendor/ruby/2.5.0/gems/railties-5.2.1/lib/rails/initializable.rb:5
0:in `each'
  18: from /usr/lib/ruby/2.5.0/tsort.rb:421:in `block in each_strongly_connected_component_from'
  17: from /usr/lib/ruby/2.5.0/tsort.rb:431:in `each_strongly_connected_component_from'
  16: from /usr/lib/ruby/2.5.0/tsort.rb:422:in `block (2 levels) in each_strongly_connected_comp
onent_from'
  15: from /usr/lib/ruby/2.5.0/tsort.rb:350:in `block (2 levels) in each_strongly_connected_comp
onent'
  14: from /usr/lib/ruby/2.5.0/tsort.rb:228:in `block in tsort_each'
  13: from /usr/share/foreman/vendor/ruby/2.5.0/gems/railties-5.2.1/lib/rails/initializable.rb:6
1:in `block in run_initializers'
  12: from /usr/share/foreman/vendor/ruby/2.5.0/gems/railties-5.2.1/lib/rails/initializable.rb:3
2:in `run'
  11: from /usr/share/foreman/vendor/ruby/2.5.0/gems/railties-5.2.1/lib/rails/initializable.rb:3
2:in `instance_exec'
  10: from /usr/share/foreman/vendor/ruby/2.5.0/gems/railties-5.2.1/lib/rails/engine.rb:613:in `
block in <class:Engine>'
   9: from /usr/share/foreman/vendor/ruby/2.5.0/gems/railties-5.2.1/lib/rails/engine.rb:613:in `
each'
   8: from /usr/share/foreman/vendor/ruby/2.5.0/gems/railties-5.2.1/lib/rails/engine.rb:614:in `
block (2 levels) in <class:Engine>'
   7: from /usr/share/foreman/vendor/ruby/2.5.0/gems/railties-5.2.1/lib/rails/engine.rb:656:in `
load_config_initializer'
   6: from /usr/share/foreman/vendor/ruby/2.5.0/gems/activestorage-5.2.1/lib/active_storage/noti
fications.rb:170:in `instrument'
   5: from /usr/share/foreman/vendor/ruby/2.5.0/gems/railties-5.2.1/lib/rails/engine.rb:657:in `
block in load_config_initializer'
   4: from /usr/share/foreman/config/initializers/5_telemetry.rb:4:in `<top (required)>'
   3: from /usr/share/foreman/lib/foreman/telemetry.rb:23:in `setup'
   2: from /usr/share/foreman/lib/foreman/telemetry.rb:29:in `setup_sink'
   1: from /usr/share/foreman/lib/foreman/telemetry.rb:29:in `new'
/usr/share/foreman/lib/foreman/telemetry_sinks/statsd_sink.rb:8:in `initialize': uninitialized con
stant StatsD::Instrument::Backends (NameError)

```

Associated revisions

Revision 8abbecb - 03/05/2020 11:15 PM - Michael Moll

Fixes #29276 - pin statsd-instrument

History

#1 - 03/05/2020 10:00 PM - The Foreman Bot

- Pull request <https://github.com/foreman/foreman/pull/7492> added

#2 - 03/05/2020 11:15 PM - The Foreman Bot

- Fixed in Releases 2.1.0 added

#3 - 03/06/2020 12:01 AM - Anonymous

- Status changed from Ready For Testing to Closed

Applied in changeset [8abbecb13049ba42e8d564e02f7277062257b1f](#).

#4 - 03/06/2020 09:24 PM - Anonymous

- Fixed in Releases 1.23.2, 1.24.3, 2.0.0 added