Foreman - Tracker #29939

Improve setting definition DSL and move setting registry to memory

05/27/2020 10:19 AM - Ondřej Ezr

Status: Closed % Done: 100% **Priority:** Normal Assignee: Ondřej Ezr Category: Settings Target version: Difficulty: medium Fixed in Releases: 3.6.0 Triaged: Yes Found in Releases: Bugzilla link: Red Hat JIRA:

Description

Currently we have all the settings (both changed and unchanged) in the database, but we have all the defaults in code as well, so it makes no sense to have quite a heavy code base to keep both in sync.

Instead I'd like to bring the setting inventory into memory and database would keep only the changed settings.

It should give as an easy way for plugins to extend settings category not just adding a new one.

| Subtasks: | |
|--|-----------|
| Refactor # 30860: Create SettingPresenter as a proxy for setting UI values | Closed |
| Refactor # 30861: Move setting value collections to SettingPresenter | Closed |
| Feature # 30862: Introduce SettingRegistry as a setting inventory | Closed |
| Refactor # 31471: Deprecate setting timestamps in API responses | Closed |
| Feature # 32286: Create a new setting definition DSL | Closed |
| Refactor # 32287: Load Setting index page from memory registry | Closed |
| Refactor # 32403: Add custom validations to new setting DSL | Closed |
| Refactor # 32408: Use new DSL to define settings | Closed |
| Refactor # 11836: Rename Puppet settings to Configuration | Closed |
| Refactor # 32893: Use new DSL to define General settings | Closed |
| Refactor # 33589: Use new DSL to define Authentication settings | Closed |
| Refactor # 33595: Use new DSL to define Email settings | Closed |
| Refactor # 33596: Use new DSL to define Notification settings | Closed |
| Refactor # 33601: Use new DSL to define Provisioning settings | Closed |
| Refactor # 33607: Use new DSL to define Puppet settings | Closed |
| Refactor # 32415: Use only SettingRegistry to read and update the settings | Closed |
| Bug # 32489: Setting registry doesn't reload properly on autoreload | Closed |
| Refactor # 32583: Mandatory setting type | Duplicate |
| Refactor # 32894: Add strong typing to Setting DSL | Closed |
| Refactor # 33608: use new Settings DSL in Katello | Closed |
| Refactor # 33781: Deprecate the old setting definitions without "default_settings" | Closed |
| Refactor # 33782: Initialize Setting for tests without fixtures | Closed |
| Refactor # 34305: Stop creating settings in the DB | Closed |
| Bug # 34328: GraphQL is using Setting model directly | Closed |
| Refactor # 34335: Make GraphQL read settings from Registry | Rejected |
| Refactor # 34603: Deprecate other than DSL setting definitions | Closed |
| Refactor # 35013: Refactor config rake to use Setting DSL | Closed |
| Refactor # 35793: Drop the settings category column from database | Closed |
| Related issues: | |

Related issues:

| Related to Katello - Refactor #30354: Use only public setting interface to up | Closed |
|---|--------|
| Related to Foreman - Refactor #29257: remove x-editable-rails | Closed |
| Related to Foreman - Bug #33791: Settings defined in settings.yaml do not tak | Closed |

05/10/2024 1/3

| Related to Boot disk - Refactor #34674: Use new DSL to define settings | Closed | |
|---|--------|--|
| Related to Discovery - Refactor #34677: Use new DSL to define settings | Closed | |
| Blocks Ansible - Refactor #32409: Use new DSL to define settings | Closed | |
| Blocks Templates - Refactor #32410: Use new DSL to define settings | Closed | |
| Blocks Discovery - Refactor #32411: Remove the old Setting class, which now o | New | |
| Blocks foreman-tasks - Refactor #32412: Use new DSL to define settings | Closed | |
| Blocks Foreman Remote Execution - Refactor #32413: Use new DSL to define sett | Closed | |
| Blocks Statistics - Refactor #32414: Use new DSL to define settings | Closed | |

Associated revisions

Revision c791f6c7 - 01/16/2023 12:01 PM - Ondřej Ezr

Fixes #29939 - drop category column from settings

Settings table was holding category column to support old style of settings, but it is now ready to be decomissioned as plugins were given enough time.

History

#1 - 05/28/2020 11:12 PM - The Foreman Bot

- Status changed from New to Ready For Testing
- Pull request https://github.com/theforeman/foreman/pull/7702 added

#2 - 07/09/2020 11:28 AM - Ondřej Ezr

- Related to Refactor #30354: Use only public setting interface to update setting values added

#3 - 09/07/2020 01:19 PM - Amit Upadhye

- Target version changed from 2.2.0 to 2.3.0

#4 - 09/16/2020 03:28 PM - Ondřej Ezr

- Subject changed from Add extension point to setting defaults to Move setting registry into a memory

#5 - 09/16/2020 03:31 PM - Ondřej Ezr

- Description updated

#6 - 09/16/2020 03:32 PM - Ondřej Ezr

- Tracker changed from Feature to Tracker
- % Done set to 0
- Pull request deleted (https://github.com/theforeman/foreman/pull/7702)

#7 - 09/17/2020 10:38 AM - Ondřej Ezr

- Description updated

#8 - 09/17/2020 10:39 AM - Ondřej Ezr

- Related to Refactor #29257: remove x-editable-rails added

#9 - 11/23/2020 11:29 AM - Ondřej Ezr

- Target version changed from 2.3.0 to 2.4.0

#10 - 01/27/2021 01:56 PM - Tomer Brisker

- Target version deleted (2.4.0)

#11 - 02/02/2021 01:05 PM - Amit Upadhye

- Target version set to 2.5.0

#12 - 04/10/2021 10:22 PM - Ondřej Ezr

- Subject changed from Move setting registry into a memory to Improve setting definition DSL and move setting registry to memory

05/10/2024 2/3

#13 - 04/24/2021 08:36 PM - Ondřej Ezr

- Blocks Refactor #32409: Use new DSL to define settings added

#14 - 04/24/2021 08:37 PM - Ondřej Ezr

- Blocks Refactor #32410: Use new DSL to define settings added

#15 - 04/24/2021 08:38 PM - Ondřej Ezr

- Blocks Refactor #32411: Remove the old Setting class, which now only holds helper methods added

#16 - 04/24/2021 08:39 PM - Ondřej Ezr

- Blocks Refactor #32412: Use new DSL to define settings added

#17 - 04/24/2021 08:40 PM - Ondřej Ezr

- Blocks Refactor #32413: Use new DSL to define settings added

#18 - 04/24/2021 08:41 PM - Ondřej Ezr

- Blocks Refactor #32414: Use new DSL to define settings added

#19 - 04/26/2021 09:13 AM - Ondřej Ezr

- Target version deleted (2.5.0)

#20 - 10/27/2021 08:18 AM - Ondřej Ezr

- Related to Bug #33791: Settings defined in settings.yaml do not take precedence in the new DSL added

#21 - 03/24/2022 05:01 PM - Ondřej Ezr

- Related to Refactor #34674: Use new DSL to define settings added

#22 - 06/03/2022 07:00 AM - Ondřej Ezr

- Related to Refactor #34677: Use new DSL to define settings added

#23 - 01/16/2023 12:01 PM - The Foreman Bot

- Fixed in Releases 3.6.0 added

#24 - 01/16/2023 01:01 PM - Ondřej Ezr

- Status changed from Ready For Testing to Closed
- % Done changed from 95 to 100

Applied in changeset foreman|c791f6c70806952aef520cc779397560138f207e.

05/10/2024 3/3