

## Installer - Bug #29941

### PostgreSQL is installed, regardless of whether it's needed

05/27/2020 12:21 PM - Ewoud Kohl van Wijngaarden

<b>Status:</b>	Closed	
<b>Priority:</b>	Normal	
<b>Assignee:</b>	Ewoud Kohl van Wijngaarden	
<b>Category:</b>	foreman-installer script	
<b>Target version:</b>	2.0.1	
<b>Difficulty:</b>		<b>Fixed in Releases:</b> 2.0.1, 2.1.0
<b>Triaged:</b>	No	<b>Found in Releases:</b> 2.0.0, 2.1.0
<b>Bugzilla link:</b>		<b>Red Hat JIRA:</b>
<b>Pull request:</b>	<a href="https://github.com/foreman/foreman-installer/pull/508">https://github.com/foreman/foreman-installer/pull/508</a>	
<b>Description</b>		
The helper local_postgresql? doesn't check whether the Foreman module is actually enabled. When passing --no-enable-foreman, it still installs PostgreSQL.		

#### Associated revisions

##### Revision d38c9144 - 05/28/2020 12:42 PM - Ewoud Kohl van Wijngaarden

Fixes #29941 - Check modules are enabled

param\_value() can return an answer for a disabled module. The result is that PostgreSQL is being installed on a Foreman Proxy when it's not needed.

#### History

##### #1 - 05/27/2020 01:15 PM - The Foreman Bot

- Status changed from New to Ready For Testing
- Assignee set to Ewoud Kohl van Wijngaarden
- Pull request <https://github.com/foreman/foreman-installer/pull/508> added

##### #2 - 05/28/2020 12:42 PM - The Foreman Bot

- Fixed in Releases 2.2.0 added

##### #3 - 05/28/2020 01:01 PM - Ewoud Kohl van Wijngaarden

- Status changed from Ready For Testing to Closed

Applied in changeset [installer|d38c9144600050e9ae54155ee75665b3f204c572](#).

##### #4 - 06/02/2020 09:13 AM - Tomer Brisker

- Fixed in Releases 2.0.1, 2.1.0 added
- Fixed in Releases deleted (2.2.0)