

Foreman - Bug #310

Debian Initscript sometimes exits with return code >0 although no error occurred

06/07/2010 12:47 PM - Jochen Schalanda

Status: Closed	
Priority: Normal	
Assignee: Jochen Schalanda	
Category: Packaging	
Target version: 0.1-5	
Difficulty:	Fixed in Releases:
Triaged: No	Found in Releases:
Bugzilla link:	Red Hat JIRA:
Pull request:	
Description	
The the Debian package specification introduced with issue #299 contains two errors:	
<ul style="list-style-type: none">• The init script sometimes exits with a return code >0 although no error occurred starting or stopping foreman• The script ./extras/dbmigrate only echoed the command it should run.	
The attached patches fix both issues.	

Associated revisions

Revision dae8ff26 - 06/10/2010 05:34 PM - Jochen Schalanda

fixes #310 - Debian Initscript sometimes exits with return code >0 although no error occurred

History

#1 - 06/07/2010 12:48 PM - Jochen Schalanda

- File 0002-Fixed-debian-init-script.patch added

Please ignore foreman-debian.tar.bz2 which has been attached by error.

#2 - 06/10/2010 05:35 PM - Ohad Levy

- Status changed from New to Closed

- Target version set to 0.1-5

#3 - 10/15/2018 01:44 PM - Tomer Brisker

- Category changed from 21 to Packaging

Files

0001-Fixed-extras-dbmmigrate-to-actually-do-something.patch	753 Bytes	06/07/2010	Jochen Schalanda
foreman-debian.tar.bz2	4.69 KB	06/07/2010	Jochen Schalanda
0002-Fixed-debian-init-script.patch	2.38 KB	06/07/2010	Jochen Schalanda