

Foreman - Feature #31103

[RFE] Allow installing katello-(agent,host-tools,host-tools-tracer) based on the declarations via host/hostgroup parameters during system build

10/20/2020 02:55 AM - Sayan Das

Status: New	
Priority: Normal	
Assignee:	
Category: Templates	
Target version:	
Difficulty: easy	Fixed in Releases:
Triaged: No	Found in Releases: 2.1.0
Bugzilla link: 1889568	Red Hat JIRA:
Pull request:	
Description	
<p>The https://projects.theforeman.org/issues/30738 is providing a way to skip the katello-agent installation via host-paramateres but still,</p> <ul style="list-style-type: none">"redhat_install_agent""redhat_install_host_tools""redhat_install_host_tracer_tools" should not be dependant on activation_keyUser should be able to individually set those parameters as true or false at host or host group level, to decide which package to install and which not to. <p>Suggesting implementation with a small code modification inside "redhat_register.erb" i.e. to move those parameter declarations out of the if-else loop</p> <pre>~~~ <% if registration_type == 'subscription_manager' > < atomic = @host.operatingsystem.respond_to?(:atomic) ? @host.operatingsystem.atomic : host_param_true?('atomic') if host_param('kt_activation_keys') subscription_manager_certpkg_url = subscription_manager_configuration_url(@host) subscription_manager_atomic_url = subscription_manager_configuration_url(@host, false) subscription_manager_org = @host.rhsm_organization_label activation_key = host_param('kt_activation_keys') else subscription_manager_certpkg_url = host_param('subscription_manager_certpkg_url') subscription_manager_atomic_url = host_param('subscription_manager_atomic_url') subscription_manager_org = host_param('subscription_manager_org') activation_key = host_param('activation_key') end redhat_install_agent = host_param_true?('redhat_install_agent') redhat_install_host_tools = host_param_true?('redhat_install_host_tools') redhat_install_host_tracer_tools = host_param_true?('redhat_install_host_tracer_tools') %> ~~~</pre> <p>This change is actually much more efficient as if someone sets "redhat_install_host_tools" to "true" at the host or host group level, only then katello-host-tools will be installed, or else none of those three packages will be installed.</p>	

History

#1 - 03/09/2021 09:58 PM - The Foreman Bot

- Status changed from New to Ready For Testing

- Pull request <https://github.com/theforeman/foreman/pull/8376> added

#2 - 07/10/2021 01:23 AM - The Foreman Bot

- Status changed from Ready For Testing to New

- Pull request deleted (<https://github.com/theforeman/foreman/pull/8376>)