

Foreman - Bug #31258

puppetrun removal migration shouldn't fail even if the setting was set manually

11/04/2020 03:43 PM - Han Boetes

Status:	Closed	
Priority:	Normal	
Assignee:	Tomer Brisker	
Category:	DB migrations	
Target version:	2.2.1	
Difficulty:		Fixed in Releases: 2.2.1, 2.3.0
Triaged:	No	Found in Releases: 2.2.0
Bugzilla link:		Red Hat JIRA:
Pull request:	https://github.com/theforeman/foreman/pull/8125	

Description

During the db:migrate I ran into this problem:

```
# foreman-rake db:migrate --trace
** Invoke db:migrate (first_time)
** Invoke db:load_config (first_time)
** Invoke environment (first_time)
** Execute environment
** Execute db:load_config
** Invoke plugin:refresh_migrations (first_time)
** Invoke environment
** Execute plugin:refresh_migrations
** Execute db:migrate
== 20200602155700 DropPuppetRun: migrating =====
rake aborted!
StandardError: An error has occurred, this and all later migrations canceled:

Setting::Puppet is marked as readonly
/opt/theforeman/tfm/root/usr/share/gems/gems/activerecord-6.0.3.1/lib/active_record/persistence.rb
:963:in `_raise_readonly_record_error'
/opt/theforeman/tfm/root/usr/share/gems/gems/activerecord-6.0.3.1/lib/active_record/persistence.rb
:532:in `destroy'
/opt/theforeman/tfm/root/usr/share/gems/gems/activerecord-6.0.3.1/lib/active_record/callbacks.rb:3
09:in `block in destroy'
/opt/theforeman/tfm/root/usr/share/gems/gems/activesupport-6.0.3.1/lib/active_support/callbacks.rb
:101:in `run_callbacks'
/opt/theforeman/tfm/root/usr/share/gems/gems/activesupport-6.0.3.1/lib/active_support/callbacks.rb
:825:in `_run_destroy_callbacks'
/opt/theforeman/tfm/root/usr/share/gems/gems/activerecord-6.0.3.1/lib/active_record/callbacks.rb:3
09:in `destroy'
/opt/theforeman/tfm/root/usr/share/gems/gems/activerecord-6.0.3.1/lib/active_record/transactions.r
b:310:in `block in destroy'
/opt/theforeman/tfm/root/usr/share/gems/gems/activerecord-6.0.3.1/lib/active_record/transactions.r
b:375:in `block in with_transaction_returning_status'
/opt/theforeman/tfm/root/usr/share/gems/gems/activerecord-6.0.3.1/lib/active_record/connection_ada
pters/abstract/database_statements.rb:278:in `transaction'
/opt/theforeman/tfm/root/usr/share/gems/gems/activerecord-6.0.3.1/lib/active_record/transactions.r
b:212:in `transaction'
/opt/theforeman/tfm/root/usr/share/gems/gems/activerecord-6.0.3.1/lib/active_record/transactions.r
b:366:in `with_transaction_returning_status'
/opt/theforeman/tfm/root/usr/share/gems/gems/activerecord-6.0.3.1/lib/active_record/transactions.r
b:310:in `destroy'
/opt/theforeman/tfm/root/usr/share/gems/gems/activerecord-6.0.3.1/lib/active_record/relation.rb:54
4:in `each'
/opt/theforeman/tfm/root/usr/share/gems/gems/activerecord-6.0.3.1/lib/active_record/relation.rb:54
4:in `destroy_all'
```

```

/usr/share/foreman/db/migrate/20200602155700_drop_puppet_run.rb:3:in `up'
/opt/theforeman/tfm/root/usr/share/gems/gems/activerecord-6.0.3.1/lib/active_record/migration.rb:831:in `exec_migration'
/opt/theforeman/tfm/root/usr/share/gems/gems/activerecord-6.0.3.1/lib/active_record/migration.rb:12:in `block (2 levels) in migrate'
/opt/rh/rh-ruby25/root/usr/share/ruby/benchmark.rb:293:in `measure'
/opt/theforeman/tfm/root/usr/share/gems/gems/activerecord-6.0.3.1/lib/active_record/migration.rb:811:in `block in migrate'
/opt/theforeman/tfm/root/usr/share/gems/gems/activerecord-6.0.3.1/lib/active_record/connection_adapters/abstract/connection_pool.rb:471:in `with_connection'
/opt/theforeman/tfm/root/usr/share/gems/gems/activerecord-6.0.3.1/lib/active_record/migration.rb:810:in `migrate'
/opt/theforeman/tfm/root/usr/share/gems/gems/activerecord-6.0.3.1/lib/active_record/migration.rb:1002:in `migrate'
/opt/theforeman/tfm/root/usr/share/gems/gems/activerecord-6.0.3.1/lib/active_record/migration.rb:1310:in `block in execute_migration_in_transaction'
/opt/theforeman/tfm/root/usr/share/gems/gems/activerecord-6.0.3.1/lib/active_record/migration.rb:1361:in `block in ddl_transaction'
/opt/theforeman/tfm/root/usr/share/gems/gems/activerecord-6.0.3.1/lib/active_record/connection_adapters/abstract/database_statements.rb:280:in `block in transaction'
/opt/theforeman/tfm/root/usr/share/gems/gems/activerecord-6.0.3.1/lib/active_record/connection_adapters/abstract/transaction.rb:280:in `block in within_new_transaction'
/opt/theforeman/tfm/root/usr/share/gems/gems/activerecord-6.0.3.1/lib/active_record/connection_adapters/abstract/connection_pool.rb:26:in `block (2 levels) in synchronize'
/opt/theforeman/tfm/root/usr/share/gems/gems/activerecord-6.0.3.1/lib/active_record/connection_adapters/abstract/connection_pool.rb:25:in `handle_interrupt'
/opt/theforeman/tfm/root/usr/share/gems/gems/activerecord-6.0.3.1/lib/active_record/connection_adapters/abstract/connection_pool.rb:25:in `block in synchronize'
/opt/theforeman/tfm/root/usr/share/gems/gems/activerecord-6.0.3.1/lib/active_record/connection_adapters/abstract/connection_pool.rb:21:in `handle_interrupt'
/opt/theforeman/tfm/root/usr/share/gems/gems/activerecord-6.0.3.1/lib/active_record/connection_adapters/abstract/connection_pool.rb:21:in `synchronize'
/opt/theforeman/tfm/root/usr/share/gems/gems/activerecord-6.0.3.1/lib/active_record/connection_adapters/abstract/transaction.rb:278:in `within_new_transaction'
/opt/theforeman/tfm/root/usr/share/gems/gems/activerecord-6.0.3.1/lib/active_record/connection_adapters/abstract/database_statements.rb:280:in `transaction'
/opt/theforeman/tfm/root/usr/share/gems/gems/activerecord-6.0.3.1/lib/active_record/transactions.rb:212:in `transaction'
/opt/theforeman/tfm/root/usr/share/gems/gems/activerecord-6.0.3.1/lib/active_record/migration.rb:1361:in `ddl_transaction'
/opt/theforeman/tfm/root/usr/share/gems/gems/activerecord-6.0.3.1/lib/active_record/migration.rb:1309:in `execute_migration_in_transaction'
/opt/theforeman/tfm/root/usr/share/gems/gems/activerecord-6.0.3.1/lib/active_record/migration.rb:1281:in `block in migrate_without_lock'
/opt/theforeman/tfm/root/usr/share/gems/gems/activerecord-6.0.3.1/lib/active_record/migration.rb:1280:in `each'
/opt/theforeman/tfm/root/usr/share/gems/gems/activerecord-6.0.3.1/lib/active_record/migration.rb:1280:in `migrate_without_lock'
/opt/theforeman/tfm/root/usr/share/gems/gems/activerecord-6.0.3.1/lib/active_record/migration.rb:1229:in `block in migrate'
/opt/theforeman/tfm/root/usr/share/gems/gems/activerecord-6.0.3.1/lib/active_record/migration.rb:1382:in `with_advisory_lock'
/opt/theforeman/tfm/root/usr/share/gems/gems/activerecord-6.0.3.1/lib/active_record/migration.rb:1229:in `migrate'
/opt/theforeman/tfm/root/usr/share/gems/gems/activerecord-6.0.3.1/lib/active_record/migration.rb:1061:in `up'
/opt/theforeman/tfm/root/usr/share/gems/gems/activerecord-6.0.3.1/lib/active_record/migration.rb:1036:in `migrate'
/opt/theforeman/tfm/root/usr/share/gems/gems/activerecord-6.0.3.1/lib/active_record/tasks/database_tasks.rb:238:in `migrate'
/opt/theforeman/tfm/root/usr/share/gems/gems/activerecord-6.0.3.1/lib/active_record/railties/databases.rake:86:in `block (3 levels) in <top (required)>'
/opt/theforeman/tfm/root/usr/share/gems/gems/activerecord-6.0.3.1/lib/active_record/railties/databases.rake:84:in `each'
/opt/theforeman/tfm/root/usr/share/gems/gems/activerecord-6.0.3.1/lib/active_record/railties/databases.rake:84:in `block (2 levels) in <top (required)>'
/opt/rh/rh-ruby25/root/usr/share/gems/gems/rake-12.3.0/lib/rake/task.rb:251:in `block in execute'

```

```

/opt/rh/rh-ruby25/root/usr/share/gems/gems/rake-12.3.0/lib/rake/task.rb:251:in `each'
/opt/rh/rh-ruby25/root/usr/share/gems/gems/rake-12.3.0/lib/rake/task.rb:251:in `execute'
/opt/rh/rh-ruby25/root/usr/share/gems/gems/rake-12.3.0/lib/rake/task.rb:195:in `block in invoke_with_call_chain'
/opt/rh/rh-ruby25/root/usr/share/ruby/monitor.rb:226:in `mon_synchronize'
/opt/rh/rh-ruby25/root/usr/share/gems/gems/rake-12.3.0/lib/rake/task.rb:188:in `invoke_with_call_chain'
/opt/rh/rh-ruby25/root/usr/share/gems/gems/rake-12.3.0/lib/rake/task.rb:181:in `invoke'
/opt/rh/rh-ruby25/root/usr/share/gems/gems/rake-12.3.0/lib/rake/application.rb:160:in `invoke_task'
/opt/rh/rh-ruby25/root/usr/share/gems/gems/rake-12.3.0/lib/rake/application.rb:116:in `block (2 levels) in top_level'
/opt/rh/rh-ruby25/root/usr/share/gems/gems/rake-12.3.0/lib/rake/application.rb:116:in `each'
/opt/rh/rh-ruby25/root/usr/share/gems/gems/rake-12.3.0/lib/rake/application.rb:116:in `block in top_level'
/opt/rh/rh-ruby25/root/usr/share/gems/gems/rake-12.3.0/lib/rake/application.rb:125:in `run_with_threads'
/opt/rh/rh-ruby25/root/usr/share/gems/gems/rake-12.3.0/lib/rake/application.rb:110:in `top_level'
/opt/rh/rh-ruby25/root/usr/share/gems/gems/rake-12.3.0/lib/rake/application.rb:83:in `block in run'
/opt/rh/rh-ruby25/root/usr/share/gems/gems/rake-12.3.0/lib/rake/application.rb:186:in `standard_exception_handling'
/opt/rh/rh-ruby25/root/usr/share/gems/gems/rake-12.3.0/lib/rake/application.rb:80:in `run'
/opt/rh/rh-ruby25/root/usr/share/gems/gems/rake-12.3.0/exe/rake:27:in `'
/opt/rh/rh-ruby25/root/usr/bin/rake:23:in `load'
/opt/rh/rh-ruby25/root/usr/bin/rake:23:in `'

```

Caused by:

ActiveRecord::ReadOnlyRecord: Setting::Puppet is marked as readonly

```

/opt/theforeman/tfm/root/usr/share/gems/gems/activerecord-6.0.3.1/lib/active_record/persistence.rb:963:in `_raise_readonly_record_error'
/opt/theforeman/tfm/root/usr/share/gems/gems/activerecord-6.0.3.1/lib/active_record/persistence.rb:532:in `destroy'
/opt/theforeman/tfm/root/usr/share/gems/gems/activerecord-6.0.3.1/lib/active_record/callbacks.rb:309:in `block in destroy'
/opt/theforeman/tfm/root/usr/share/gems/gems/activerecord-6.0.3.1/lib/active_record/callbacks.rb:101:in `run_callbacks'
/opt/theforeman/tfm/root/usr/share/gems/gems/activerecord-6.0.3.1/lib/active_record/callbacks.rb:825:in `_run_destroy_callbacks'
/opt/theforeman/tfm/root/usr/share/gems/gems/activerecord-6.0.3.1/lib/active_record/callbacks.rb:309:in `destroy'
/opt/theforeman/tfm/root/usr/share/gems/gems/activerecord-6.0.3.1/lib/active_record/transactions.rb:310:in `block in destroy'
/opt/theforeman/tfm/root/usr/share/gems/gems/activerecord-6.0.3.1/lib/active_record/transactions.rb:375:in `block in with_transaction_returning_status'
/opt/theforeman/tfm/root/usr/share/gems/gems/activerecord-6.0.3.1/lib/active_record/connection_adapters/abstract/database_statements.rb:278:in `transaction'
/opt/theforeman/tfm/root/usr/share/gems/gems/activerecord-6.0.3.1/lib/active_record/transactions.rb:212:in `transaction'
/opt/theforeman/tfm/root/usr/share/gems/gems/activerecord-6.0.3.1/lib/active_record/transactions.rb:366:in `with_transaction_returning_status'
/opt/theforeman/tfm/root/usr/share/gems/gems/activerecord-6.0.3.1/lib/active_record/transactions.rb:310:in `destroy'
/opt/theforeman/tfm/root/usr/share/gems/gems/activerecord-6.0.3.1/lib/active_record/relation.rb:544:in `each'
/opt/theforeman/tfm/root/usr/share/gems/gems/activerecord-6.0.3.1/lib/active_record/relation.rb:544:in `destroy_all'
/usr/share/foreman/db/migrate/20200602155700_drop_puppet_run.rb:3:in `up'
/opt/theforeman/tfm/root/usr/share/gems/gems/activerecord-6.0.3.1/lib/active_record/migration.rb:831:in `exec_migration'
/opt/theforeman/tfm/root/usr/share/gems/gems/activerecord-6.0.3.1/lib/active_record/migration.rb:812:in `block (2 levels) in migrate'
/opt/rh/rh-ruby25/root/usr/share/ruby/benchmark.rb:293:in `measure'
/opt/theforeman/tfm/root/usr/share/gems/gems/activerecord-6.0.3.1/lib/active_record/migration.rb:811:in `block in migrate'
/opt/theforeman/tfm/root/usr/share/gems/gems/activerecord-6.0.3.1/lib/active_record/connection_adapters/abstract/connection_pool.rb:471:in `with_connection'

```

```
/opt/theforeman/tfm/root/usr/share/gems/gems/activerecord-6.0.3.1/lib/active_record/migration.rb:8
10:in `migrate'
/opt/theforeman/tfm/root/usr/share/gems/gems/activerecord-6.0.3.1/lib/active_record/migration.rb:1
002:in `migrate'
/opt/theforeman/tfm/root/usr/share/gems/gems/activerecord-6.0.3.1/lib/active_record/migration.rb:1
310:in `block in execute_migration_in_transaction'
/opt/theforeman/tfm/root/usr/share/gems/gems/activerecord-6.0.3.1/lib/active_record/migration.rb:1
361:in `block in ddl_transaction'
/opt/theforeman/tfm/root/usr/share/gems/gems/activerecord-6.0.3.1/lib/active_record/connection_adap
pters/abstract/database_statements.rb:280:in `block in transaction'
/opt/theforeman/tfm/root/usr/share/gems/gems/activerecord-6.0.3.1/lib/active_record/connection_adap
pters/abstract/transaction.rb:280:in `block in within_new_transaction'
/opt/theforeman/tfm/root/usr/share/gems/gems/activerecord-6.0.3.1/lib/active_support/concurrency/
load_interlock_aware_monitor.rb:26:in `block (2 levels) in synchronize'
/opt/theforeman/tfm/root/usr/share/gems/gems/activerecord-6.0.3.1/lib/active_support/concurrency/
load_interlock_aware_monitor.rb:25:in `handle_interrupt'
/opt/theforeman/tfm/root/usr/share/gems/gems/activerecord-6.0.3.1/lib/active_support/concurrency/
load_interlock_aware_monitor.rb:25:in `block in synchronize'
/opt/theforeman/tfm/root/usr/share/gems/gems/activerecord-6.0.3.1/lib/active_support/concurrency/
load_interlock_aware_monitor.rb:21:in `handle_interrupt'
/opt/theforeman/tfm/root/usr/share/gems/gems/activerecord-6.0.3.1/lib/active_support/concurrency/
load_interlock_aware_monitor.rb:21:in `synchronize'
/opt/theforeman/tfm/root/usr/share/gems/gems/activerecord-6.0.3.1/lib/active_record/connection_adap
pters/abstract/transaction.rb:278:in `within_new_transaction'
/opt/theforeman/tfm/root/usr/share/gems/gems/activerecord-6.0.3.1/lib/active_record/connection_adap
pters/abstract/database_statements.rb:280:in `transaction'
/opt/theforeman/tfm/root/usr/share/gems/gems/activerecord-6.0.3.1/lib/active_record/transactions.r
b:212:in `transaction'
/opt/theforeman/tfm/root/usr/share/gems/gems/activerecord-6.0.3.1/lib/active_record/migration.rb:1
361:in `ddl_transaction'
/opt/theforeman/tfm/root/usr/share/gems/gems/activerecord-6.0.3.1/lib/active_record/migration.rb:1
309:in `execute_migration_in_transaction'
/opt/theforeman/tfm/root/usr/share/gems/gems/activerecord-6.0.3.1/lib/active_record/migration.rb:1
281:in `block in migrate_without_lock'
/opt/theforeman/tfm/root/usr/share/gems/gems/activerecord-6.0.3.1/lib/active_record/migration.rb:1
280:in `each'
/opt/theforeman/tfm/root/usr/share/gems/gems/activerecord-6.0.3.1/lib/active_record/migration.rb:1
280:in `migrate_without_lock'
/opt/theforeman/tfm/root/usr/share/gems/gems/activerecord-6.0.3.1/lib/active_record/migration.rb:1
229:in `block in migrate'
/opt/theforeman/tfm/root/usr/share/gems/gems/activerecord-6.0.3.1/lib/active_record/migration.rb:1
382:in `with_advisory_lock'
/opt/theforeman/tfm/root/usr/share/gems/gems/activerecord-6.0.3.1/lib/active_record/migration.rb:1
229:in `migrate'
/opt/theforeman/tfm/root/usr/share/gems/gems/activerecord-6.0.3.1/lib/active_record/migration.rb:1
061:in `up'
/opt/theforeman/tfm/root/usr/share/gems/gems/activerecord-6.0.3.1/lib/active_record/migration.rb:1
036:in `migrate'
/opt/theforeman/tfm/root/usr/share/gems/gems/activerecord-6.0.3.1/lib/active_record/tasks/database
_tasks.rb:238:in `migrate'
/opt/theforeman/tfm/root/usr/share/gems/gems/activerecord-6.0.3.1/lib/active_record/railties/datab
ases.rake:86:in `block (3 levels) in <top (required)>'
/opt/theforeman/tfm/root/usr/share/gems/gems/activerecord-6.0.3.1/lib/active_record/railties/datab
ases.rake:84:in `each'
/opt/theforeman/tfm/root/usr/share/gems/gems/activerecord-6.0.3.1/lib/active_record/railties/datab
ases.rake:84:in `block (2 levels) in <top (required)>'
/opt/rh/rh-ruby25/root/usr/share/gems/gems/rake-12.3.0/lib/rake/task.rb:251:in `block in execute'
/opt/rh/rh-ruby25/root/usr/share/gems/gems/rake-12.3.0/lib/rake/task.rb:251:in `each'
/opt/rh/rh-ruby25/root/usr/share/gems/gems/rake-12.3.0/lib/rake/task.rb:251:in `execute'
/opt/rh/rh-ruby25/root/usr/share/gems/gems/rake-12.3.0/lib/rake/task.rb:195:in `block in invoke_wi
th_call_chain'
/opt/rh/rh-ruby25/root/usr/share/ruby/monitor.rb:226:in `mon_synchronize'
/opt/rh/rh-ruby25/root/usr/share/gems/gems/rake-12.3.0/lib/rake/task.rb:188:in `invoke_with_call_c
hain'
/opt/rh/rh-ruby25/root/usr/share/gems/gems/rake-12.3.0/lib/rake/task.rb:181:in `invoke'
/opt/rh/rh-ruby25/root/usr/share/gems/gems/rake-12.3.0/lib/rake/application.rb:160:in `invoke_task
'
```

```

/opt/rh/rh-ruby25/root/usr/share/gems/gems/rake-12.3.0/lib/rake/application.rb:116:in `block (2 levels) in top_level'
/opt/rh/rh-ruby25/root/usr/share/gems/gems/rake-12.3.0/lib/rake/application.rb:116:in `each'
/opt/rh/rh-ruby25/root/usr/share/gems/gems/rake-12.3.0/lib/rake/application.rb:116:in `block in top_level'
/opt/rh/rh-ruby25/root/usr/share/gems/gems/rake-12.3.0/lib/rake/application.rb:125:in `run_with_threads'
/opt/rh/rh-ruby25/root/usr/share/gems/gems/rake-12.3.0/lib/rake/application.rb:110:in `top_level'
/opt/rh/rh-ruby25/root/usr/share/gems/gems/rake-12.3.0/lib/rake/application.rb:83:in `block in run'
'
/opt/rh/rh-ruby25/root/usr/share/gems/gems/rake-12.3.0/lib/rake/application.rb:186:in `standard_exception_handling'
/opt/rh/rh-ruby25/root/usr/share/gems/gems/rake-12.3.0/lib/rake/application.rb:80:in `run'
/opt/rh/rh-ruby25/root/usr/share/gems/gems/rake-12.3.0/exe/rake:27:in `'
/opt/rh/rh-ruby25/root/usr/bin/rake:23:in `load'
/opt/rh/rh-ruby25/root/usr/bin/rake:23:in `'
Tasks: TOP => db:migrate

```

Where I have this slightly outdated config, now that we mention it: updating those files is a major pain, perhaps running the foreman-installer before running vimdiff would be better?

```

---
### File managed with puppet ###
## Module: 'foreman'

:unattended: true
:require_ssl: true
:locations_enabled: false
:organizations_enabled: false
:puppetrun: false

# The following values are used for providing default settings during db migrate
:oauth_active: true
:oauth_map_users: false
:oauth_consumer_key: xxxxxxxxxxxxxxxxxxxx
:oauth_consumer_secret: xxxxxxxxxxxxxxxxxxxx

# Websockets
:websockets_encrypt: true
:websockets_ssl_key: /etc/puppetlabs/puppet/ssl/private_keys/foreman.example.com.pem
:websockets_ssl_cert: /etc/puppetlabs/puppet/ssl/certs/foreman.example.com.pem

# SSL-settings
:ssl_certificate: /etc/puppetlabs/puppet/ssl/certs/foreman.example.com.pem
:ssl_ca_file: /etc/puppetlabs/puppet/ssl/certs/ca.pem
:ssl_priv_key: /etc/puppetlabs/puppet/ssl/private_keys/foreman.example.com.pem

# HSTS setting
:hsts_enabled: true

# Log settings for the current environment can be adjusted by adding them
# here. For example, if you want to increase the log level.
:logging:
  :level: info
  :production:
    :type: file
    :layout: pattern

# Individual logging types can be toggled on/off here
:loggers:

# Foreman telemetry has three destinations: prometheus, statsd and rails log.
:telemetry:
  # prefix for all metrics
  :prefix: 'fm_rails'
  # prometheus endpoint is at /metrics

```

```
# warning: ruby client library currently does not support multi-process web servers
:prometheus:
  :enabled: false
# works with statsd_exporter too, use the rake task to generate config
:statsd:
  :enabled: false
  # IP and port (do not use DNS)
  :host: '127.0.0.1:8125'
  # one of 'statsd', 'statsite' or 'datadog'
  :protocol: 'statsd'
# Rails logs end up in logger named 'telemetry' when enabled
:logger:
  :enabled: false
  # logging level as in Logger::LEVEL
  :level: 'DEBUG'

:dynflow:
  :pool_size: 5
  :redis_url: redis://localhost:6379/6

:rails_cache_store:
  :type: file

# Configure reverse proxy headers
:ssl_client_dn_env: HTTP_SSL_CLIENT_S_DN
:ssl_client_verify_env: HTTP_SSL_CLIENT_VERIFY
:ssl_client_cert_env: HTTP_SSL_CLIENT_CERT
:authorize_login_delegation: true
:authorize_login_delegation_auth_source_user_autocreate: External
```

I got support from tbrisker on freenode and we had this discussion:

```
16:02 tbrisker| Han: delete line 10
16:02 tbrisker| Han: you can also delete lines 8-9 while there, they have no affect for a while
now :)
16:03 tbrisker| Han: did you upgrade using the installer?
16:04 Han| No I followed the manual on upgrading. But managing those diffs from the new con
fig formats is a pain. It's not explained at all.
16:05 Han| Yay! the migrate pulled through! Thanks!
16:07 tbrisker| Han: i think the installer should update that file for you, normally you wouldn'
t need to manual edit it
16:08 tbrisker| Han: can you open an issue for this though? the migration shouldn't fail anyways
even if the setting was set manually
16:08 Han| The manual tells me to run the installer after the vimdiff steps.
16:08 Han| Sure. Gladly.
```

Related issues:

Related to Foreman - Feature #29993: Remove puppetrun functionality	Closed
---	--------

Associated revisions

Revision e801f761 - 11/06/2020 11:55 AM - Tomer Brisker

Fixes #31258 - Don't fail migration if setting is hardcoded

If the puppetrun setting has been hardcoded in settings.yaml, it will be marked as readonly causing the migration attempting to delete it to fail. Since settings have no associations and we don't need callbacks to run we can use `delete` instead of `destroy` to trigger an sql query deleting it.

History

#1 - 11/04/2020 03:49 PM - Tomer Brisker

- Category set to Web Interface
- Target version set to 2.2.1
- Fixed in Releases deleted (2.2.1)

#2 - 11/04/2020 04:10 PM - The Foreman Bot

- Status changed from New to Ready For Testing
- Pull request <https://github.com/theforeman/foreman/pull/8125> added

#3 - 11/06/2020 11:55 AM - Ewoud Kohl van Wijngaarden

- Related to Feature #29993: Remove puppetrun functionality added

#4 - 11/06/2020 11:55 AM - The Foreman Bot

- Fixed in Releases 2.4.0 added

#5 - 11/06/2020 12:01 PM - Tomer Brisker

- Status changed from Ready For Testing to Closed

Applied in changeset [foreman|e801f761eb3e709a0adc7a6e6d86f514b2f919dd](#).

#6 - 11/08/2020 01:31 PM - Tomer Brisker

- Fixed in Releases 2.2.1, 2.3.0 added
- Fixed in Releases deleted (2.4.0)

#7 - 11/12/2020 02:37 PM - Tomer Brisker

- Category changed from Web Interface to DB migrations

#8 - 11/12/2020 02:38 PM - Tomer Brisker

- Subject changed from the migration shouldn't fail anyways even if the setting was set manually to puppetrun removal migration shouldn't fail even if the setting was set manually