

Foreman - Feature #31363

PXE templates should support dual stack hosts

11/21/2020 09:28 AM - Ronny Bremer

<b>Status:</b>	Ready For Testing	
<b>Priority:</b>	Normal	
<b>Assignee:</b>		
<b>Category:</b>	Templates	
<b>Target version:</b>		
<b>Difficulty:</b>	easy	<b>Fixed in Releases:</b>
<b>Triaged:</b>	No	<b>Found in Releases:</b> 2.2.1
<b>Bugzilla link:</b>		<b>Red Hat JIRA:</b>
<b>Pull request:</b>	<a href="https://github.com/foreman/foreman/pull/8145">https://github.com/foreman/foreman/pull/8145</a>	
<b>Description</b> <p>The PXE templates currently include the <b>kickstart_kernel_options</b> snippet, which does not work when both an IPv4 and v6 network is assigned to the host.</p> <p>From what I can see there is a check for dual stack inside the snippet, which returns an error. I have adopted the template to work by preferring IPv4 over v6 in a PXE environment if both are configured at the host. I will create a pull request and would love feedback and corrections. Maybe it can be included in a future version.</p>		
<b>Related issues:</b>		
Related to Foreman - Feature #31370: Template snapshot multi-host render tests		<b>Closed</b>

History

- #1 - 11/21/2020 03:15 PM - The Foreman Bot
- Status changed from New to Ready For Testing
  - Pull request <https://github.com/foreman/foreman/pull/8145> added
- #2 - 11/23/2020 03:37 PM - Ronny Bremer
- Related to Feature #31370: Template snapshot multi-host render tests added