

Foreman - Bug #31736

ERROR: index "dynflow_actions_execution_plan_uuid_id_index" does not exist

01/27/2021 10:08 AM - Ohad Levy

Status: New	
Priority: Normal	
Assignee:	
Category: DB migrations	
Target version:	
Difficulty:	Fixed in Releases:
Triaged: No	Found in Releases:
Bugzilla link:	Red Hat JIRA:
Pull request:	
Description	
<p>When trying to spin up a new foreman instance the following error was visible during rake db:migrate</p> <pre>rake aborted! Sequel::DatabaseError: PG::UndefinedObject: ERROR: index "dynflow_actions_execution_plan_uuid_id_index" does not exist /home/foreman/vendor/ruby/2.7.0/gems/sequel-5.40.0/lib/sequel/adapters/postgres.rb:156:in `exec' /home/foreman/vendor/ruby/2.7.0/gems/sequel-5.40.0/lib/sequel/adapters/postgres.rb:156:in `block in execute_query' /home/foreman/vendor/ruby/2.7.0/gems/sequel-5.40.0/lib/sequel/database/logging.rb:43:in `log_connection_yield' /home/foreman/vendor/ruby/2.7.0/gems/sequel-5.40.0/lib/sequel/adapters/postgres.rb:156:in `execute_query' /home/foreman/vendor/ruby/2.7.0/gems/sequel-5.40.0/lib/sequel/adapters/postgres.rb:144:in `block in execute' /home/foreman/vendor/ruby/2.7.0/gems/sequel-5.40.0/lib/sequel/adapters/postgres.rb:120:in `check_disconnect_errors' /home/foreman/vendor/ruby/2.7.0/gems/sequel-5.40.0/lib/sequel/adapters/postgres.rb:144:in `execute' /home/foreman/vendor/ruby/2.7.0/gems/sequel-5.40.0/lib/sequel/adapters/postgres.rb:500:in `_execute' /home/foreman/vendor/ruby/2.7.0/gems/sequel-5.40.0/lib/sequel/adapters/postgres.rb:318:in `block (2 levels) in execute' /home/foreman/vendor/ruby/2.7.0/gems/sequel-5.40.0/lib/sequel/adapters/postgres.rb:522:in `check_database_errors' /home/foreman/vendor/ruby/2.7.0/gems/sequel-5.40.0/lib/sequel/adapters/postgres.rb:318:in `block in execute' /home/foreman/vendor/ruby/2.7.0/gems/sequel-5.40.0/lib/sequel/connection_pool/threaded.rb:88:in `hold' /home/foreman/vendor/ruby/2.7.0/gems/sequel-5.40.0/lib/sequel/database/connecting.rb:269:in `synchronize' /home/foreman/vendor/ruby/2.7.0/gems/sequel-5.40.0/lib/sequel/adapters/postgres.rb:318:in `execute' /home/foreman/vendor/ruby/2.7.0/gems/sequel-5.40.0/lib/sequel/database/query.rb:50:in `execute_dui' /home/foreman/vendor/ruby/2.7.0/gems/sequel-5.40.0/lib/sequel/database/query.rb:43:in `execute_ddl' /home/foreman/vendor/ruby/2.7.0/gems/sequel-5.40.0/lib/sequel/database/schema_methods.rb:420:in `block in apply_alter_table' /home/foreman/vendor/ruby/2.7.0/gems/sequel-5.40.0/lib/sequel/database/schema_methods.rb:420:in `each' /home/foreman/vendor/ruby/2.7.0/gems/sequel-5.40.0/lib/sequel/database/schema_methods.rb:420:in `apply_alter_table' /home/foreman/vendor/ruby/2.7.0/gems/sequel-5.40.0/lib/sequel/database/schema_methods.rb:433:in `apply_alter_table_generator' /home/foreman/vendor/ruby/2.7.0/gems/sequel-5.40.0/lib/sequel/database/schema_methods.rb:70:in `alter_table'</pre>	

```
/home/foreman/vendor/ruby/2.7.0/gems/dynflow-1.4.7/lib/dynflow/persistence_adapters/sequel_migrations/020_drop_duplicate_indices.rb:4:in `block (2 levels) in <top (required)>'  
/home/foreman/vendor/ruby/2.7.0/gems/sequel-5.40.0/lib/sequel/extensions/migration.rb:110:in `instance_exec'  
/home/foreman/vendor/ruby/2.7.0/gems/sequel-5.40.0/lib/sequel/extensions/migration.rb:110:in `apply'  
/home/foreman/vendor/ruby/2.7.0/gems/sequel-5.40.0/lib/sequel/extensions/migration.rb:563:in `block (2 levels) in run'  
/home/foreman/vendor/ruby/2.7.0/gems/sequel-5.40.0/lib/sequel/database/transactions.rb:258:in `_transaction'  
/home/foreman/vendor/ruby/2.7.0/gems/sequel-5.40.0/lib/sequel/database/transactions.rb:233:in `block in transaction'  
/home/foreman/vendor/ruby/2.7.0/gems/sequel-5.40.0/lib/sequel/connection_pool/threaded.rb:92:in `hold'  
/home/foreman/vendor/ruby/2.7.0/gems/sequel-5.40.0/lib/sequel/database/connecting.rb:269:in `synchronize'  
/home/foreman/vendor/ruby/2.7.0/gems/sequel-5.40.0/lib/sequel/database/transactions.rb:195:in `transaction'  
/home/foreman/vendor/ruby/2.7.0/gems/sequel-5.40.0/lib/sequel/extensions/migration.rb:479:in `checked_transaction'  
/home/foreman/vendor/ruby/2.7.0/gems/sequel-5.40.0/lib/sequel/extensions/migration.rb:562:in `block in run'  
/home/foreman/vendor/ruby/2.7.0/gems/sequel-5.40.0/lib/sequel/extensions/migration.rb:559:in `each'  
/home/foreman/vendor/ruby/2.7.0/gems/sequel-5.40.0/lib/sequel/extensions/migration.rb:559:in `run'  
/home/foreman/vendor/ruby/2.7.0/gems/sequel-5.40.0/lib/sequel/extensions/migration.rb:406:in `run'  
/home/foreman/vendor/ruby/2.7.0/gems/dynflow-1.4.7/lib/dynflow/persistence_adapters/sequel.rb:254:in `migrate_db'  
/home/foreman/lib/tasks/dynflow.rake:23:in `block (2 levels) in <top (required)>'  
/home/foreman/lib/tasks/dynflow.rake:42:in `block (2 levels) in <top (required)>'  
/home/foreman/vendor/ruby/2.7.0/gems/rake-13.0.3/exe/rake:27:in `<top (required)>'  
/usr/share/gems/gems/bundler-2.1.4/lib/bundler/cli/exec.rb:63:in `load'  
/usr/share/gems/gems/bundler-2.1.4/lib/bundler/cli/exec.rb:63:in `kernel_load'  
/usr/share/gems/gems/bundler-2.1.4/lib/bundler/cli/exec.rb:28:in `run'  
/usr/share/gems/gems/bundler-2.1.4/lib/bundler/cli.rb:476:in `exec'  
/usr/share/gems/gems/bundler-2.1.4/lib/bundler/vendor/thor/lib/thor/command.rb:27:in `run'  
/usr/share/gems/gems/bundler-2.1.4/lib/bundler/vendor/thor/lib/thor/invocation.rb:127:in `invoke_command'  
/usr/share/gems/gems/bundler-2.1.4/lib/bundler/vendor/thor/lib/thor.rb:399:in `dispatch'  
/usr/share/gems/gems/bundler-2.1.4/lib/bundler/cli.rb:30:in `dispatch'  
/usr/share/gems/gems/bundler-2.1.4/lib/bundler/vendor/thor/lib/thor/base.rb:476:in `start'  
/usr/share/gems/gems/bundler-2.1.4/lib/bundler/cli.rb:24:in `start'  
/usr/share/gems/gems/bundler-2.1.4/libexec/bundle:46:in `block in <top (required)>'  
/usr/share/gems/gems/bundler-2.1.4/lib/bundler/friendly_errors.rb:123:in `with_friendly_errors'  
/usr/share/gems/gems/bundler-2.1.4/libexec/bundle:34:in `<top (required)>'  
//bin/bundle:23:in `load'  
//bin/bundle:23:in `<main>'
```

Caused by:

```
PG::UndefinedObject: ERROR: index "dynflow_actions_execution_plan_uuid_id_index" does not exist  
/home/foreman/vendor/ruby/2.7.0/gems/sequel-5.40.0/lib/sequel/adapters/postgres.rb:156:in `exec'  
/home/foreman/vendor/ruby/2.7.0/gems/sequel-5.40.0/lib/sequel/adapters/postgres.rb:156:in `block in execute_query'  
/home/foreman/vendor/ruby/2.7.0/gems/sequel-5.40.0/lib/sequel/database/logging.rb:43:in `log_connection_yield'  
/home/foreman/vendor/ruby/2.7.0/gems/sequel-5.40.0/lib/sequel/adapters/postgres.rb:156:in `execute_query'  
/home/foreman/vendor/ruby/2.7.0/gems/sequel-5.40.0/lib/sequel/adapters/postgres.rb:144:in `block in execute'  
/home/foreman/vendor/ruby/2.7.0/gems/sequel-5.40.0/lib/sequel/adapters/postgres.rb:120:in `check_disconnect_errors'  
/home/foreman/vendor/ruby/2.7.0/gems/sequel-5.40.0/lib/sequel/adapters/postgres.rb:144:in `execute'  
/home/foreman/vendor/ruby/2.7.0/gems/sequel-5.40.0/lib/sequel/adapters/postgres.rb:500:in `_execute'  
/home/foreman/vendor/ruby/2.7.0/gems/sequel-5.40.0/lib/sequel/adapters/postgres.rb:318:in `block (2 levels) in execute'
```

```
/home/foreman/vendor/ruby/2.7.0/gems/sequel-5.40.0/lib/sequel/adapters/postgres.rb:522:in `check_d
atabase_errors'
/home/foreman/vendor/ruby/2.7.0/gems/sequel-5.40.0/lib/sequel/adapters/postgres.rb:318:in `block i
n execute'
/home/foreman/vendor/ruby/2.7.0/gems/sequel-5.40.0/lib/sequel/connection_pool/threaded.rb:88:in `h
old'
/home/foreman/vendor/ruby/2.7.0/gems/sequel-5.40.0/lib/sequel/database/connecting.rb:269:in `synch
ronize'
/home/foreman/vendor/ruby/2.7.0/gems/sequel-5.40.0/lib/sequel/adapters/postgres.rb:318:in `execute
'
/home/foreman/vendor/ruby/2.7.0/gems/sequel-5.40.0/lib/sequel/database/query.rb:50:in `execute_dui
'
/home/foreman/vendor/ruby/2.7.0/gems/sequel-5.40.0/lib/sequel/database/query.rb:43:in `execute_ddl
'
/home/foreman/vendor/ruby/2.7.0/gems/sequel-5.40.0/lib/sequel/database/schema_methods.rb:420:in `b
lock in apply_alter_table'
/home/foreman/vendor/ruby/2.7.0/gems/sequel-5.40.0/lib/sequel/database/schema_methods.rb:420:in `e
ach'
/home/foreman/vendor/ruby/2.7.0/gems/sequel-5.40.0/lib/sequel/database/schema_methods.rb:420:in `a
pply_alter_table'
/home/foreman/vendor/ruby/2.7.0/gems/sequel-5.40.0/lib/sequel/database/schema_methods.rb:433:in `a
pply_alter_table_generator'
/home/foreman/vendor/ruby/2.7.0/gems/sequel-5.40.0/lib/sequel/database/schema_methods.rb:70:in `al
ter_table'
/home/foreman/vendor/ruby/2.7.0/gems/dynflow-1.4.7/lib/dynflow/persistence_adapters/sequel_migrati
ons/020_drop_duplicate_indices.rb:4:in `block (2 levels) in <top (required)>'
/home/foreman/vendor/ruby/2.7.0/gems/sequel-5.40.0/lib/sequel/extensions/migration.rb:110:in `inst
ance_exec'
/home/foreman/vendor/ruby/2.7.0/gems/sequel-5.40.0/lib/sequel/extensions/migration.rb:110:in `appl
y'
/home/foreman/vendor/ruby/2.7.0/gems/sequel-5.40.0/lib/sequel/extensions/migration.rb:563:in `bloc
k (2 levels) in run'
/home/foreman/vendor/ruby/2.7.0/gems/sequel-5.40.0/lib/sequel/database/transactions.rb:258:in `_tr
ansaction'
/home/foreman/vendor/ruby/2.7.0/gems/sequel-5.40.0/lib/sequel/database/transactions.rb:233:in `blo
ck in transaction'
/home/foreman/vendor/ruby/2.7.0/gems/sequel-5.40.0/lib/sequel/connection_pool/threaded.rb:92:in `h
old'
/home/foreman/vendor/ruby/2.7.0/gems/sequel-5.40.0/lib/sequel/database/connecting.rb:269:in `synch
ronize'
/home/foreman/vendor/ruby/2.7.0/gems/sequel-5.40.0/lib/sequel/database/transactions.rb:195:in `tra
nsaction'
/home/foreman/vendor/ruby/2.7.0/gems/sequel-5.40.0/lib/sequel/extensions/migration.rb:479:in `chec
ked_transaction'
/home/foreman/vendor/ruby/2.7.0/gems/sequel-5.40.0/lib/sequel/extensions/migration.rb:562:in `bloc
k in run'
/home/foreman/vendor/ruby/2.7.0/gems/sequel-5.40.0/lib/sequel/extensions/migration.rb:559:in `each
'
/home/foreman/vendor/ruby/2.7.0/gems/sequel-5.40.0/lib/sequel/extensions/migration.rb:559:in `run'
/home/foreman/vendor/ruby/2.7.0/gems/sequel-5.40.0/lib/sequel/extensions/migration.rb:406:in `run'
/home/foreman/vendor/ruby/2.7.0/gems/dynflow-1.4.7/lib/dynflow/persistence_adapters/sequel.rb:254:
in `migrate_db'
/home/foreman/lib/tasks/dynflow.rake:23:in `block (2 levels) in <top (required)>'
/home/foreman/lib/tasks/dynflow.rake:42:in `block (2 levels) in <top (required)>'
/home/foreman/vendor/ruby/2.7.0/gems/rake-13.0.3/exe/rake:27:in `<top (required)>'
/usr/share/gems/gems/bundler-2.1.4/lib/bundler/cli/exec.rb:63:in `load'
/usr/share/gems/gems/bundler-2.1.4/lib/bundler/cli/exec.rb:63:in `kernel_load'
/usr/share/gems/gems/bundler-2.1.4/lib/bundler/cli/exec.rb:28:in `run'
/usr/share/gems/gems/bundler-2.1.4/lib/bundler/cli.rb:476:in `exec'
/usr/share/gems/gems/bundler-2.1.4/lib/bundler/vendor/thor/lib/thor/command.rb:27:in `run'
/usr/share/gems/gems/bundler-2.1.4/lib/bundler/vendor/thor/lib/thor/invocation.rb:127:in `invoke_c
ommand'
/usr/share/gems/gems/bundler-2.1.4/lib/bundler/vendor/thor/lib/thor.rb:399:in `dispatch'
/usr/share/gems/gems/bundler-2.1.4/lib/bundler/cli.rb:30:in `dispatch'
/usr/share/gems/gems/bundler-2.1.4/lib/bundler/vendor/thor/lib/thor/base.rb:476:in `start'
/usr/share/gems/gems/bundler-2.1.4/lib/bundler/cli.rb:24:in `start'
/usr/share/gems/gems/bundler-2.1.4/libexec/bundle:46:in `block in <top (required)>'
```

```
/usr/share/gems/gems/bundler-2.1.4/lib/bundler/friendly_errors.rb:123:in `with_friendly_errors'  
/usr/share/gems/gems/bundler-2.1.4/libexec/bundle:34:in `'  
//bin/bundle:23:in `load'  
//bin/bundle:23:in `'  
Tasks: TOP => dynflow:migrate  
(See full trace by running task with --trace)
```

History

#1 - 04/08/2021 11:08 AM - Ohad Levy

any update on this? this makes my environment break and unable to load?