

Foreman - Feature #32290

Do not use upstream repos for Ubuntu and Debian hosts that use Katello for content

04/12/2021 09:39 AM - Quirin Pamp

Status:	Closed	
Priority:	Normal	
Assignee:	Quirin Pamp	
Category:	Templates	
Target version:		
Difficulty:	trivial	Fixed in Releases: 3.0.0
Triaged:	No	Found in Releases:
Bugzilla link:		Red Hat JIRA:
Pull request:	https://github.com/theforeman/foreman/pull/8439	
Description		
Expands upon https://projects.theforeman.org/issues/31017		
The original issue only solved the problem for Debian.		
The relevant preseed options should be set for Ubuntu as well (including additional options needed).		

Associated revisions

Revision 7481c76a - 05/25/2021 03:38 PM - Quirin Pamp

Fixes #32290 - Set offline options for Ubuntu as well

<https://projects.theforeman.org/issues/32290>

History

#1 - 04/12/2021 09:43 AM - The Foreman Bot

- Status changed from New to Ready For Testing

- Pull request <https://github.com/theforeman/foreman/pull/8439> added

#2 - 05/25/2021 03:39 PM - The Foreman Bot

- Fixed in Releases 3.0.0 added

#3 - 05/25/2021 04:01 PM - Quirin Pamp

- Status changed from Ready For Testing to Closed

Applied in changeset [foreman|7481c76aa335a86f85b5feb1952ae7fcd92928e2](https://projects.theforeman.org/changesets/foreman|7481c76aa335a86f85b5feb1952ae7fcd92928e2).