Foreman - Bug #32304

Register host does not use puppet settings from host group

04/13/2021 05:13 AM - Damon Maria

Status:	Closed			
Priority:	Normal			
Assignee:				
Category:	Host registration			
Target version:				
Difficulty:		Fixed in Releases:		
Triaged:	No	Found in Releases: 2.4.0		
Bugzilla link:		Red Hat JIRA:		
Pull request:				
Description				
I can see that "Register host" is designed to setup puppet in the Linux registration default template:				
<% if @host.puppetmaster.present? -%> <%= snippet 'puppetlabs_repo' %>				
The only place the puppet setup could come from is the host group specified in Register host. If I use a host group with puppet settings these are not applied to the host and so Puppet is not installed on the host.				
Attached are screenshots showing the host group with puppet settings and then the host after registering where the same settings are blank. But it seems those values on the host are not inherited from the assigned group.				
Related issues:				
Is duplicate of Foreman - B	ug #32457: Normally Inherited fields are not inhe	er Closed		
History				

#1 - 04/29/2021 08:37 PM - Damon Maria

- Is duplicate of Bug #32457: Normally Inherited fields are not inherited upon host registration added

#2 - 06/01/2021 01:02 PM - Leos Stejskal

- Status changed from New to Closed

Applied in changeset foremanle60069e12d7c1cf59394ae2d125d36f53f755dfd.

Files

Screen Shot 2021-04-13 at 17.10.32.png	69.4 KB	04/13/2021	Damon Maria
Screen Shot 2021-04-13 at 17.11.13.png	46.9 KB	04/13/2021	Damon Maria