

## Foreman - Bug #32373

### Use Foreman URL in Personal Access Tokens

04/21/2021 12:02 PM - Ewoud Kohl van Wijngaarden

|   |                           |
|---|---------------------------|
| <b>Status:</b> New  |                           |
| <b>Priority:</b> Normal   |                           |
| <b>Assignee:</b>  |                           |
| <b>Category:</b>  |                           |
| <b>Target version:</b>  |                           |
| <b>Difficulty:</b>  | <b>Fixed in Releases:</b> |
| <b>Triaged:</b> No  | <b>Found in Releases:</b> |
| <b>Bugzilla link:</b>   | <b>Red Hat JIRA:</b>      |
| <b>Pull request:</b>  |                           |
| <b>Description</b><br>In the user edit page there is a tab to add user tokens ( <a href="#">#31080</a> ). That always uses a hardcoded URL but should really use the Foreman URL setting. |                           |
| <b>Related issues:</b><br>Related to Foreman - Feature #31080: Add UI for managing Personal Access Tokens <b>Closed</b>   |                           |

#### History

#1 - 04/21/2021 12:02 PM - Ewoud Kohl van Wijngaarden

- Related to Feature #31080: Add UI for managing Personal Access Tokens added

#### Files

|                            |       |            |                            |
|----------------------------|-------|------------|----------------------------|
| personal-access-tokens.png | 24 KB | 04/21/2021 | Ewoud Kohl van Wijngaarden |
|----------------------------|-------|------------|----------------------------|