

Templates - Refactor #32410

Use new DSL to define settings

04/24/2021 08:37 PM - Ondřej Ezr

Status: Closed	
Priority: Normal	
Assignee: Ondřej Ezr	
Category:	
Target version:	
Difficulty:	Fixed in Releases: foreman_templates 10.0.0
Triaged: No	Found in Releases:
Bugzilla link:	Red Hat JIRA:
Pull request: https://github.com/foreman/foreman_templates/pull/158	
Description	
Subtasks:	
Refactor # 33961: Use SettingSelection to get setting values	Closed
Refactor # 33962: Use setting definitions to get setting attributes	Closed
Related issues:	
Blocked by Foreman - Tracker #29939: Improve setting definition DSL and move ...	Closed

Associated revisions

Revision a53f715d - 01/05/2022 05:10 PM - Ondřej Ezr

Fixes #32410 - use DSL to define settings

History

#1 - 04/24/2021 08:37 PM - Ondřej Ezr

- Blocked by Tracker #29939: Improve setting definition DSL and move setting registry to memory added

#2 - 11/23/2021 08:16 AM - The Foreman Bot

- Status changed from New to Ready For Testing

- Assignee set to Ondřej Ezr

- Pull request https://github.com/foreman/foreman_templates/pull/158 added

#3 - 01/05/2022 05:10 PM - The Foreman Bot

- Fixed in Releases foreman_templates 10.0.0 added

#4 - 01/05/2022 06:01 PM - Ondřej Ezr

- Status changed from Ready For Testing to Closed

Applied in changeset [foreman_templates|a53f715d7d7f37fbaa6cc29205bf5438862aa2b9](https://gitlab.com/foreman/foreman_templates/-/commit/a53f715d7d7f37fbaa6cc29205bf5438862aa2b9).