

Foreman - Bug #3471

ENC script used for pushing facts failing on duplicate entry for key 'index_fact_names_on_name' (Mysql2::Error) on a specific fact.

10/22/2013 04:31 PM - Matthew Nicholson

Status:	Rejected	
Priority:	Normal	
Assignee:		
Category:	Facts	
Target version:		
Difficulty:		Fixed in Releases:
Triaged:	No	Found in Releases:
Bugzilla link:		Red Hat JIRA:
Pull request:		

Description

Recently upgraded foremn and the the fact import/ENC script. New facts, however are not being uploaded.

The script, running from cron with --push-facts is "working" is in its trying to push facts, and apache sees the api facts endpoint hit, however, the foreman production log contains:

```
Started POST "/api/hosts/facts" for 10.242.54.15 at 2013-10-22 05:06:59 -0400
Processing by Api::V2::HostsController#facts as JSON
Parameters: {"certname"=>"hero3115.rc.fas.harvard.edu", "name"=>"hero3115.rc.fas.harvard.edu", "facts"=>"[FILTERED]", "host"=>{"certname"=>"hero3115.rc.fas.harvard.edu", "name"=>"hero3115.rc.fas.harvard.edu", "facts"=>"[FILTERED]"}}
Duplicate entry 'has_omsa' for key 'index_fact_names_on_name' (Mysql2::Error)
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/connection_adapters/abstract_mysql_adapter.rb:245:in `query'
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/connection_adapters/abstract_mysql_adapter.rb:245:in `block in execute'
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/connection_adapters/abstract_adapter.rb:280:in `block in log'
/opt/rh/ruby193/root/usr/share/gems/gems/activesupport-3.2.8/lib/active_support/instrumenter.rb:20:in `instrument'
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/connection_adapters/abstract_adapter.rb:275:in `log'
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/connection_adapters/abstract_mysql_adapter.rb:245:in `execute'
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/connection_adapters/mysql2_adapter.rb:211:in `execute'
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/connection_adapters/mysql2_adapter.rb:234:in `exec_insert'
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/connection_adapters/abstract/database_statements.rb:90:in `insert'
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/connection_adapters/abstract/query_cache.rb:14:in `insert'
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/relation.rb:66:in `insert'
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/persistence.rb:366:in `create'
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/timestamp.rb:57:in `create'
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/callbacks.rb:268:in `block in create'
/opt/rh/ruby193/root/usr/share/gems/gems/activesupport-3.2.8/lib/active_support/callbacks.rb:403:in `__run__2494098553879424726__create__3137339159448458853_callbacks'
/opt/rh/ruby193/root/usr/share/gems/gems/activesupport-3.2.8/lib/active_support/callbacks.rb:405:in `__run_callback'
/opt/rh/ruby193/root/usr/share/gems/gems/activesupport-3.2.8/lib/active_support/callbacks.rb:385:in `__run_create_callbacks'
/opt/rh/ruby193/root/usr/share/gems/gems/activesupport-3.2.8/lib/active_support/callbacks.rb:81:in `run_callbacks'
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/callbacks.rb:268:in `create'
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/persistence.rb:347:in `create_or_update'
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/callbacks.rb:264:in `block in create_or_update'
/opt/rh/ruby193/root/usr/share/gems/gems/activesupport-3.2.8/lib/active_support/callbacks.rb:414:in `__run__2494098553879424726__save__3137339159448458853_callbacks'
/opt/rh/ruby193/root/usr/share/gems/gems/activesupport-3.2.8/lib/active_support/callbacks.rb:405:in `__run_callback'
/opt/rh/ruby193/root/usr/share/gems/gems/activesupport-3.2.8/lib/active_support/callbacks.rb:385:in `__run_save_callbacks'
/opt/rh/ruby193/root/usr/share/gems/gems/activesupport-3.2.8/lib/active_support/callbacks.rb:81:in `run_callbacks'
```

```
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/callbacks.rb:264:in `create_or_update'
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/persistence.rb:104:in `save!'
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/validations.rb:56:in `save!'
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/attribute_methods/dirty.rb:33:in `save!'
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/transactions.rb:246:in `block in save!
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/transactions.rb:295:in `block in
with_transaction_returning_status'
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/connection_adapters/abstract/database_statements.rb
:192:in `transaction'
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/transactions.rb:208:in `transaction'
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/transactions.rb:293:in
`with_transaction_returning_status'
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/transactions.rb:246:in `save!'
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/validations.rb:41:in `create!'
/usr/share/foreman/app/models/host/base.rb:135:in `block (2 levels) in merge_facts'
/usr/share/foreman/app/models/host/base.rb:132:in `each'
/usr/share/foreman/app/models/host/base.rb:132:in `block in merge_facts'
/usr/share/foreman/app/models/host/base.rb:128:in `each'
/usr/share/foreman/app/models/host/base.rb:128:in `merge_facts'
/usr/share/foreman/app/models/host/base.rb:82:in `importFacts'
/usr/share/foreman/app/models/host/managed.rb:379:in `importHostAndFacts'
/usr/share/foreman/app/controllers/api/v2/hosts_controller.rb:50:in `facts'
/opt/rh/ruby193/root/usr/share/gems/actionpack-3.2.8/lib/action_controller/metal/implicit_render.rb:4:in `send_action'
/opt/rh/ruby193/root/usr/share/gems/actionpack-3.2.8/lib/abstract_controller/base.rb:167:in `process_action'
/opt/rh/ruby193/root/usr/share/gems/actionpack-3.2.8/lib/abstract_controller/callbacks.rb:18:in `block in process_action'
/opt/rh/ruby193/root/usr/share/gems/gems/activesupport-3.2.8/lib/active_support/callbacks.rb:439:in `block (3 levels) in run
_2901842312195011794_process_action_4431571858989416946_callbacks'
/opt/rh/ruby193/root/usr/share/gems/gems/activesupport-3.2.8/lib/active_support/callbacks.rb:215:in `block in
conditional_callback_around_4535'
/opt/rh/ruby193/root/usr/share/gems/gems/activesupport-3.2.8/lib/active_support/callbacks.rb:326:in `around'
/opt/rh/ruby193/root/usr/share/gems/gems/activesupport-3.2.8/lib/active_support/callbacks.rb:310:in `callback_around_757'
/opt/rh/ruby193/root/usr/share/gems/gems/activesupport-3.2.8/lib/active_support/callbacks.rb:214:in
`conditional_callback_around_4535'
/opt/rh/ruby193/root/usr/share/gems/gems/activesupport-3.2.8/lib/active_support/callbacks.rb:427:in `block (2 levels) in run
_2901842312195011794_process_action_4431571858989416946_callbacks'
/opt/rh/ruby193/root/usr/share/gems/gems/activesupport-3.2.8/lib/active_support/callbacks.rb:215:in `block in
conditional_callback_around_4534'
/usr/share/foreman/app/models/concerns/foreman/thread_session.rb:33:in `clear_thread'
/opt/rh/ruby193/root/usr/share/gems/gems/activesupport-3.2.8/lib/active_support/callbacks.rb:214:in
`conditional_callback_around_4534'
/opt/rh/ruby193/root/usr/share/gems/gems/activesupport-3.2.8/lib/active_support/callbacks.rb:404:in `block in run
_2901842312195011794_process_action_4431571858989416946_callbacks'
/opt/rh/ruby193/root/usr/share/gems/gems/activesupport-3.2.8/lib/active_support/callbacks.rb:215:in `block in
conditional_callback_around_4533'
/opt/rh/ruby193/root/usr/share/gems/gems/activesupport-3.2.8/lib/active_support/callbacks.rb:326:in `around'
/opt/rh/ruby193/root/usr/share/gems/gems/activesupport-3.2.8/lib/active_support/callbacks.rb:310:in `callback_around_13'
/opt/rh/ruby193/root/usr/share/gems/gems/activesupport-3.2.8/lib/active_support/callbacks.rb:214:in
`conditional_callback_around_4533'
/opt/rh/ruby193/root/usr/share/gems/gems/activesupport-3.2.8/lib/active_support/callbacks.rb:403:in `run
_2901842312195011794_process_action_4431571858989416946_callbacks'
/opt/rh/ruby193/root/usr/share/gems/gems/activesupport-3.2.8/lib/active_support/callbacks.rb:405:in `__run_callback'
/opt/rh/ruby193/root/usr/share/gems/gems/activesupport-3.2.8/lib/active_support/callbacks.rb:385:in `__run_process_action_callbacks'
/opt/rh/ruby193/root/usr/share/gems/gems/activesupport-3.2.8/lib/active_support/callbacks.rb:81:in `run_callbacks'
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/abstract_controller/callbacks.rb:17:in `process_action'
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_controller/metal/rescue.rb:29:in `process_action'
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_controller/metal/instrumentation.rb:30:in `block in
process_action'
/opt/rh/ruby193/root/usr/share/gems/gems/activesupport-3.2.8/lib/active_support/notifications.rb:123:in `block in instrument'
/opt/rh/ruby193/root/usr/share/gems/gems/activesupport-3.2.8/lib/active_support/notifications/instrumenter.rb:20:in `instrument'
/opt/rh/ruby193/root/usr/share/gems/gems/activesupport-3.2.8/lib/active_support/notifications.rb:123:in `instrument'
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_controller/metal/instrumentation.rb:29:in `process_action'
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_controller/metal/params_wrapper.rb:207:in `process_action'
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/railties/controller_runtime.rb:18:in `process_action'
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/abstract_controller/base.rb:121:in `process'
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/abstract_controller/rendering.rb:45:in `process'
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/abstract_controller/rendering.rb:203:in `dispatch'
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_controller/metal/rack_delegation.rb:14:in `dispatch'
```

```

/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_controller/metal.rb:246:in `block in action'
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_dispatch/routing/route_set.rb:73:in `call'
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_dispatch/routing/route_set.rb:73:in `dispatch'
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_dispatch/routing/route_set.rb:36:in `call'
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_dispatch/routing/mapper.rb:42:in `call'
/opt/rh/ruby193/root/usr/share/gems/gems/journey-1.0.4/lib/journey/router.rb:68:in `block in call'
/opt/rh/ruby193/root/usr/share/gems/gems/journey-1.0.4/lib/journey/router.rb:56:in `each'
/opt/rh/ruby193/root/usr/share/gems/gems/journey-1.0.4/lib/journey/router.rb:56:in `call'
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_dispatch/routing/route_set.rb:600:in `call'
/opt/rh/ruby193/root/usr/share/gems/gems/apipie-rails-0.0.23/lib/apipie/static_dispatcher.rb:56:in `call'
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_dispatch/middleware/best_standards_support.rb:17:in `call'
/opt/rh/ruby193/root/usr/share/gems/gems/rack-1.4.1/lib/racketag.rb:23:in `call'
/opt/rh/ruby193/root/usr/share/gems/gems/rack-1.4.1/lib/rack/conditionalget.rb:35:in `call'
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_dispatch/middleware/head.rb:14:in `call'
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_dispatch/middleware/params_parser.rb:21:in `call'
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_dispatch/middleware/flash.rb:242:in `call'
/opt/rh/ruby193/root/usr/share/gems/gems/rack-1.4.1/lib/rack/session/abstract/id.rb:205:in `context'
/opt/rh/ruby193/root/usr/share/gems/gems/rack-1.4.1/lib/rack/session/abstract/id.rb:200:in `call'
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_dispatch/middleware/cookies.rb:339:in `call'
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/query_cache.rb:64:in `call'
/opt/rh/ruby193/root/usr/share/gems/gems/activerecord-3.2.8/lib/active_record/connection_adapters/abstract/connection_pool.rb:473:in `call'
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_dispatch/middleware/callbacks.rb:28:in `block in call'
/opt/rh/ruby193/root/usr/share/gems/gems/activesupport-3.2.8/lib/active_support/callbacks.rb:405:in `__run_3490207106333014410__call_3137339159448458853_callbacks'
/opt/rh/ruby193/root/usr/share/gems/gems/activesupport-3.2.8/lib/active_support/callbacks.rb:405:in `__run_callbacks'
/opt/rh/ruby193/root/usr/share/gems/gems/activesupport-3.2.8/lib/active_support/callbacks.rb:385:in `__run_callbacks'
/opt/rh/ruby193/root/usr/share/gems/gems/activesupport-3.2.8/lib/active_support/callbacks.rb:81:in `run_callbacks'
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_dispatch/middleware/callbacks.rb:27:in `call'
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_dispatch/middleware/remote_ip.rb:31:in `call'
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_dispatch/middleware/debug_exceptions.rb:16:in `call'
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_dispatch/middleware/show_exceptions.rb:56:in `call'
/opt/rh/ruby193/root/usr/share/gems/gems/railties-3.2.8/lib/rails/rack/logger.rb:26:in `call_app'
/opt/rh/ruby193/root/usr/share/gems/gems/railties-3.2.8/lib/rails/rack/logger.rb:16:in `call'
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_dispatch/middleware/request_id.rb:22:in `call'
/opt/rh/ruby193/root/usr/share/gems/gems/rack-1.4.1/lib/rack/methodoverride.rb:21:in `call'
/opt/rh/ruby193/root/usr/share/gems/gems/rack-1.4.1/lib/rack/runtime.rb:17:in `call'
/opt/rh/ruby193/root/usr/share/gems/gems/activesupport-3.2.8/lib/active_support/cache/strategy/local_cache.rb:72:in `call'
/opt/rh/ruby193/root/usr/share/gems/gems/rack-1.4.1/lib/rack/lock.rb:15:in `call'
/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_dispatch/middleware/static.rb:62:in `call'
/opt/rh/ruby193/root/usr/share/gems/gems/rack-cache-1.2/lib/rack/cache/context.rb:136:in `forward'
/opt/rh/ruby193/root/usr/share/gems/gems/rack-cache-1.2/lib/rack/cache/context.rb:143:in `pass'
/opt/rh/ruby193/root/usr/share/gems/gems/rack-cache-1.2/lib/rack/cache/context.rb:155:in `invalidate'
/opt/rh/ruby193/root/usr/share/gems/gems/rack-cache-1.2/lib/rack/cache/context.rb:71:in `call!'
/opt/rh/ruby193/root/usr/share/gems/gems/rack-cache-1.2/lib/rack/cache/context.rb:51:in `call'
/opt/rh/ruby193/root/usr/share/gems/gems/railties-3.2.8/lib/rails/engine.rb:479:in `call'
/opt/rh/ruby193/root/usr/share/gems/gems/railties-3.2.8/lib/rails/application.rb:223:in `call'
/opt/rh/ruby193/root/usr/share/gems/gems/railties-3.2.8/lib/rails/railtie/configurable.rb:30:in `method_missing'
/opt/rh/ruby193/root/usr/share/gems/gems/rack-1.4.1/lib/rack/builder.rb:134:in `call'
/opt/rh/ruby193/root/usr/share/gems/gems/rack-1.4.1/lib/rack/urlmap.rb:64:in `block in call'
/opt/rh/ruby193/root/usr/share/gems/gems/rack-1.4.1/lib/rack/urlmap.rb:49:in `each'
/opt/rh/ruby193/root/usr/share/gems/gems/rack-1.4.1/lib/rack/urlmap.rb:49:in `call'
/usr/lib/ruby/gems/1.8/gems/passenger-4.0.5/lib/phusion_passenger/rack/thread_handler_extension.rb:77:in `process_request'
/usr/lib/ruby/gems/1.8/gems/passenger-4.0.5/lib/phusion_passenger/request_handler/thread_handler.rb:140:in `accept_and_process_next_request'
/usr/lib/ruby/gems/1.8/gems/passenger-4.0.5/lib/phusion_passenger/request_handler/thread_handler.rb:108:in `main_loop'
/usr/lib/ruby/gems/1.8/gems/passenger-4.0.5/lib/phusion_passenger/request_handler.rb:441:in `block (3 levels) in start_threads'
Rendered api/v2/errors/standard_error.json.rabl (1.0ms)
Completed 500 Internal Server Error in 287ms (Views: 3.7ms | ActiveRecord: 9.8ms)

/opt/rh/ruby193/root/usr/share/gems/gems/actionpack-3.2.8/lib/action_controller/metal/rendering.rb:10:in `process_action'

```

This happens for every fact upload attempt. So new facts/fact values are not being populated in the foreman database.

History

#1 - 10/22/2013 04:31 PM - Anonymous

- Status changed from New to Assigned

- Assignee set to Anonymous

#2 - 10/22/2013 06:27 PM - Dominic Cleal

- Category set to Facts

- Target version set to 1.15.0

#3 - 10/23/2013 12:23 PM - Anonymous

- Status changed from Assigned to Need more information

Would it be possible to post facts hash here?

#4 - 10/23/2013 04:55 PM - Matthew Nicholson

--- lruby/object:Puppet::Node::Facts

values:

```
service_node: "false"
processor3: "Intel(R) Xeon(R) CPU E5410 2.33GHz"
ib0_rate: "10 Gb/sec (4X)"
processor0: "Intel(R) Xeon(R) CPU E5410 2.33GHz"
macaddress: "00:1E:4F:23:A8:FA"
hardwareisa: x86_64
memoryfree: "30.02 GB"
netmask_eth0: "255.255.252.0"
productname: "PowerEdge M600"
lsbdistcodename: Final
netmask: "255.255.252.0"
operatingsystem: CentOS
ib1_rate: "10 Gb/sec (4X)"
hostname: hero3115
blade: "true"
gstore_mount: "true"
osfamily: RedHat
type: Multi-system
ipaddress: "10.242.42.36"
uptime: "65 days"
vlan: "386"
ganglia_port: "8653"
network_lo: "127.0.0.0"
facterversion: "1.6.13"
boardproductname: "0MY736"
owner: unknown
architecture: x86_64
storage_node: "false"
kvm_host: "false"
netmask_lo: "255.0.0.0"
rubyversion: "1.8.7"
processor7: "Intel(R) Xeon(R) CPU E5410 2.33GHz"
uptime_hours: "1562"
macaddress_ib1: "80:00:00:49:fe:80:00:00:00:00:00:18:8b:90:97:fe:28:57"
hardwaremodel: x86_64
born_on: "2011-05-11"
path: "/sbin:/usr/sbin:/bin:/usr/bin"
uniqueid: f20a242a
postgres_default_version: "8.1"
salt-minion_version: "0.15.3"
processor4: "Intel(R) Xeon(R) CPU E5410 2.33GHz"
fqdn: hero3115.rc.fas.harvard.edu
kernel: Linux
uptime_days: "65"
serialnumber: H5S5NF1
processor1: "Intel(R) Xeon(R) CPU E5410 2.33GHz"
kernelmajversion: "2.6"
has_ib: "true"
login_count: "0"
kernelversion: "2.6.18"
lsbmajdistrelease: "5"
kvm_node: "false"
lsbdistdescription: "CentOS release 5.5 (Final)"
puppet_classes:
"\x22base\x22,\x22autofs\x22,\x22autofs::install\x22,\x22autofs::params\x22,\x22salt::minion\x22,\x22openssl\x22,\x22ssh::service\x22,\x22auth\x22,
\x22auth::ldap\x22,\x22auth::krb5\x22,\x22auth::system_auth\x22,\x22auth::nsswitch\x22,\x22ssh::hostkeys\x22,\x22cve_2009_2692\x22,\x22update
```

db\x22,\x22sudoers\x22,\x22sudoers::local\x22,\x22root_pw_and_ssh\x22,\x22syslog\x22,\x22ntp\x22,\x22gmond\x22,\x22mail\x22,\x22mail::client\x22,\x22aliases\x22,\x22resolv\x22,\x22logwatch\x22,\x22tsocks\x22,\x22puppet_client\x22,\x22yum_versionlock\x22,\x22nscd\x22,\x22ssd\x22,\x22yum_client\x22,\x22yum_client::base\x22,\x22yum_client::debug\x22,\x22yum_client::rcextras\x22,\x22yum_client::puppet\x22,\x22yum_client::epel\x22,\x22apt_client\x22,\x22yum_priorities\x22,\x22std_pkgs\x22,\x22rootkit_checks\x22,\x22idmapd\x22,\x22fstab::n_root_dir\x22,\x22fstab::sum1_isilon_homes::rc\x22,\x22dell\x22,\x22dell::repos\x22,\x22dell::setup\x22,\x22dell::install\x22,\x22dell::service\x22,\x22snmpd\x22,\x22cluster_without_user_data\x22,\x22compat_links\x22,\x22scratch\x22,\x22kdump\x22,\x22mysql::client\x22,\x22std_pkgs::cluster\x22,\x22sysctl::tcp_keepalive\x22,\x22sysctl\x22,\x22sysctl::inotify\x22,\x22sysctl::filemax\x22,\x22profile\x22,\x22profile::modules\x22,\x22profile::openmp\x22,\x22profile::iraf\x22,\x22limits\x22,\x22fstab::odyssey_mount\x22,\x22fstab::sw_app_mount\x22,\x22ssh::knownhosts\x22,\x22cluster\x22,\x22lustre\x22,\x22lustre::install\x22,\x22lustre::preload\x22,\x22storage_links\x22,\x22fstab::sum1_isilon_labs\x22,\x22fstab::sum1_isilon_labs::juniper_lab\x22,\x22fstab::sum1_isilon_home\x22,\x22fstab::rc_team\x22,\x22fstab::chbweb::only\x22,\x22fstab::hutlab3\x22,\x22fstab::nfs_data1_mount\x22,\x22fstab::nfs_data2_mount\x22,\x22fstab::nfs_nobackup1_mount\x22,\x22fstab::nfs_nobackup2_mount\x22,\x22fstab::nfs_gpgpu_lab_mount\x22,\x22fstab::lab_mount\x22,\x22fstab::needlemanfs\x22,\x22fstab::bluearc\x22,\x22fstab::solexa_processed_mounts\x22,\x22fstab::itc1_mount\x22,\x22fstab::atlas_mounts\x22,\x22fstab::galaxy\x22,\x22fstab::ns960_lab\x22,\x22fstab::cleanenergy\x22,\x22fstab::nssha_scratch\x22,\x22fstab::panlfs_tcp_mount\x22,\x22fstab::scratch2_tcp_mount\x22,\x22fstab::bicepfs1\x22,\x22fstab::hernquistfs1\x22,\x22fstab::hernquistfs2\x22,\x22fstab::cleanenergy1\x22,\x22fstab::kuangfs1\x22,\x22fstab::itcbackup\x22,\x22fstab::hsph\x22,\x22fstab::kou_lab\x22,\x22fstab::dasch\x22,\x22fstab::leroyfs\x22,\x22fstab::lichtmanfs\x22,\x22fstab::rice_lab\x22,\x22fstab::aizenbergfs1\x22,\x22fstab::dulacfs1\x22,\x22fstab::murraylab\x22,\x22fstab::valor\x22,\x22fstab::hoekstra\x22,\x22fstab::jabba02\x22,\x22fstab::jabba03\x22,\x22fstab::jabba04\x22,\x22fstab::jabba05\x22,\x22fstab::jabba06\x22,\x22fstab::pearsonfs1\x22,\x22fstab::wofsyfs2\x22,\x22fstab::extavour_dharma\x22,\x22fstab::suckjoon\x22,\x22fstab::ip2\x22,\x22fstab::airoldifs2\x22,\x22fstab::schierfs1\x22,\x22fstab::nss2ha\x22,\x22fstab::hsph_ha\x22,\x22fstab::chevrier_lab\x22,\x22fstab::illumina01\x22,\x22fstab::gstore\x22,\x22gluster::client\x22,\x22gluster::logrotate\x22,\x22gluster::rdma\x22,\x22fstab::davisfs1\x22,\x22fstab::ghernquist\x22,\x22fstab::glichtman\x22,\x22fstab::ishiiifs1\x22,\x22fstab::lososfs1\x22,\x22fstab::contefs1\x22,\x22fstab::pmage1\x22,\x22fstab::atlas_tier3_nfs\x22,\x22cvrmfs\x22,\x22compute\x22,\x22abrt\x22,\x22lsf\x22,\x22profile::lsf\x22,\x22fstab::lsf_mount\x22,\x22lsf::users\x22,\x22slurm::client\x22,\x22slurm::common\x22,\x22netconsole\x22,\x22sysctl::oom\x22,\x22drop_caches\x22,\x22fstab::seqc_gluster_mount\x22,\x22rdma\x22,\x22nagios::client\x22,\x22nagios::base\x22,\x22hero0-3d.rc.fas.harvard.edu\x22"

dell_express_service_code: NA

network_eth0: "10.242.40.0"

augeasversion: "0.10.0"

ip6tables_version: "1.3.5"

interfaces: "eth0,ib0,ib1,lo,sit0"

lsbdistid: CentOS

memorytotal: "31.31 GB"

domain: rc.fas.harvard.edu

ipaddress_eth0: "10.242.42.36"

compute_node: "true"

yum_updates_avail: "415"

ipaddress_lo: "127.0.0.1"

libverbs_version: "1.1.31.1.3"

sshrsakey:

"AAAAB3NzaC1yc2EAAAIBlwAAAIAsv9kriq5qzEgyeSXTIuPkw1BlbBfsQ6bBiHSojrXAEGUEEqgEkaDyWq6NtknbyFMRg5LUSwWR6xYnAnWgYEe4/zpmEi0Xa5sLiV4qsVPsXWCHBk/nKiiTuJdeCK59MF3EFha6X6StOi3bs0Bq/7qwQFNZy+skxjRfqGdDLk88NU="

boardserialnumber: ".H5S5NF1.CN1374081K005S.15."

processorcount: "8"

memoriesize: "31.31 GB"

nfs_mounts: "170"

access_node: "false"

rubysitedir: /usr/lib/ruby/site_ruby/1.8

lsbrelease: ":core-3.1-amd64:core-3.1-ia32:core-3.1-noarch:graphics-3.1-amd64:graphics-3.1-ia32:graphics-3.1-noarch"

glusterfs_version: "3.4.0"

root_home: /root

kernelrelease: "2.6.18-194.32.1.el5"

processor5: "Intel(R) Xeon(R) CPU E5410 2.33GHz"

physicalprocessorcount: "2"

processor2: "Intel(R) Xeon(R) CPU E5410 2.33GHz"

lustre_version: "1.8.5"

macaddress_eth0: "00:1E:4F:23:A8:FA"

rt: unknown

lsbdistrelease: "5.5"

boardmanufacturer: "Dell Inc."

group: unknown

swapsize: "8.00 GB"

operatingsystemrelease: "5.5"

timezone: EDT

mta: sendmail

need_proxy: "false"

notes: unknown

ib_devs: "2"

ps: "ps -ef"

hostname_base: hero

slurm_version: "2.5.7"

is_virtual: "false"

ganglia_cluster: Hero

has_omsa: "true"

clientversion: "3.2.4"

hybrid_node: "false"

selinux: "false"

holyyoke_node: "false"

```
id: root
iptables_version: "1.3.5"
is_pe: "false"
clientcert: hero3115.rc.fas.harvard.edu
manufacturer: "Dell Inc."
!ruby/sym "_timestamp": 2013-10-23 11:12:02.301194 -04:00
sshdsakey:
"AAAAB3NzaC1kc3MAAACBAJ0tsjKFyUyuG1OJ3vODwQXclG5jnINuhnBB3M6loftjKMnyznaqQeOtb+MYCHRK1QXEUA53eyzhEMD7t82jDSTznNtO
1pV8eUvbRhfg0Mg7dVjFK6gE4lwZp8VRv5TcavnRx4FP3+oBah8N6HATK9IJNEAQEwpHALD+ZO5PyZD5AAAFQDGPlomOYUV7IKJIU8ppoV/7nX
a7wAAAIAbH0LXAf858GoYT3JLa0lsTRwct2MiV3udqbC2ZZ9T15tVOXNPh3A1iOYCnj3cycB3ETagfrlifMrfQMxxPDqo3Tgh91DHLDkFu/yvhjqd1mSA
J8joZIYXWwZ+CWPBsBYEZsC2um3Cx5C9nmJklkOcWlx4xBFEcEv7clX4n0lYWwAAAIAQSDj+g8OWARN7zOuw4GDi5tRGbglC7XKOVmUP4epqSN
OnVkkGosFS44AXOef8fMuG5XPk+IFQRkzRJZ4oTLNFSIvQBh9XADVUK6o2SIPwDeS0AAEoTxjRyUazzxYsORwVfxpvzkzsr8Zu6os4yN18FwNaPab
0y2bybOyYZU5Wk/w=="
virtual: physical
ib0_state: DOWN
puppetversion: "3.2.4"
ib1_state: DOWN
puppet_vardir: /var/lib/puppet
docs: unknown
swapfree: "7.78 GB"
uptime_seconds: "5626538"
processor6: "Intel(R) Xeon(R) CPU E5410 2.33GHz"
backup_node: "false"
macaddress_ib0: "80:00:00:48:fe:80:00:00:00:00:00:18:8b:90:97:fe:28:56"
expiration: 2013-10-23 13:12:02.206100 -04:00
name: hero3115.rc.fas.harvard.edu
```

#5 - 10/24/2013 05:02 PM - Anonymous

I can't reproduce the issue. Did you do 1.1 -> 1.2 upgrade? How did you do that (via yum or git)? What OS/ruby version is this running on? Does it fail on the same fact every time? If so, could you check if the fact is present in fact_names table before you attempt the import?

#6 - 10/24/2013 05:18 PM - Matthew Nicholson

Right, so:

Yes, this was a 1.1->1.3 upgrade.
This was via yum pkgs.
OS: CentOS 6.4
Ruby: System is ruby 1.8.7, but this is using the packages foreman 1.9.3 stuff (ruby193*.rpm)

Yes, fails on the same fact, every time.

And yes, the fact IS present in fact_names before an import:

```
mysql> select * from fact_names where name = 'has_omsa';
+----+-----+-----+-----+-----+
| id | name | updated_at | created_at |
+----+-----+-----+-----+
| 1865 | has_omsa | 2013-07-17 16:55:50 | 2013-07-17 16:55:50 |
+----+-----+-----+-----+
1 row in set (0.00 sec)
```

I'm going to drop that and see what's what.

#7 - 11/07/2013 11:58 PM - Aaron Stone

Is this blocking the 1.3.1 release?

#8 - 11/08/2013 08:53 AM - Dominic Cleal

- Status changed from Need more information to Assigned
- translation missing: en.field_release_deleted (1)

Nope, will unset it though.

#9 - 11/12/2013 12:14 PM - Anonymous

- Target version deleted (1.15.0)

#10 - 11/12/2013 12:15 PM - Dominic Cleal

- Status changed from Assigned to New
- Assignee deleted (Anonymous)

#11 - 11/13/2019 08:55 AM - Tomer Brisker

- Status changed from *New* to *Rejected*

Foreman is dropping support for MySQL database - see <https://community.theforeman.org/t/rfc-dropping-support-for-mysql/14185> for further details.
Closing this issue.