Foreman - Bug #35650

Malformed Debian repository

10/19/2022 03:11 PM - Bernhard Suttner

Status:	Closed		
Priority:	Normal		
Assignee:	Bernhard Suttner		
Category:	Host registration		
Target version:			
Difficulty:		Fixed in Releases:	3.5.0
Triaged:	Yes	Found in Releases:	
Bugzilla link:		Red Hat JIRA:	
Pull request:	https://github.com/theforeman/foreman/p ull/9473		
Description			

In Host registration -> advanced its possible to enter a debian repository which will then be written to /etc/apt/sources.list.d/foreman registration.list Currently, shell escape is used. If you enter a debian repo like "deb https://example.com buster stable" the repo config look like

deb\ https://example.com\ buster\ stable

which is unusable.

Associated revisions

Revision debea6c1 - 10/19/2022 04:58 PM - Bernhard Suttner

Fixes #35650 - write correct form of deb repo

In Host registration -> advanced its possible to enter a debian repository which will then be written to /etc/apt/sources.list.d/foreman_registration.list If you enter a debian repo like "deb https://example.com buster stable", shell_escape method would rewrite the string so that it looks like:

deb\ https://example.com\ buster\ stable

This repo config can not work. Use save_to_file to write the file.

History

#1 - 10/19/2022 03:18 PM - The Foreman Bot

- Status changed from New to Ready For Testing
- Assignee set to Bernhard Suttner
- Pull request https://github.com/theforeman/foreman/pull/9473 added

#2 - 10/19/2022 04:58 PM - The Foreman Bot

- Fixed in Releases 3.5.0 added

#3 - 10/19/2022 05:01 PM - Bernhard Suttner

- Status changed from Ready For Testing to Closed

Applied in changeset foreman/debea6c156b9508188e03cabc63093bc19f62956.

#4 - 11/08/2022 05:34 PM - Ewoud Kohl van Wijngaarden

- Subject changed from Host registration: debian repository malformed to Malformed Debian repository

- Category set to Host registration

- Triaged changed from No to Yes