Puppet - Bug #35679

autosign.conf gets FQDN when "Append domain names to the host" is no and a host is rebuilt

10/26/2022 03:05 PM - Robert Eden

Status:	New	
Priority:	Normal	
Assignee:		
Category:		
Target version:		
Difficulty:	easy	Fixed in Releases:
Triaged:	No	Found in Releases:
Bugzilla link:		Red Hat JIRA:
Pull request:		
Description		
When Foreman setting "Append domain names to the host" is set to no:		
puppet.conf "certname" has the shortname autosign.conf has the FQDN		
They probably should both have the shortname, but they certainly should match!		
Foreman 2.5.4-1		

History

#1 - 10/26/2022 03:31 PM - Robert Eden

stand by... I think the issue only occurs when the host is edited. I deleted and recreated and it autosign had a short-name. Let me confirm the steps to duplicate.

#2 - 10/26/2022 04:19 PM - Robert Eden

- Subject changed from certname doesn't match autosign.conf when "Append domain names to the host" is no to autosign.conf gets FQDN when "Append domain names to the host" is no and a host is rebuilt

puppet.conf certname has short name (as it should)

the problem is with autosign.conf

steps to reproduce

- 1. create host (autosign has short name)
- 2. cancel build (autosign removes short name)
- 3. initiate build (autosign gets FQDN BUG)
- 4. cancel build (autosign still has FQDN... (it will remove short_name if you put it back after step 3!))

#3 - 10/26/2022 04:50 PM - Robert Eden

I noticed when the rebuild host boots, it shows up as a new host (host list has 2 with the same short-name).. so maybe the issue is with the "cancel"/"build" process and the puppet side is only a symptom. I don't know enough about foreman internals to tell.