

Foreman - Feature #359

Add support for 'hostname=<hostname>' spoofing for Unattended Installs

07/27/2010 03:38 PM - Jon Fautley

Status: Closed	
Priority: Normal	
Assignee: Daniel Lobato Garcia	
Category: Unattended installations	
Target version: 1.4.0	
Difficulty:	Fixed in Releases:
Triaged:	Found in Releases:
Bugzilla link:	Red Hat JIRA:
Pull request:	
Description	
This patch extends the support for 'spoofing' unattended installs to allow passing the hostname instead of the IP address. Usage: ">http://foreman.server:3000/unattended/kickstart?hostname=&lt;hostname> Patch generated against latest git develop branch (might clash with #338?)	
Related issues:	
Related to Foreman - Feature #3182: Remove requirement for entering an IP add...	Closed 10/02/2013
Related to Foreman - Bug #4268: Spoof by hostname still searches by an empty ...	Closed 02/05/2014

Associated revisions

Revision 5b70f0e0 - 01/21/2014 12:02 PM - Daniel Lobato Garcia

fixes #359 - hostname spoofing for unattended installation templates

Revision 4f566c0a - 01/23/2014 11:31 AM - Daniel Lobato Garcia

fixes #359 - hostname spoofing for unattended installation templates

(cherry picked from commit 5b70f0e0232bff3e580923f485bc0bd1816d9279)

History

#1 - 07/29/2010 12:52 PM - Ohad Levy

maybe I'm missing something, but where is the handling of the lookup of the host based on its name?

#2 - 07/29/2010 12:53 PM - Ohad Levy

- Status changed from New to Feedback

- Assignee changed from Ohad Levy to Jon Fautley

#3 - 07/29/2010 01:04 PM - Jon Fautley

- File 0001-Support-hostname-spoofing-parameter-for-unattende.patch added

- Assignee changed from Jon Fautley to Ohad Levy

Ha, whoops. I attached the wrong patch, sorry!

#4 - 11/09/2010 09:21 AM - Ohad Levy

would you mind redoing your patch based on the latest version?

thanks!

#5 - 11/09/2010 09:21 AM - Ohad Levy

- Assignee changed from Ohad Levy to Jon Fautley

#6 - 12/06/2012 10:43 AM - Benjamin Papillon

- Status changed from *Feedback* to *New*
- Assignee deleted (*Jon Fautley*)

#7 - 11/01/2013 10:01 AM - Dominic Cleal

- Related to Feature #3182: *Remove requirement for entering an IP address when creating a new host added*

#8 - 11/12/2013 01:10 PM - Anonymous

- Target version set to *1.10.0*

#9 - 12/04/2013 01:17 PM - Anonymous

- Description updated
- Target version deleted (*1.10.0*)

#10 - 12/04/2013 01:24 PM - Greg Sutcliffe

- translation missing: *en.field_release* set to *2*

#11 - 01/09/2014 02:29 PM - Anonymous

- Target version set to *1.9.2*

#12 - 01/16/2014 12:53 PM - Daniel Lobato Garcia

- Assignee set to *Daniel Lobato Garcia*

I'm nearly done with this, PR will come soon.

#13 - 01/16/2014 03:38 PM - Daniel Lobato Garcia

- Status changed from *New* to *Ready For Testing*

<https://github.com/theforeman/foreman/pull/1161>

#14 - 01/21/2014 12:31 PM - Daniel Lobato Garcia

- Status changed from *Ready For Testing* to *Closed*
- % Done changed from *0* to *100*

Applied in changeset [5b70f0e0232bff3e580923f485bc0bd1816d9279](#).

#15 - 02/05/2014 05:40 PM - Dominic Cleal

- Related to Bug #4268: *Spoof by hostname still searches by an empty IP and returns the wrong host added*

Files

0001-Don-t-use-MAC-address-as-matching-parameter-when-usi.patch	1.08 KB	07/27/2010	Jon Fautley
0001-Support-hostname-spoofing-parameter-for-unattende.patch	1.58 KB	07/29/2010	Jon Fautley